



中国认可
国际互认
检测
TESTING
CNAS L6478



TEST REPORT

Reference No. : WTF19F10068999C

Applicant : Mid Ocean Brands B.V.

Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

Manufacturer : 114276

Sample Name : Foldable cup with carabiner

Model No. : MO9196

Test Requested : In accordance with Regulation (EU) No 10/2011 with amendments (EU) 2016/1416, (EU) 2017/752, (EU)2018/79, (EU)2019/37 and Regulation (EC) No 1935/2004.

Test Conclusion : **Pass** (Please refer to next pages for details)

Date of Receipt sample : 2019-10-09

Date of Test : 2019-10-09 to 2019-10-16

Date of Issue : 2019-10-16

Test Result : Please refer to next page (s)

Remarks:

The results shown in this test report refer only to the sample(s) tested; this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.

Prepared By:
Waltek Services (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City,
Chencun, Shunde District, Foshan, Guangdong, China
Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Compiled by:

Abby Zhou

Abby.Zhou / Project Engineer

Approved by:



Swing Liang

Swing.Liang / Lab Manager

**Test Results:****1. Overall Migration Test**

Food Simulant	Test Condition	Result (mg/dm ²)	MDL (mg/dm ²)	Limit (mg/dm ²)
		No.1		
3% Acetic Acid	70°C for 2 hours	ND	3	10
10% Ethanol	70°C for 2 hours	ND	3	10
50% Ethanol	70°C for 2 hours	ND	3	10

Note:

1. Test method: With reference to BS EN 1186-1: 2002, BS EN 1186-3: 2002, BS EN 1186-9: 2002 and BS EN 1186-14: 2002.
2. "mg/dm²" = milligram per square decimetre
3. "°C" = Celsius degree
4. MDL= Method Detection Limit
5. ND = Not Detected, less than MDL
6. The specification was quoted from (EU) No 10/2011 and its amendments (EU) 2016/1416, (EU) 2017/752 and (EU)2019/37.
7. The ratio of volume to surface area was: 0.0016L/0.01dm²

Food Simulant	Test Condition	Result (mg/kg)	MDL(mg/kg)	Limit (mg/kg)
		No.2		
3% Acetic Acid	70°C for 2 hours	ND	20	60
10% Ethanol	70°C for 2 hours	ND	20	60
50% Ethanol	70°C for 2 hours	ND	20	60

Note:

1. Test method: With reference to BS EN 1186-1: 2002, BS EN 1186-3: 2002, BS EN 1186-9: 2002 and BS EN 1186-14: 2002.
2. "mg/kg" = milligram per kilogram of foodstuff in contact with
3. "°C" = Celsius degree
4. MDL= Method Detection Limit
5. ND = Not Detected, less than MDL
6. The specification was quoted from Council of Europe Resolution AP (2004)5.

**2. Specific Migration of heavy metal (Nickel, Aluminium, Barium, Cobalt, Copper, Iron, Lithium, Manganese, Zinc)**

Test Items	Result (mg/kg)	MDL (mg/kg)	Limit (mg/kg)
	No.1		
Specific migration of Nickel	ND	0.01	0.02
Specific migration of Aluminium	ND	0.1	1
Specific migration of Barium	ND	0.1	1
Specific migration of Cobalt	ND	0.01	0.05
Specific migration of Copper	ND	0.1	5
Specific migration of Iron	ND	0.1	48
Specific migration of Lithium	ND	0.01	0.6
Specific migration of Manganese	ND	0.01	0.6
Specific migration of Zinc	ND	0.1	5

Note:

1. Test Method: With reference to BS EN 13130-1: 2004, sample preparation in 3% acetic acid at 70°C for 2 hours, analysis was performed by ICP-OES.
2. "mg/kg" = milligram per kilogram of foodstuff in contact with
3. MDL= Method Detection Limit
4. ND = Not Detected, less than MDL
5. The specification was quoted from (EU) No 10/2011 and its amendments (EU) 2016/1416 and (EU)2017/752.
6. The ratio of volume to surface area was: 0.0016L/0.01dm²

3. Specific Migration of Primary Aromatic Amines

Test Item	Result (mg/kg)	MDL (mg/kg)	Limit (mg/kg)
	No.1		
Migration of Primary aromatic amines	ND	0.01	Not Detected (<0.01mg/kg)

Note:

1. Test Method: With reference to § 64 LFGB L No. 00.00-6, analysis was performed by UV-visible Spectrometer.
2. Test Condition and simulat: 3% acetic acid at 70°C for 2 hours.
3. "mg/kg" = milligram per kilogram of foodstuff in contact with
4. MDL= Method Detection Limit
5. ND = Not Detected, less than MDL
6. The specification was quoted from (EU) No 10/2011 and its amendments (EU) 2016/1416 and (EU) 2017/752.
7. The ratio of volume to surface area was: 0.0016L/0.01dm²



4. Bisphenol A Content*

Test Item	Result (mg/kg)		MDL (mg/kg)	Limit (mg/kg)
	No.1	No.2		
Bisphenol A	ND	ND	0.1	Not Detected (<0.1mg/kg)

Note:



1. Test Method: With reference to EPA3550C:2007, analysis was performed by LC-MS-MS.
2. "mg/kg" = milligram per kilogram
3. MDL= Method Detection Limit
4. ND = Not Detected, less than MDL
5. The specification was quoted from Law No 2012-1442.
6. The testing item marked with "*" does not been accredited by CNAS.

Sample Photo:





Photograph of parts tested:

No.	Photo of testing part	Parts Description	Client Claimed Material
1		Transparent plastic	Polystyrene
2		Blue silicone rubber	Silicone rubber

===== End of Report =====

WALTEK