

TEST REPORT

| | | | |
|--------------------------|---------------|-----------------------|-----------------|
| Test Report # | 19H-005655 | Date of Report Issue: | August 16, 2019 |
| Date of Sample Received: | July 24, 2019 | Pages: | Page 1 of 9 |

CLIENT INFORMATION:

Company: Hit Promotional Products
 Recipient: Nathan Cotter
 Recipient Email: ncotter@hitpromo.net



SAMPLE INFORMATION:

| | | | |
|--------------------------|--|------------------------|--------------|
| Description: | Whisk | Purchase Order Number: | 325340 |
| Assortment: | 3 colors | Agent: | Growth-Sonic |
| SKU No.: | 2109 | Country of Origin: | China |
| Factory No.: | 127640 | Labeled Age Grade: | - |
| Country of Distribution: | United States | Recommended Age Grade: | - |
| Quantity Submitted: | 5 pcs per style | Tested Age Grade: | - |
| Testing Period: | 07/25/2019 – 08/02/2019 08/07/2019 – 08/16/2019 | | |

OVERALL RESULT:

 **PASS**

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited



Loska Yeung Lok Ka
 Assistant Manager, Chemical Laboratory

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-005655

Page 2 of 9

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

| CONCLUSION | TEST(S) CONDUCTED |
|------------|--|
| PASS | CPSIA Section 101, Total Lead in Substrate Materials |
| PASS | California Proposition 65, Total Lead in Substrate Materials |
| PASS | Client's Requirement, Bisphenol A and Bisphenol S [#] |
| PASS | FDA 21 CFR 177.2600, Rubber |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-005655

Page 3 of 9

DETAILED RESULTS:**CPSIA Section 101, Total Lead in Substrate Materials**

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No. | 1+2 | 3 | 4 | --- | --- | Total Limit (ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|
| Test Item | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Total Lead (Pb) | ND | ND | ND | --- | --- | 100 |
| Conclusion | PASS | PASS | PASS | --- | --- | |

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-005655

Page 4 of 9

DETAILED RESULTS:**California Proposition 65, Total Lead in Substrate Materials**

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No. | 1+2 | 3 | 4 | --- | --- | Total Limit (ppm) |
|-------------------|-----------------|-----------------|-----------------|-----------------|-----------------|-------------------------|
| Test Item | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Total Lead (Pb) | ND | ND | ND | --- | --- | 100 |
| Conclusion | PASS | PASS | PASS | --- | --- | |

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-005655

Page 5 of 9

DETAILED RESULTS:**Client's Requirement, Bisphenol A and Bisphenol S**

Test Method: In-House Method#
 Analytical Method: Liquid Chromatography with Mass Spectrometry or
 Liquid Chromatography with Mass Spectrometry Mass Spectrometry

| Specimen No. | 1 | 2 | 4 | --- | Limit (ppb) |
|---------------------------|--------------|--------------|--------------|--------------|-------------|
| Test Item CAS No. | Result (ppb) | Result (ppb) | Result (ppb) | Result (ppb) | |
| Bisphenol A (BPA) 80-05-7 | ND | ND | ND | --- | ND |
| Bisphenol S (BPS) 80-09-1 | ND | ND | ND | --- | ND |
| Conclusion | PASS | PASS | PASS | --- | |

Note:

ppb (Parts per billion) = µg/kg (Micrograms per kilogram)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting limit: BPA = 1000 ppb; BPS = 200 ppb)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-005655

Page 6 of 9

DETAILED RESULTS:**FDA 21 CFR 177.2600, Rubber**

Test Method: FDA 21 CFR 177.2600

| Specimen No. | | | 1 | RL | Limit |
|--|----------------|--------------------|--------|------------|------------|
| Test Item | Test Condition | | Result | | |
| | Temp. | Duration | | | |
| Distilled water extractive (mg/in ²) | Reflux | First 7 hours | ND | 2 | 20 |
| Distilled water extractive (mg/in ²) | Reflux | Succeeding 2 hours | ND | 0.1 | 1 |
| n-Hexane extractive (mg/in ²) | Reflux | First 7 hours | ND | 15 | 175 |
| n-Hexane extractive (mg/in ²) | Reflux | Succeeding 2 hours | ND | 0.4 | 4 |
| Conclusion | | | PASS | | |

| Specimen No. | | | 2 | RL | Limit |
|--|----------------|--------------------|--------|------------|------------|
| Test Item | Test Condition | | Result | | |
| | Temp. | Duration | | | |
| Distilled water extractive (mg/in ²) | Reflux | First 7 hours | ND | 2 | 20 |
| Distilled water extractive (mg/in ²) | Reflux | Succeeding 2 hours | ND | 0.1 | 1 |
| n-Hexane extractive (mg/in ²) | Reflux | First 7 hours | ND | 15 | 175 |
| n-Hexane extractive (mg/in ²) | Reflux | Succeeding 2 hours | ND | 0.4 | 4 |
| Conclusion | | | PASS | | |

Note:

Temp. = Temperature

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.2600 (e) and 177.2600 (f).

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-005655

Page 7 of 9

DETAILED RESULTS:**FDA 21 CFR 177.2600, Rubber**

Test Method: FDA 21 CFR 177.2600

| Specimen No. | | | 4 | RL | Limit |
|--|----------------|--------------------|--------|------------|------------|
| Test Item | Test Condition | | Result | | |
| | Temp. | Duration | | | |
| Distilled water extractive (mg/in ²) | Reflux | First 7 hours | ND | 2 | 20 |
| Distilled water extractive (mg/in ²) | Reflux | Succeeding 2 hours | 0.3 | 0.1 | 1 |
| n-Hexane extractive (mg/in ²) | Reflux | First 7 hours | ND | 15 | 175 |
| n-Hexane extractive (mg/in ²) | Reflux | Succeeding 2 hours | ND | 0.4 | 4 |
| Conclusion | | | PASS | | |

Note:

Temp. = Temperature

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.2600 (e) and 177.2600 (f).

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-005655

Page 8 of 9

SPECIMEN DESCRIPTION:

| Specimen No. | Specimen Description | Location |
|--------------|------------------------------|-------------------------------|
| 1 | Red soft plastic (Silicon) | Wrapper of wire (red style) |
| 2 | Green soft plastic (Silicon) | Wrapper of wire (green style) |
| 3 | Silvery metal | Handle/ hook (all styles) |
| 4 | Blue soft plastic (Silicon) | Wrapper of wire (teal style) |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SAMPLE PHOTO:



-End Report-

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.*