



TEST REPORT

Test Report #	19H-005716 D	Date of Report Issue:	August	6, 2019
Date of Sample Received:	July 26, 2019 P	Pages:	Page 1 o	of 12
CLIENT INFORMATION:				And International Property in which the
Company:	Hit Promotional Products	5	1. and the second	
Recipient:	Nathan Cotter			
Recipient Email:	ncotter@hitpromo.net		Constant of	
SAMPLE INFORMATION:				19H-005716
Description:	Reusable Food Bag With	Plastic Slider		
Assortment:	5 colors	Purchase Order Numl	ber:	326569
SKU No.:	2154	Agent:		Brand New Days
Factory No.:	106692	Country of Origin:		China
Country of Distribution:	United States	Labeled Age Grade:		-
Quantity Submitted:	3 pcs per style + 1 lot Par	ts Recommended Age G	irade:	-

Tested Age Grade:

OVERALL RESULT:

Testing Period:

γ PASS

07/26/2019 - 08/06/2019

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited



Loska Yeung Lok Ka Assistant Manager, Chemical Laboratory

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein. This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Page 2 of 12

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	CPSIA Section 101, Total Lead in Substrate Materials
PASS	California Proposition 65, Total Lead in Substrate Materials
PASS	Client's Requirement, Bisphenol A and Bisphenol S [#]
PASS	FDA 21 CFR 177.2600, Rubber

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein. This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Page 3 of 12

DETAILED RESULTS:

CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings

Test Method:CPSC-CH-E-1003-09.1Analytical Method:Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1					Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND					90
Conclusion	PASS					

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Page 4 of 12

DETAILED RESULTS:

California Proposition 65, Total Lead in Paints and Surface Coatings

Test Method:CPSC-CH-E-1003-09.1Analytical Method:Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1					Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND					90
Conclusion	PASS					

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.



Page 5 of 12

DETAILED RESULTS:

CPSIA Section 101, Total Lead in Substrate Materials

Test Method:CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)Analytical Method:Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2+3+4	5+6	7+8+9	10+11		Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND		100
Conclusion	PASS	PASS	PASS	PASS		

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Page 6 of 12

DETAILED RESULTS:

California Proposition 65, Total Lead in Substrate Materials

Test Method:CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)Analytical Method:Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2+3+4	5+6	7+8+9	10+11		Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND		100
Conclusion	PASS	PASS	PASS	PASS		

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.



Page 7 of 12

DETAILED RESULTS:

Client's Requirement, Bisphenol A and Bisphenol S

Test Method:In-House Method#Analytical Method:Liquid Chromatography with Mass Spectrometry orLiquid Chromatography with Mass Spectrometry Mass Spectrometry

Specimen No.		7	8	9	10	
Test Item	CAS No.	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Limit (ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND	ND	ND
Conclusi	on	PASS	PASS	PASS	PASS	

Specimen No.		11				
Test Item	CAS No.	Result	Result	Result	Result	Limit
	CAS NO.	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)
Bisphenol A (BPA)	80-05-7	ND				ND
Bisphenol S (BPS)	80-09-1	ND				ND
Conclusion		PASS				

Note:

ppb (Parts per billion) = $\mu g/kg$ (Micrograms per kilogram)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting limit: BPA = 1000 ppb; BPS = 200 ppb)

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Page 8 of 12

DETAILED RESULTS:

FDA 21 CFR 177.2600, Rubber

Test Method: FDA 21 CFR 177.2600

Specimen No	7				
Test Item	Test Co	ondition	Result	RL	Limit
Test item	Temp.	Duration	Result	κL	LIIIII
Distilled water extractive (mg/in ²)	Reflux	First	ND	2	20
	Renux	7 hours	ND	2	20
Distilled water extractive (mg/in ²)	Reflux	Succeeding	0.2	0.1	1
Distilled water extractive (ing/iii)	Renux	2 hours	0.2	0.1	Ŧ
n-Hexane extractive (mg/in ²)	Reflux	First	ND	15	175
II-HEXAILE EXtractive (Ing/III)	Reliux	7 hours	ND	15	1/5
n Hovano ovtractivo (mg/in ²)	Reflux	Succeeding		0.4	4
n-Hexane extractive (mg/in ²)	Rellux	2 hours	ND	0.4	4
Conclusion	PASS				

Specimen No	8				
Test Item	Test Co	ondition	Result	RL	Limit
lest item	Temp.	Duration	Result	ĸL	LIIIIIL
Distilled water extractive (mg/in ²)	Reflux	First	ND	2	20
Distilled water extractive (mg/in ²)	Reliux	7 hours	ND	2	20
Distilled water extractive (mg/in ²)	Reflux	Succeeding	0.2	0.1	1
Distilled water extractive (ing/iii)	Reliux	2 hours	0.2	0.1	Ŧ
n-Hexane extractive (mg/in ²)	Reflux	First	ND	15	175
II-Hexalle extractive (Ing/III)	Reliux	7 hours	ND	15	1/5
n Hovano ovtractivo (mg/in ²)	Reflux	Succeeding	ND	0.4	Λ
n-Hexane extractive (mg/in ²)	Rellux	2 hours	ND	0.4	4
Conclusion	PASS				

Note: Temp. = Temperature mg/in² = Milligrams per square inch LT = Less than ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.2600 (e) and 177.2600 (f).

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Page 9 of 12

DETAILED RESULTS:

FDA 21 CFR 177.2600, Rubber

Test Method: FDA 21 CFR 177.2600

Specimen No	9				
Test Item	Test Co	ondition	Result	RL	Limit
Test item	Temp.	Duration	Result	κL	LIIIII
Distilled water extractive (mg/in ²)	Reflux	First	ND	2	20
	Reliux	7 hours	ND	2	20
Distilled water extractive (mg/in ²)	Reflux	Succeeding	0.2	0.1	1
Distilled water extractive (ing/iii)	Reliux	2 hours	0.2	0.1	Ŧ
n-Hexane extractive (mg/in ²)	Reflux	First	ND	15	175
II-HEXAILE EXtractive (IIIg/III)	Reliux	7 hours	ND	15	175
n-Hexane extractive (mg/in ²)	Reflux	Succeeding	ND	0.4	4
II-Hexane extractive (Ing/III)	Reliux	2 hours	ND	0.4	4
Conclusion	PASS				

Specimen No	10				
Test Item	Test Co	ondition	Result	RL	Limit
lest item	Temp.	Duration	Result	ĸL	LIIIIIL
Distilled water extractive (mg/in ²)	Reflux	First	ND	2	20
Distilled water extractive (mg/in ²)	Reliux	7 hours	ND	2	20
Distilled water extractive (mg/in ²)	Reflux	Succeeding	ND	0.1	1
Distilled water extractive (ing/iii)	Reliux	2 hours	ND	0.1	Ŧ
n-Hexane extractive (mg/in ²)	Reflux	First	ND	15	175
II-Hexalle extractive (Ing/III)	Reliux	7 hours	ND	15	1/5
n Hovano ovtractivo (mg/in ²)	Reflux	Succeeding	ND	0.4	Λ
n-Hexane extractive (mg/in ²)	Rellux	2 hours	ND	0.4	4
Conclusion	PASS				

Note: Temp. = Temperature mg/in² = Milligrams per square inch LT = Less than ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.2600 (e) and 177.2600 (f).

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Page 10 of 12

DETAILED RESULTS:

FDA 21 CFR 177.2600, Rubber

Test Method: FDA 21 CFR 177.2600

Specimen No	11				
Test Item	Test Condition		Result	RL	Limit
restitem	Temp.	Duration	Result	KL.	Linit
Distilled water extractive (mg/in ²)	Reflux	First	ND	2	20
		7 hours		2	20
Distilled water extractive (mg/in ²)	Reflux	Succeeding	0.2	0.1	1
		2 hours		0.1	1
n-Hexane extractive (mg/in ²)	Reflux	First	ND	15	175
		7 hours		15	175
n-Hexane extractive (mg/in ²)	Reflux	Succeeding	ND	0.4	4
		2 hours		0.4	4
Conclusion	PASS				

Note:

Temp. = Temperature mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.2600 (e) and 177.2600 (f).

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Page 11 of 12

SPECIMEN DESCRIPTION:


Specimen No.	Specimen Description	Location
1	Black coating	On body (all styles)
2	Clear red plastic	Lock bar (red style)
3	Clear green plastic	Lock bar (green style)
4	Clear blue plastic	Lock bar (blue style)
5	Clear black plastic	Lock bar (grey style)
6	Clear plastic	Lock bar (white style)
7	Translucent red soft plastic (Silicone)	Body (red style)
8	Translucent green soft plastic (Silicone)	Body (green style)
9	Blue soft plastic (Silicone)	Body (blue style)
10	Translucent grey soft plastic (Silicone)	Body (grey style)
11	Translucent soft plastic (Silicone)	Body (white style)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.



Page 12 of 12

SAMPLE PHOTO:



-End Report-

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.