



TEST REPORT

Test Report # 20H-000685 Date of Report Issue: March 3, 2020

Date of Sample Received: February 17, 2020 Pages: Page 1 of 12

CLIENT INFORMATION:

Company: Hit Promotional Products

Recipient: Nathan Cotter

Recipient Email: ncotter@hitpromo.net

SAMPLE INFORMATION:

Description: Wheat Lunch Set With Phone Holder

Assortment: 3 colors Purchase Order Number: 346754

SKU No.: 2218 Agent: Brand New Days

Factory No.: 106788 Country of Origin: China

Country of Distribution: United States Labeled Age Grade: -

Quantity Submitted: 6 sets per style Recommended Age Grade: -

Testing Period: 02/17/2020 – 02/28/2020 Tested Age Grade:

03/03/2020 - 03/03/2020

20H-00t

OVERALL RESULT:

P PASS

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited

TH.

Loska Yeung Lok Ka Assistant Manager, Chemical Laboratory QIMA Testing (HK) Limited

Ricky Cheung Chin Yeung Manager, Physical Laboratory

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, HKSAR, China • Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is fare not covered under the scope of accreditation.

according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with '\psi' was subcontracted to external laboratory.

CS-HK-RE005-HITP Ver.14



Test Report #: 20H-000685 Page 2 of 12

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101, Total Lead in Substrate Materials
PASS	California Proposition 65, Total Lead in Substrate Materials
PASS	Client's Requirement, Bisphenol A and Bisphenol S#0
PASS	FDA 21 CFR 176.170, Components of Paper and Paper Board in Contact with Aqueous and Fatty Food#
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets#
PASS	FDA 21 CFR 177.1520, Polypropylene Copolymers (Solvent Extractives Only)
PASS	FDA 21 CFR 178.3800, Preservatives for Wood – Pentachlorophenol (PCP)#
PASS	Client Performance Requirement- Dishwasher Test#
PASS	Client Safety Requirement – Microwave Safe Test#

according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with ' ϕ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

CS-HK-RE005-HITP



Test Report #: 20H-000685 Page 3 of 12

DETAILED RESULTS:

CPSIA Section 101, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal) Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	4+5	6+7	8+9	10+11		Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND		100
Conclusion	PASS	PASS	PASS	PASS		

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.



Test Report #: 20H-000685 Page 4 of 12

DETAILED RESULTS:

California Proposition 65, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	4+5	6+7	8+9	10+11		Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND		100
Conclusion	PASS	PASS	PASS	PASS		

Note.

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

CS-HK-RE005-HITP Ver.14



Test Report #: 20H-000685 Page 5 of 12

DETAILED RESULTS:

Client's Requirement, Bisphenol A and Bisphenol S

Test Method: In-House Method#

Analytical Method: Liquid Chromatography with Mass Spectrometry or

Liquid Chromatography with Mass Spectrometry Mass Spectrometry

Specimen No.		1	2	3	4	
Test Item	CAS No.	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Limit (ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND	ND	ND
Conclusi	ion	PASS	PASS	PASS	PASS	

Specimen No.		8	9	10	11	
Test Item	CAS No.	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Limit (ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND	ND	ND
Conclusi	ion	PASS	PASS	PASS	PASS	

Note:

ppb (Parts per billion) = μg/kg (Micrograms per kilogram)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting limit: BPA = 1000 ppb; BPS = 200 ppb)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 20H-000685 Page 6 of 12

DETAILED RESULTS:

FDA 21 CFR 176.170, Components of Paper and Paper Board in Contact with Aqueous and Fatty Food

Test Method: FDA 21 CFR 176.170#

Specime	1	2				
Test Item	Test Co	ndition	Result	Result	RL	Limit
restitem	Temp.	Duration	(mg/in²)	(mg/in²)	(mg/in ²)	(mg/in²)
Distilled water extractive	212°F	30 minutes	ND	ND	0.10	0.5
n-Heptane extractive	120°F	30 minutes	ND	ND	0.10	0.5
		Conclusion	PASS	PASS		

Specime	3	4				
Test Item	Test Co	ndition	Result	Result	RL	Limit
restitem	Temp.	Duration	(mg/in²)	(mg/in²)	(mg/in²)	(mg/in²)
Distilled water extractive	212°F	30 minutes	ND	ND	0.10	0.5
n-Heptane extractive	120°F	30 minutes	ND	ND	0.10	0.5
		Conclusion	PASS	PASS		

Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 176.170 (c).

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.



Test Report #: 20H-000685 Page 7 of 12

DETAILED RESULTS:

FDA 21 CFR 177.1210, Closures with Sealing Gaskets

Test Method: FDA 21 CFR 177.1210#

Specime	8	9				
Test Item	Test Condition		Result	Result	RL	Limit
restitem	Temp.	Duration	(ppm)	(ppm)	(ppm)	(ppm)
Distilled water extractive	212°F	30 minutes	ND	ND	10	50
n-Heptane extractive	120°F 30 minutes		170*	ND	10	250
		Conclusion	PASS	PASS		

Specime	10	11				
Test Item	Test Condition		Result	Result	RL	Limit
rest item	Temp.	Duration	(ppm)	(ppm)	(ppm)	(ppm)
Distilled water extractive	212°F	30 minutes	ND	ND	10	50
n-Heptane extractive	120°F 30 minutes		ND	ND	10	250
	Conclusion			PASS		

Note:

Temp. = Temperature

°F = Degree Fahrenheit

ppm (Parts per million) = mg/kg (Milligrams per kilogram foodstuff)

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1210 Table 2 Section 2.

*The zinc corrected chloroform-soluble extractive analysis was conducted.

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, HKSAR, China • Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
CS-HK-RE005-HITP



Test Report #: 20H-000685 Page 8 of 12

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers (Solvent Extractives Only)

Test Method: FDA 21 CFR 177.1520

Specimen No.			1	2		
Test Item	Temp.	Duration	Result	Result	RL	Limit
n-Hexane extractive (%)	50°C	2 hours	4.3	3.3	0.4	5.5
Xylene extractive (%)	Reflux	2 hours or until total dissolved	5.7	7.1	1.0	30
		Conclusion	PASS	PASS		

Specimen No.			3	4		
Test Item	Temp.	Duration	Result	Result	RL	Limit
n-Hexane extractive (%)	50°C	2 hours	2.6	2.4	0.4	5.5
Xylene extractive (%)	Reflux	2 hours or until total dissolved	5.5	4.8	1.0	30
		Conclusion	PASS	PASS		

Note:

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, HKSAR, China • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB)

according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with ' ϕ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

Ver.14



Test Report #: 20H-000685 Page 9 of 12

DETAILED RESULTS:

FDA 21 CFR 178.3800, Preservatives for Wood – Pentachlorophenol (PCP)

Test Method: In-House Method#

Analytical Method: Gas Chromatography-Electron Capture Detector

Specimen No.	1	2	3	4		
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Pentachlorophenol (PCP)	ND	ND	ND	ND		50
Conclusion	PASS	PASS	PASS	PASS		

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 1 ppm)

Remark:

The specification is quoted from 21 CFR 178.3800(b).

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

CS-HK-RE005-HITP Ver.14



Page 10 of 12 Test Report #: 20H-000685

DETAILED RESULTS:

Client Performance Requirement - Dishwasher Test#

Test	Observation	Conclusion	
Dishwasher Test – Top rack,	No crack, crazing, chipping or color fading was observed	PASS	
10 cycles	after testing		

Client Safety Requirement - Microwave Safe Test#

Test	Observation	Conclusion
Microwave Safe Test – Filled with half of the water or full of the water, heat the sample in high power(~1000 W) for 3 min	No breakage, deform, melt.	PASS

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.



Test Report #: 20H-000685 Page 11 of 12

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Brown plastic (40% wheat fiber + 60% PP)	Fork/ fork holder (brown parts style)
2	Black plastic (40% wheat fiber + 60% PP)	Fork/ fork holder (black parts style)
3	Blue plastic (40% wheat fiber + 60% PP)	Fork/ fork holder (blue style)
4	Flesh plastic (40% wheat fiber + 60% PP)	Box/ lid (box style)
5	Brown plastic (40% wheat fiber + 60% PP)	Fork/ fork holder/ clip/ phone holder (brown parts style)
6	Black plastic (40% wheat fiber + 60% PP)	Fork/ fork holder/ clip/ phone holder (black parts style)
7	Blue plastic (40% wheat fiber + 60% PP)	Fork/ fork holder/ clip/ phone holder (blue style)
8	White soft plastic (TPR)	Gasket of lid (box style)
9	Brown soft plastic (TPR)	Gasket of air hole (brown parts style)
10	Black soft plastic (TPR)	Gasket of air hole (black parts style)
11	Blue soft plastic (TPR)	Gasket of air hole (blue parts style)

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with ' ϕ ' was subcontracted to external laboratory.

rest(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.



Page 12 of 12 Test Report #: 20H-000685

SAMPLE PHOTO:



-End Report-

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.