

# **TEST REPORT**

Report No.	
Applicant	s.
Address	:
Manufacturer	
Sample Name	
Sample Model	3
Test Requested	

Test Conclusion	;
Date of Receipt sample	
Testing period	5
Date of Issue	:
Test Result	<u>.</u>
Note	:

WTF22F04065389C

Mid Ocean Brands B.V.

7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong 111903

hemp barrel drawstring cosmetic bag

MO6624, MO6625

- Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628
- Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217
- 3) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).
- 4) As specified by client, determination of the released formaldehyde content in submitted sample
- 5) As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.

Refer to next page (s)

2022-04-09

2022-04-09 to 2022-04-20

2022-04-21

Refer to next page (s)

As specified by client, only test the designated sample.

### Prepared By:

Waltek Testing Group (Foshan) Co., Ltd. Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



194

マカ

# Sample photo:





F

V

S

Report No.: WTF22F04065389C

# Test Results:

# 1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ	LOQ Results (mg/kg)			
	(mg/kg)	No.1	No.2	No.3	(mg/kg)
Lead(Pb)	2	ND	ND ND	ND	500
Conclusion	MITE STUTT	Pass	Pass	Pass	St 5th 55

Table Manne WALL	LOQ	Result	ts (mg/kg)	Limit
Test Item	(mg/kg)	No.4	No.5+No.6	(mg/kg)
Lead(Pb)	2	ND S	ND*	500
Conclusion	en intre-until ou	Pass	Pass	at 3th

## Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "\*" = Results are calculated by the minimum weight of mixed components.



## 2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	LOQ	Results (mg/kg)			
	(mg/kg)	No.1	No.2	No.3	
Cadmium(Cd)	2	ND	ND	ND	
Conclusion	1 - A	Pass	Pass	Pass	

Toot Hom	LOQ	Result	s (mg/kg)
Test Item	(mg/kg)	No.4	No.5+No.6
Cadmium(Cd)	2 5 3	ND	ND*
Conclusion	1.1-1.1-5	Pass	Pass

## Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

(4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "\*" = Results are calculated by the minimum weight of mixed components.



## 3) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit	Result (mg/kg)		
NO.	Amines Substances		(mg/kg)	No.1	No.2	No.4
1	4-Aminobiphenyl	92-67-1	30	o ND S	ND	ND
2	Benzidine	92-87-5	30	ND	ND	ND
3	4-chloro-o-Toluidine	95-69-2	A- 30 A	ND	ND	ND
4	2-Naphthylamine	91-59-8	30	ND	ND	ND
5	o-Aminoazotoluene	97-56-3	30	ND	ND	ND
6	2-Amino-4-nitrotoluene	99-55-8	30	ND	ND	ND
_7 <sup></sup>	p-Chloroaniline	106-47-8	30	S ND S	ND	ND
8	2,4-diaminoanisol	615-05-4	30	ND	ND	ND
9	4,4'-Diaminodiphenylmethane	101-77-9	<u>َى</u> 30	ND	ND	ND
10	3,3'-Dichlorobenzidine	91-94-1	30	ND	ND	ND
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	ND	ND
12	3,3'-Dimethylbenzidine	119-93-7	30	ND	ND	ND
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND	ND	ND
14	p-cresinin	120-71-8	30	ND	ND	ND
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND	ND .	ND
16	4,4'-Oxydianiline	101-80-4	30	ND	ND	ND
17	4,4'-Thiodianiline	139-65-1	30	ND	J ND J	ND
18	o-Toluidine	95-53-4	30	ND	ND	ND
19	2,4-Toluylendiamine	95-80-7	30	ND S	ND	ND
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	s⊢ ND sh	ND
21	o-anisidine	90-04-0	30	ND	ND	ND
22	4-aminoazobenzene	60-09-3	30	ND	ND	ND
23	2,4-Xylidin	95-68-1	ىڭ 30 <sub>1</sub> ئ	ND	~ND -	ND
24	2,6-Xylidin	87-62-7	30	ND	ND	ND
-3	Conclusion			Pass	Pass	Pass



Ξ

0

Report No.: WTF22F04065389C

No.	Amines Substances	CAS No.	Limit	Result (mg/kg)
NO.	Amines Substances		(mg/kg)	No.5+No.6
1	4-Aminobiphenyl	92-67-1	30	- ND*
2	Benzidine	92-87-5	30	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*
4	2-Naphthylamine	91-59-8	30	
5	o-Aminoazotoluene	97-56-3	30	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*
7	p-Chloroaniline	106-47-8	30	کې ۲۰۰۲ ND*
8	2,4-diaminoanisol	615-05-4	30	ND*
9,5	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30 1	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*
14	p-cresinin	120-71-8	30	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*
18	o-Toluidine	95-53-4	30	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*
21	o-anisidine	90-04-0	30	ND*
22	4-aminoazobenzene	60-09-3	30	ND*
23	2,4-Xylidin	95-68-1	30	ND*
24	2,6-Xylidin	87-62-7	30	ND*
50	Conclusion		10- 50	Pass

#### Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006 "\*" = Results are calculated by the minimum weight of mixed components.

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



2

50

Report No.: WTF22F04065389C

#### 4) Formaldehyde

Test Method: With reference to EN717-3:1996, analysis was performed by UV-VIS

	it's all and a	Result	A A and	Client's
Test Item	Unit	No.3	LOQ	Limit
Formaldehyde (CH <sub>2</sub> O)	mg/kg	ND	10	80
Conclusion		Pass	mar mr	the - a

#### Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg =milligram per kilogram=ppm
- LOQ = Limit of quantitation

#### 5) Colour Fastness to Rubbing


Colour Fastne	ess to Rubbing	with other of	is the th		st at
(ISO 105-X12:	2016; Size of rubbing	finger: 16mm dia	ameter.)	1 50 50	Mill Mills
	and the second	No.1	No.2	No.5+No.6	Client's Limit
Length	Dry staining	4-5	4-5	4-5*	2-3
	Wet staining	4-5	4-5	4-5*	2-3
Width	Dry staining	4-5	4-5	4-5*	2-3
	Wet staining	4-5	4-5	4-5*	2-3
Conclusion	A St St	Pass	Pass	Pass	4

#### Note:

- (1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.
- (2) "\*" = As per applicant's requirement, the testing was conducted based on mixed components.


#### **Description for Specimen:**

- No.1: Beige fabric bag
- No.2: Beige fibrous rope No.3: Beige wood bead
- No.4: Light grey fabric tape
- No.5: Beige fibrous net
- No.6: Light green nylon tape





# Photograph of parts tested:



Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



>

#### Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.

===== End of Report ======