

# **TEST REPORT**

Report No.		
Applicant		
Address		
Manufacturer	the state of the s	
Sample Name		
Sample Model		
Test Requested	The Phi	

 Test Conclusion
 :

 Date of Receipt sample
 :

 Testing period
 :

 Date of Issue
 :

 Test Result
 :

 Note
 :

WTF22F09182426C

Mid Ocean Brands B.V.

7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong 111587

Cross chest bag in 600D RPET

#### MO6717

- Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628
- Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217
- Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005
- 4) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).
- 5) As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.

Refer to next page (s)

2022-09-07

2022-09-07 to 2022-09-15

2022-09-16

- Refer to next page (s)
  - As specified by client, only test the designated sample.

## Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of Waltek Testing Group (Foshan) Co., Ltd.

Swing Liang

Swing.Liang Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn

1/11



14

# Sample photo:





10

Report No.: WTF22F09182426C

# Test Results:

## 1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

funt when we	LOQ	Result	Limit	
Test Item	(mg/kg)	No.1+No.13	No.2+No.3+No.4	(mg/kg)
Lead(Pb)	2	ND*	ND*	500
Conclusion	NUTE NUT OF	Pass	Pass	et 54 5

white white of	LOQ	Resu	Limit	
Test Item	(mg/kg)	No.5	No.6+No.7+No.8	(mg/kg)
Lead(Pb)	2	25	22*	500
Conclusion	et mile - mile w	Pass	Pass	et of

Teet Ham	LOQ		g)	Limit		
Test Item	(mg/kg)	No.9	No.10	No.11+No.12	(mg/kg)	
Lead(Pb)	2	ND	SND S	ND*	500	
Conclusion	154 <del>-</del> 154	Pass	Pass	Pass	let - set	

## Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "\*" = Results are calculated by the minimum weight of mixed components.



[]

Report No.: WTF22F09182426C

## 2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tool Home State	LOQ	Result	s (mg/kg)
Test Item	(mg/kg)	No.1+No.13	No.2+No.3+No.4
Cadmium(Cd)	2	ND*	ND*
Conclusion	1 - A 1	Pass	Pass

to the state of	LOQ	Results (mg/kg)		
Test Item	(mg/kg)	No.5	No.6+No.7+No.8	
Cadmium(Cd)	2 5 5	ND	ND*	
Conclusion	1- 1+ A	Pass	Pass	

Tool kom	LOQ	Results (mg/kg)				
Test Item	(mg/kg)	No.9	No.10	No.11+No.12		
Cadmium(Cd)	2 5	ND	ND	ND*		
Conclusion		Pass	Pass	Pass		

## Note:

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than LOQ)

(3) LOQ = Limit of quantitation

(4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "\*" = Results are calculated by the minimum weight of mixed components.

Report No.: WTF22F09182426C

## 3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ (%)	Results (%)	Limit (%)
the alter antit wait of	ner mer m	No.5	the state states
Benzyl butyl phthalate (BBP)	0.005	ND S	ne in m
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	0.012	sum of four
Dibutyl phthalate (DBP)	0.005	ND	phthalates < 0.1
Diisobutyl phthalate (DIBP)	0.005	ND SOL	and shirt and
Diisodecyl phthalate (DIDP)	0.01	ND S	white white white
Diisononyl phthalate (DINP)	0.01	0.015	sum of three phthalates < 0.1
Di-n-octyl phthalate (DNOP)	0.005	ND	NIT WILL WE WAS SH
Conclusion	n n n n n	Pass	1 1 1 1 1 5

## Note:

DBP= Dibutyl phthalate DINP= Di-isononyl phthalate DIBP= Diisobutyl phthalate BBP= Benzyl butyl phthalate DNOP= Di-n-octyl phthalate DEHP= Bis-(2-ethylhexyl)- phthalate DIDP= Di-isodecyl phthalate

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation

(3) LOQ = Limit of quantitation

- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.



## 4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances CAS No.	Limit 🕥	Result (mg/kg)	
NO.	Annines Substances	CAS NO.	(mg/kg)	No.1+No.13
1	4-Aminobiphenyl	92-67-1	30	ND*
2	Benzidine	92-87-5	30	ND*
3	4-chloro-o-Toluidine	95-69-2	A 30 A	ND*
4	2-Naphthylamine	91-59-8	30	ND*
5	o-Aminoazotoluene	97-56-3	30	ST ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*
7	p-Chloroaniline	106-47-8	30	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*ND*ND
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*
14	p-cresinin	120-71-8	30	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*
18	o-Toluidine	95-53-4	30	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	L ND*
21	o-anisidine	90-04-0	30	ND*
22	4-aminoazobenzene	60-09-3	30	ND*
23	2,4-Xylidin	95-68-1	30	1 ND* 1
24	2,6-Xylidin	87-62-7	30	ND*
-3	Conclusion			Pass



No.	Aminos Cubatanas	CAS No.	Limit	Result (mg/kg)
NO.	Amines Substances	CAS NO.	(mg/kg)	No.2+No.3+No.4
1	4-Aminobiphenyl	92-67-1	30	ND*
2	Benzidine	92-87-5	30	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*
4	2-Naphthylamine	91-59-8	30	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*
7	p-Chloroaniline	106-47-8	30	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30 📣	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*
14	p-cresinin	120-71-8	30	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*
18	o-Toluidine	95-53-4	30	ND*
19	2,4-Toluylendiamine	95-80-7	30 <	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*
21	o-anisidine	90-04-0	30	ND*
22	4-aminoazobenzene	60-09-3	30	ND*
23	2,4-Xylidin	95-68-1	30	ND*
24	2,6-Xylidin	87-62-7	30	ND*
N. S.	Conclusion	&-	1. Str. 5	Pass N



R

Report No.: WTF22F09182426C

No.	Aminos Cubatanas		Limit	Result (mg/kg)
NO.	Amines Substances	CAS No.	(mg/kg)	No.11+No.12
1	4-Aminobiphenyl	92-67-1	30	-ND*
2	Benzidine	92-87-5	30	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*
4	2-Naphthylamine	91-59-8	30	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*
7	p-Chloroaniline	106-47-8	30	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30 🔊	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*
14	p-cresinin	120-71-8	.30	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*
18	o-Toluidine	95-53-4	30	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*
21	o-anisidine	90-04-0	30	ND*
22	4-aminoazobenzene	60-09-3	30	ND*
23	2,4-Xylidin	95-68-1	30	ND*
24	2,6-Xylidin	87-62-7	30	ND*
50	Conclusion		A- 50	Pass S

#### Note:

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.

- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006 - "\*" = Results are calculated by the minimum weight of mixed components.

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



#### 5) Colour Fastness to Rubbing

Colour Fast	ness to Rubbing				
(ISO 105-X1	2: 2016; Size of rubbing	finger: 16mm d	liameter.)	de la	4 . dr . dr
with sur	the the to	No.1	No.2	No.3	Client's Limit
Length	Dry staining	4-5	4	4	2-3
	Wet staining	<u> </u>	4	4.0	2-3
Width	Dry staining	4-5	4	4	2-3
vvidun	Wet staining	. M. 4.M.	4	4	2-3
Conclusion	the the second	Pass	Pass	Pass	r an - an

Colour Fastness to Rubbing						
(ISO 105-X1)	O 105-X12: 2016; Size of rubbing finger: 16mm diameter.)					
m m	24. 2.	No.4	No.11+No.12	No.13	Client's Limit	
Length	Dry staining	3-4	4-5*	4-5	2-3	
	Wet staining	4	4-5*	4-5	2-3	
Width	Dry staining	3-4	4-5*	4-5	2-3	
	Wet staining	4	4-5*	4-5	2-3	
Conclusion		Pass	Pass	Pass	10 10.	

#### Note:

- (1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.
- (2) "\*" = As per applicant's requirement, the testing was conducted based on mixed components.

Specimen No.	Specimen Description		
et tet set ster	Black main fabric		
2	Black webbing		
3	Black webbing		
4	Black webbing		
net 5 net white white	Black plastic buckle		
6	Silvery metal rivet with black coating		
7 00 00	Silvery metal buckle with black coating		
6 85 At At	Silvery metal zipper head with black coating		
40°9 40° 4	Black plastic zipper tooth		
10	Black zipper fabric		
11 Black net fabric			
12 Black fabric rim			
13	Black lining		

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



NCONTID. V

# Photograph of parts tested:



Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn



#### Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======