

TEST REPORT

Report No. : WTF22F09192457C

Applicant :: Mid Ocean Brands B.V.

Address : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan,

Kowloon, Hong Kong

Manufacturer.....: 111587

Sample Name 15 inch computer backpack

Sample Model : MO6826

Test Requested 1) De

- 1) Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628
- Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No. 835/2012 and (EU) 2016/217
- Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005
- 4) Determine the specified AZO Colorants contents in the submitted sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).
- 5) As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.

Test Conclusion : Refer to next page (s)

Date of Receipt sample 2022-09-22

Date of Issue : 2022-09-29

Test Result : Refer to next page (s)

Prepared By:

Waltek Testing Group (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Signed for and on behalf of

Waltek Testing Group (Foshan) Co., Ltd.

Swing.Liang

Waltek Testing Group (Foshan) Co., Ltd. http://www.waltek.com.cn





Sample photo:





Test Results:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

The search of	LOQ		Limit		
Test Item	(mg/kg)	No.1	No.2+No.8+No.15	No.3+No.4	(mg/kg)
Lead(Pb)	2	ND	ND*	ND*	500
Conclusion	WILLE WILLE	Pass	Pass	Pass	THE THEFT I

Table Ham	LOQ		Limit		
Test Item	(mg/kg)	No.5+No.10	No.6+No.11	No.7	(mg/kg)
Lead(Pb)	2	ND*	ND*	20	500
Conclusion	ie ni <u>e</u> mi	Pass	Pass	Pass	Jek Jek

Table Ham	LOQ	Results (mg/kg)				
Test Item	(mg/kg)	No.9	No.12	No.13+No.14	(mg/kg)	
Lead(Pb)	2	ND	12	ND*	500	
Conclusion	of her her	Pass	Pass	Pass	LIER WILLER	

Tank Ham	LOQ	Result	s (mg/kg)	Limit
Test Item	(mg/kg)	No.16	No.17+No.18	(mg/kg)
Lead(Pb)	2	ND THE STEE	ND*	500
Conclusion	CALLE OF THE OWNER.	Pass	Pass	TER - CLIF

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.



2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Tank Kama Lifth	LOQ		Results (mg/kg)		
Test Item	(mg/kg)	No.1	No.2+No.8+No.15	No.3+No.4	
Cadmium(Cd)	2 11 2	ND	ND*	ND*	
Conclusion	A - A	Pass	Pass	Pass	

Tool Home of the	LOQ	Results (mg/kg)			Results (mg/kg)		
Test Item	(mg/kg)	No.5+No.10	No.6+No.11	No.9			
Cadmium(Cd)	2	ND*	ND*	A ND			
Conclusion		Pass	Pass	Pass			

The state of the	LOQ		Results (mg/kg)		
Test Item	(mg/kg)	No.12	No.13+No.14	No.16	
Cadmium(Cd)	2	ND	ND*	ND	
Conclusion	4 4- 3	Pass	Pass	Pass	

The second of the	LOQ	Results (mg/kg)
Test Item	(mg/kg)	No.17+No.18
Cadmium(Cd)	2	ND*
Conclusion	A 25 A	The next of Pass of the surface of t

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than LOQ)
- (3) LOQ = Limit of quantitation
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)
Wet paint	100
Surface coating	1000
Plastic	100
Metal parts of jewellery and hair accessories	100

(5) "*" = Results are calculated by the minimum weight of mixed components.



3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	LOQ	Res	Limit		
	(%)	No.9	No.16	(%)	
Benzyl butyl phthalate (BBP)	0.005	ND ND	ND	11 21 2	
Di (2-ethyl hexyl)- phthalate (DEHP)	0.005	ND	ND S	sum of four phthalates < 0.1	
Dibutyl phthalate (DBP)	0.005	ND ND	ND		
Diisobutyl phthalate (DIBP)	0.005	ND ND	ND W	Mr. Mr.	
Diisodecyl phthalate (DIDP)	0.01	ND	ND ND	INLIER WALTER	
Diisononyl phthalate (DINP)	0.01	ND ND	0.017	sum of three phthalates < 0.1	
Di-n-octyl phthalate (DNOP)	0.005	ND ND	ND	primarates < 0.1	
Conclusion	10 miles	Pass	Pass	felt the still	

DBP= Dibutyl phthalate	BBP= Benzyl butyl phthalate	DEHP= Bis-(2-ethylhexyl)- phthalate
DINP= Di-isononyl phthalate	DNOP= Di-n-octyl phthalate	DIDP= Di-isodecyl phthalate
DIBP= Diisobutyl phthalate		

- (1) % = percentage by weight
- (2) ND = Not Detected or lower than limit of quantitation
- (3) LOQ = Limit of quantitation
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009 & No. 2018/2005 (formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.



4) AZO

Test Method: With reference to BS EN ISO 14362-1: 2017 and BS EN ISO 14362-3: 2017, analysis was performed

	et tet itel alte alit unit u	Ver. 10.	Limit	Resu	ılt (mg/kg)
No.	Amines Substances	CAS No.	(mg/kg)	No.1	No.2+No.8+No 15
1	4-Aminobiphenyl	92-67-1	30	ND	ND*
2	Benzidine	92-87-5	30	ND	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND ND	ND*
4	2-Naphthylamine	91-59-8	30	ND	ND*
5	o-Aminoazotoluene	97-56-3	30	ND	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND	ND*
7	p-Chloroaniline	106-47-8	30	ND	ND*
8	2,4-diaminoanisol	615-05-4	30	ND	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND	ND*
14	p-cresinin	120-71-8	30	ND	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND ND	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND	ND*
18	o-Toluidine	95-53-4	30	ND	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	ND*
21	o-anisidine	90-04-0	30	ND	ND*
22	4-aminoazobenzene	60-09-3	30	ND	ND*
23	2,4-Xylidin	95-68-1	30	SUL ND SUL	ND*
24	2,6-Xylidin	87-62-7	30	ND	ND*
- 1	Conclusion	JE 3		Pass	Pass



No.	Amines Substances	CAS No.	Limit (mg/kg)	Result (mg/kg)	
				No.3+No.4	No.13+No.14
1 3	4-Aminobiphenyl	92-67-1	30	ND*	ND*
2	Benzidine	92-87-5	30	ND*	ND*
3	4-chloro-o-Toluidine	95-69-2	30	ND*	ND*
4	2-Naphthylamine	91-59-8	30	ND*	ND*
5	o-Aminoazotoluene	97-56-3	30	ND*	ND*
6	2-Amino-4-nitrotoluene	99-55-8	30	ND*	ND*
7	p-Chloroaniline	106-47-8	30	ND*	ND*
8	2,4-diaminoanisol	615-05-4	30	ND*	ND*
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND*	ND*
10	3,3'-Dichlorobenzidine	91-94-1	30	ND*	ND*
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND*	ND*
12	3,3'-Dimethylbenzidine	119-93-7	30	ND*	ND*
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND*	ND*
14	p-cresinin	120-71-8	30	ND*	ND*
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND*	ND*
16	4,4'-Oxydianiline	101-80-4	30	ND*	ND*
17	4,4'-Thiodianiline	139-65-1	30	ND*	ND*
18	o-Toluidine	95-53-4	30	ND*	ND*
19	2,4-Toluylendiamine	95-80-7	30	ND*	ND*
20	2,4,5 – Trimethylaniline	137-17-7	30	ND*	ND*
21	o-anisidine	90-04-0	30	ND*	ND*
22	4-aminoazobenzene	60-09-3	30	ND*	ND*
23	2,4-Xylidin	95-68-1	30	ND*	ND*
24	2,6-Xylidin	87-62-7	30	ND*	ND*
	Conclusion	10	- "	Pass	Pass



No.	Amines Substances	CAS No.	Limit	Result (mg/kg)	
NO.			(mg/kg)	No.16	
1 5	4-Aminobiphenyl	92-67-1	30	ND ND	
2	Benzidine	92-87-5	30	of the ND street with	
3	4-chloro-o-Toluidine	95-69-2	30	MD ND	
4	2-Naphthylamine	91-59-8	30	THE LIND LIFE MILE	
5	o-Aminoazotoluene	97-56-3	30	ND	
6	2-Amino-4-nitrotoluene	99-55-8	30	TEX TEX ND TEXT OF THE STATE OF	
7	p-Chloroaniline	106-47-8	30	ND	
8	2,4-diaminoanisol	615-05-4	30	TEL STEEL ND SPLIT WAL	
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	
10	3,3'-Dichlorobenzidine	91-94-1	30	ND JULY WALL	
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	
12	3,3'-Dimethylbenzidine	119-93-7	30	SLIFE MILENDALI WALL	
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND	
14	p-cresinin	120-71-8	30	THE ND WELL WE	
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND	
16	4,4'-Oxydianiline	101-80-4	30	THE NO WELL WALL	
17	4,4'-Thiodianiline	139-65-1	30	ND At At	
18	o-Toluidine	95-53-4	30	Mr. ND'Arr. Mr.	
19	2,4-Toluylendiamine	95-80-7	30	ND +	
20	2,4,5 – Trimethylaniline	137-17-7	30	INDE WALL W	
21	o-anisidine	90-04-0	30	ND +	
22	4-aminoazobenzene	60-09-3	30	IT MD WAY WILL	
23	2,4-Xylidin	95-68-1	30	ND A	
24	2,6-Xylidin	87-62-7	30	White MYND We will	
	Conclusion	$\sigma_{t_{t_{t_{t_{t_{t_{t_{t_{t_{t_{t_{t_{t_$	2 1	Pass	

- ND = Not Detected or lower than limit of quantitation
- mg/kg=Milligram per kilogram
- Limit of quantitation (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006



5) Colour Fastness to Rubbing

Colour Fastness to Rubbing						
(ISO 105-X12:	2016; Size of rubbin	g finger: 16mr	m diameter.)		t	at let
W. W.	24 24 2	No.1	No.2	No.3+No.4	No.8	Client's Limit
1 am author	Dry staining	4-5	4-5	4-5*	4-5	2-3
Length	Wet staining	2-3	4	4*	4	2-3
Width	Dry staining	4-5	4-5	4-5*	4-5	2-3
	Wet staining	2-3	4	4*	4	2-3
Conclusion	20, 20,	Pass	Pass	Pass	Pass	mr - m

Colour Fastness to Rubbing					
(ISO 105-X12:	2016; Size of rubbi	ng finger: 16mm diam	neter.)	24, 24	
TER TE	WITE WILL S	No.13+No.14	No.15	No.16	Client's Limit
L an oth	Dry staining	4-5*	4-5	4-5	2-3
Length	Wet staining	4-5*	4-5	4-5	2-3
Width	Dry staining	4-5*	4-5	4-5	2-3
	Wet staining	4-5*	4-5	4-5	2-3
Conclusion		Pass	Pass	Pass	10 July 10 10 10 10 10 10 10 10 10 10 10 10 10

- (1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.
- (2) "*" = As per applicant's requirement, the testing was conducted based on mixed components, the test result is for reference only



Description for Specimen:

Specimen No.	Specimen Description
et tet det de	Grey main fabric
2	Brown webbing
3	Brown elastic band
4	Brown net fabric
mile 5 mile mail and	Brown plastic zipper tooth
6	Brown zipper fabric
the 7th wat was	Silvery metal zipper head with brown plating
L 8 L L	Brown net fabric
w 9 w 4	Black plastic buckle
10	Black zipper tooth
11 11	Black zipper fabric
12 (12 (12 (12 (12 (12 (12 (12 (12 (12 (Silvery metal zipper head with black coating
13	Black fabric rim
14	Black net fabric
15	Black lining
n 16 m	Black elastic band
17	Black plastic loop(VELCRO)
18	Black plastic hook(VELCRO)



Photograph of parts tested:





Remarks:

- 1. The results shown in this test report refer only to the sample(s) tested;
- 2. This test report cannot be reproduced, except in full, without prior written permission of the company;
- 3. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver;
- 4. The Applicant name and Address, the sample(s) and sample information was/were provided by the applicant who should be responsible for the authenticity which Waltek hasn't verified;
- 5. If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.
- 6. The sample material information (Model No. information) is provided by client, not verified by test laboratory. The samples of reference Model No. are not tested. Test laboratory not responsible for the accuracy, appropriateness, completeness and authenticity of the information provided by client.

===== End of Report ======

