

TEST REPORT

Test Report # 19H-007031 Date of Report Issue: September 25, 2019
Date of Sample Received: September 17, 2019 Pages: Page 1 of 14

CLIENT INFORMATION:

Company: Hit Promotional Products
Recipient: Nathan Cotter
Recipient Email: ncotter@hitpromo.net



SAMPLE INFORMATION:

Description: Basketball Shape Stress Reliever / Heart Shape Stress Reliever
Assortment: 1 color / 1 color Purchase Order Number: 335079 / 335605
SKU No.: 4073 / 4094 Agent: Brand New Days
Factory No.: 106961 Country of Origin: China
Country of Distribution: United States Labeled Age Grade: -
Quantity Submitted: 6 pcs (Basketball Shape Stress Reliever), 7 pcs (Heart Shape Stress Reliever) + 2 lots Paint Recommended Age Grade: All ages
Testing Period: 09/17/2019 – 09/25/2019 Tested Age Grade: All ages

OVERALL RESULT:

PASS

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited



Loska Yeung Lok Ka
Assistant Manager, Chemical Laboratory

QIMA Testing (HK) Limited



Ricky Cheung Chin Yeung
Manager, Physical Laboratory

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.
Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.
If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

| CONCLUSION | TEST(S) CONDUCTED |
|------------|---|
| PASS | CPSIA Section 106 & ASTM F963-17 Toy Safety, Clause 4.3.5 Total Elements Screening in Substrate Materials |
| PASS | CPSIA Section 101, Total Lead in Substrate Materials |
| PASS | California Proposition 65, Total Lead in Substrate Materials |
| PASS | California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP) |
| PASS | 16 CFR 1307 Prohibition of Children's Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP) |
| PASS | Client's Requirement, Phthalate Content (DBP, BBP, DEHP, DnOP, DINP, DIDP) |
| PASS | CPSIA Section 102 & 16 CFR 1501, Small Parts CPSIA Section 106, Mandatory Toy Safety Standard ASTM F963-17, Mechanical Hazards 16 CFR 1500, Federal Hazardous Substances Act (FHSA), Mechanical Hazards |
| PASS | ASTM F963-17 Labeling |
| PASS | 16 CFR 1500.44 and ASTM F963-17 Section 4.2, Flammability of Solids |
| PASS | CPSIA Section 103, Tracking Labels for Children's Products [#] |

Remark:

California Proposition 65, Total Lead in Paints and Surface Coatings and CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings were not conducted as no paint and similar surface coating found on received sample.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.
Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

DETAILED RESULTS:

CPSIA Section 106 & ASTM F963-17 Toy Safety, Clause 4.3.5 Total Elements Screening in Substrate Materials

Test Method: ASTM F963-17 Clause 8.3.1
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Substrate Materials Other Than Modeling Clay

| Specimen No. | 1 | 2 | --- | --- | --- | Soluble Limit (ppm) |
|---------------------|-----------------|-----------------|-----------------|-----------------|-----------------|---------------------------|
| Test Item | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Total Antimony (Sb) | ND | ND | --- | --- | --- | 60 |
| Total Arsenic (As) | ND | ND | --- | --- | --- | 25 |
| Total Barium (Ba) | 210 | ND | --- | --- | --- | 1000 |
| Total Cadmium (Cd) | ND | ND | --- | --- | --- | 75 |
| Total Chromium (Cr) | ND | ND | --- | --- | --- | 60 |
| Total Lead (Pb) | ND | ND | --- | --- | --- | 90 |
| Total Mercury (Hg) | ND | ND | --- | --- | --- | 60 |
| Total Selenium (Se) | ND | ND | --- | --- | --- | 500 |
| Conclusion | PASS | PASS | --- | --- | --- | |

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit: Sb, As, Ba, Cd, Cr, Pb, Hg = 20ppm; Se = 50ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The total heavy metals screening results do not exceed the soluble heavy metal limits, therefore, further soluble analyses were not conducted.

Data Consolidation Reference

| Specimen No. | Transferred from | | Date of Issue |
|--------------|------------------|--------------|---------------|
| | Report No. | Specimen No. | |
| 1 | 19H-003432 | 7 | May 29, 2019 |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

DETAILED RESULTS:

CPSIA Section 101, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No. | 1 | 2 | --- | --- | --- | Total Limit (ppm) |
|-------------------|--------------|--------------|--------------|--------------|--------------|-------------------|
| Test Item | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Total Lead (Pb) | ND | ND | --- | --- | --- | 100 |
| Conclusion | PASS | PASS | --- | --- | --- | |

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Data Consolidation Reference

| Specimen No. | Transferred from | | Date of Issue |
|--------------|------------------|--------------|---------------|
| | Report No. | Specimen No. | |
| 1 | 19H-003432 | 7 | May 29, 2019 |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

DETAILED RESULTS:

California Proposition 65, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No. | 1 | 2 | --- | --- | --- | Total Limit (ppm) |
|-------------------|--------------|--------------|--------------|--------------|--------------|-------------------|
| Test Item | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | Result (ppm) | |
| Total Lead (Pb) | ND | ND | --- | --- | --- | 100 |
| Conclusion | PASS | PASS | --- | --- | --- | |

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

Data Consolidation Reference

| Specimen No. | Transferred from | | Date of Issue |
|--------------|------------------|--------------|---------------|
| | Report No. | Specimen No. | |
| 1 | 19H-003432 | 7 | May 29, 2019 |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

DETAILED RESULTS:

California Proposition 65, Phthalates (DBP, BBP, DEHP, DINP, DIDP, DnHP)

Test Method: CPSC-CH-C1001-09.4
 Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No. | | 1 | 2 | --- | --- | |
|------------------------------------|--------------------------|----------------|----------------|----------------|----------------|---------------|
| Test Item | CAS No. | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Limit (mg/kg) |
| Dibutyl phthalate (DBP) | 84-74-2 | ND | ND | --- | --- | 1000 |
| Benzyl butyl phthalate (BBP) | 85-68-7 | ND | ND | --- | --- | 1000 |
| Di-(2-ethylhexyl) phthalate (DEHP) | 117-81-7 | ND | ND | --- | --- | 1000 |
| Diisononyl phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | --- | --- | 1000 |
| Diisodecyl phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | --- | --- | 1000 |
| Di-n-hexyl phthalate (DnHP) | 84-75-3 | ND | ND | --- | --- | 1000 |
| Conclusion | | PASS | PASS | --- | --- | |

Note:
 mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)
 LT = Less than
 ND = Not detected (Reporting Limit = 300 mg/kg)
 Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:
 The specification is quoted from client's requirement.

Data Consolidation Reference

| Specimen No. | Transferred from | | Date of Issue |
|--------------|------------------|--------------|---------------|
| | Report No. | Specimen No. | |
| 1 | 19H-003432 | 7 | May 29, 2019 |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

DETAILED RESULTS:

16 CFR 1307 Prohibition of Children’s Toys and Child Care Articles Containing Specified Phthalates (DBP, BBP, DEHP, DINP, DHEXP / DnHP, DCHP, DIBP, DPENP)

Test Method: CPSC-CH-C1001-09.4
 Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No. | | 1 | 2 | --- | --- | |
|-------------------------------------|--------------------------|----------------|----------------|----------------|----------------|---------------|
| Test Item | CAS No. | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Limit (mg/kg) |
| Dibutyl phthalate (DBP) | 84-74-2 | ND | ND | --- | --- | 1000 |
| Benzyl butyl phthalate (BBP) | 85-68-7 | ND | ND | --- | --- | 1000 |
| Di-(2-ethylhexyl) phthalate (DEHP) | 117-81-7 | ND | ND | --- | --- | 1000 |
| Diisononyl phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | --- | --- | 1000 |
| Di-n-hexyl phthalate (DHEXP / DnHP) | 84-75-3 | ND | ND | --- | --- | 1000 |
| Dicyclohexyl phthalate (DCHP) | 84-61-7 | ND | ND | --- | --- | 1000 |
| Diisobutyl phthalate (DIBP) | 84-69-5 | ND | ND | --- | --- | 1000 |
| Di-n-pentyl phthalate (DPENP) | 131-18-0 | ND | ND | --- | --- | 1000 |
| Conclusion | | PASS | PASS | --- | --- | |

Note:
 mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)
 LT = Less than
 ND = Not detected (Reporting Limit = 300 mg/kg)
 Composite results are based on specimen of least mass resulting in highest potential concentration.

Data Consolidation Reference

| Specimen No. | Transferred from | | Date of Issue |
|--------------|------------------|--------------|---------------|
| | Report No. | Specimen No. | |
| 1 | 19H-003432 | 7 | May 29, 2019 |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory’s ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with ‘#’ is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.
 Test(s) marked with ‘φ’ was subcontracted to external laboratory.
 The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

DETAILED RESULTS:

Client's Requirement, Phthalate Content (DBP, BBP, DEHP, DnOP, DINP, DIDP)

Test Method: CPSC-CH-C1001-09.4
 Analytical Method: Gas Chromatography with Mass Spectrometry

| Specimen No. | | 1 | 2 | --- | --- | Limit (mg/kg) |
|------------------------------------|--------------------------|----------------|----------------|----------------|----------------|---------------|
| Test Item | CAS No. | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | Result (mg/kg) | |
| Dibutyl phthalate (DBP) | 84-74-2 | ND | ND | --- | --- | 1000 |
| Benzyl butyl phthalate (BBP) | 85-68-7 | ND | ND | --- | --- | 1000 |
| Di-(2-ethylhexyl) phthalate (DEHP) | 117-81-7 | ND | ND | --- | --- | 1000 |
| Di-n-octyl phthalate (DnOP) | 117-84-0 | ND | ND | --- | --- | 1000 |
| Diisononyl phthalate (DINP) | 28553-12-0 68515-48-0 | ND | ND | --- | --- | 1000 |
| Diisodecyl phthalate (DIDP) | 26761-40-0 68515-49-1 | ND | ND | --- | --- | 1000 |
| Conclusion | | PASS | PASS | --- | --- | |

Note:
 mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)
 LT = Less than
 ND = Not detected (Reporting Limit = 300 mg/kg)
 Composite results are based on specimen of least mass resulting in highest potential concentration.

DETAILED RESULTS:

CPSIA Section 102 & 16 CFR 1501, Small Parts
CPSIA Section 106, Mandatory Toy Safety Standard ASTM F963-17, Mechanical Hazards
16 CFR 1500, Federal Hazardous Substances Act (FHSA), Mechanical Hazards

Mechanical hazards evaluated as described in 16 CFR 1500.51-1500.53 and ASTM F963-17, as applicable.

| Test | Observation | Conclusion |
|---------|--|------------|
| Impact | No Small Part, Sharp Edge or Sharp Point | PASS |
| Torque | No Small Part, Sharp Edge or Sharp Point | PASS |
| Tension | No Small Part, Sharp Edge or Sharp Point | PASS |

Other Applicable ASTM F963-17 Sections

| Section | Test | Conclusion |
|---------|--------------------|------------|
| 4.1 | Material Quality | PASS |
| 4.6 | Small Objects | PASS |
| 4.7 | Accessible Edges | PASS |
| 4.9 | Accessible Points | PASS |
| 4.34 | Balls | PASS |
| 7.1 | Producers Markings | PASS |

16 CFR 1500.44 and ASTM F963-17 Section 4.2, Flammability of Solids

| Test | Observation | Conclusion |
|------------------------|--|------------|
| Flammability of Solids | The burn rate is less than 0.1 in/sec. | PASS |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

DETAILED RESULTS:

CPSIA Section 103, Tracking Labels for Children’s Products#

| Requirement | Observation | Conclusion |
|--|--------------------------|------------|
| Manufacturer or private labeler listed, location & date of manufacture, including batch, run number and/or other identifying characteristics | Information was present. | PASS |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory’s ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with ‘#’ is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with ‘ϕ’ was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

SPECIMEN DESCRIPTION:

| Specimen No. | Specimen Description | Location |
|--------------|-----------------------------------|-------------------------------|
| 1 | Black/ orange printed orange foam | Basketball (basketball style) |
| 2 | Black/ red printed red foam | Body (heart styles) |

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

DATA CODE PHOTO:



P01



P02

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

DATA CODE PHOTO:



P03

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

SAMPLE PHOTO:



-End Report-

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.