

# **Test Report**

Report No. : AGC05443221115-001

SAMPLE NAME	:	500 ml double wall SS bottle, Tritan bottle 500ml Glass bottle in pouch 500 ml
MODEL NAME	:	MO6856, MO6857, MO6858
APPLICANT	:	MID OCEAN BRANDS B.V
STANDARD(S)	:	Please refer to the following page(s).
DATE OF ISSUE	:	Nov. 23, 2022







Applicant	:	MID OCEAN BRANDS B.V
Address	:	7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong
		Kong.
Test Site	:	6/F., Building 2, Sanwei Chaxi Industrial Park, Sanwei Community, Hangcheng
		Street, Bao'an District, Shenzhen, Guangdong, China

#### Report on the submitted sample(s) said to be:

Sample Name	:	500 ml double wall SS bottle, Tritan bottle 500ml, Glass bottle in pouch 500 ml
Model	:	MO6856, MO6857, MO6858
Vendor code	:	117486
Country of Origin	:	CHINA
Country of Destination	:	EUROPE
Sample Received Date	:	Nov. 14, 2022
Testing Period	:	Nov. 14, 2022 to Nov. 23, 2022
Test Requested	:	Selected test(s) as requested by client.

Approved by: Jossie-Ling

Liangdan, Jessie.Liang

**Technical Director** 



#### Report Revise Record

Report Version	Issued Date	Valid Version	Notes				
/	Nov. 23, 2022	Valid	Initial release				



Conclusion

	Contrast
2011/65/EU (RoHS) and its amendment directive (EU) 2015/863	Pass
- Pb, Cd, Hg, Cr <sup>0+</sup> , PBBs, PBDEs, DBP, BBP, DEHP, DIBP	
Aromatic Amines A zodves (AZQ) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006 entry 51&52	
- Phthalates Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50	n
-Polycyclic-aromatic Hydrocarbons (PAHs) Content	Pass
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23	Doce
-Cadmium(Cd) Content	F 888
Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63	Pass
- Lead(Pb) Content	1 455
As specified by client, the following items are determined in the submitted sample with	
reference to Regulation 1935/2004/EC, Regulation(EU) No 10/2011 and its amendment	
Regulation (EU) 2020/1245 and Regulation (EU) 2018/213 for PP&tritan:	Desa
- Overall Migration (5% Accurc acid, 50% etinanol)	Pass
- Specific Inigration of Displicitor A(DPA)	Pass
- Specific Migration of Aromatic Amines	Pass
- Specific Migration of Heavy metals	Pass
As specified by client, the following items are determined in the submitted sample with	
reference to Regulation 1935/2004/EC, Council of Europe Resolution AP (2004)5,	
Regulation(EU) No 10/2011&(EU)2018/213 for silicone:	
- Overall Migration (3% Acetic acid, 50% ethanol)	Pass
- Specific migration of Bisphenol A(BPA)	Pass
- Bisphenol A(BPA) content	Pass
As specified by client, to test sample with reference to DM-4B-COM-003-v01,	
French Act 2012-1442.	
-Peroxide value	Pass
-Volatile Organic Matter	Pass
-Specific Migration of Organotin (measured as Tin)	Pass
As specified by client, to test sample with reference to food for compliance with Regulation	
1935/2004/EC and Technical Guide on Metals and alloys used in food contact materials of	
Council of Europe Resolution CM/Res(2013)9. for metal:	
- Extractable heavy metal	Pass
As specified by client, to determine the Leachable Lead and Cadmium content in	1 4000
ceramic Ware with reference to Regulation 1935/2004/EC. NO.84/500/EEC and	Pass
2005/31/EC.	1 455
As specified by client, to determined for mechanical dishwashing safe test.	/
As specified by client, to determine Colour fastness to rubbing in the submitted sample(s).	Pass
	1 400





# The photo of the sample

The photo of AGC05443221115-001 is for use only with the original report.



Test point	Test module	Test parts	Test point description
500 ml doub	le wall SS bottle, Tr	itan bottle 500ml, Glass bo	ttle in pouch 500 ml
Model : MO	06856.MO6857.MC	6858	1
1			Black plastic sheet
2			White plastic shell
3		Outer shell	Milk white silicone ring
4			Black plastic shell
5			Metallic shell
6			Sliver screw
7			Copper foil
8		Copper foil connecting	Solder
9		wire	Red wire jacket
10			Conductor
11			PCB
12			Solder
13			Chip LED
14	Circuit board		Chip capacitor
15			IC body
16			Tinning
17		Battery chip	Metallic stand
1-1			Lid inner in black PP
1-2			White plastic ring
1-3			White silicone ring
1-4			Bottle inner in silver 304 stainless steel
1-5			Bottle outer in silver 201 stainless steel
1-6			Bottle in transparent Eastman tritan
1-8			Black pouch

Note: "---" = The test point exists alone in the sample and is not attached to the test module or test parts.



Note: N.D.=Not Detected (less than method detection limit), MDL = Method Detection Limit %= percentage (W/W)

# 2011/65/EU (RoHS) and its amendment directive (EU) 2015/863 - Pb, Cd, Hg, Cr<sup>6+</sup>, PBBs, PBDEs, DBP, BBP, DEHP, DIBP

Test Item	Test Method/ Instrument	MDL	Maximum Limit
Lead (Pb)		/	1000mg/kg
Cadmium (Cd)		/	100mg/kg
Mercury (Hg)	IEC 62321-3-1:2013/ XRF	/	1000mg/kg
Total Chromium		/	/
Total Bromine		/	/
Chemistry Method	1		
Lead (Pb)	IEC 62321-5:2013/ ICP-OES	10mg/kg	1000mg/kg
Cadmium (Cd)	IEC 62321-5:2013/ ICP-OES	10mg/kg	100mg/kg
Mercury (Hg)	IEC 62321-4: 2013+A1:2017/ ICP-OES	10mg/kg	1000mg/kg
Non-metal Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-2:2017/ UV-Vis	8mg/kg	1000mg/kg
Metal Hexavalent Chromium (Cr <sup>6+</sup> )	IEC 62321-7-1:2015/ UV-Vis	0.1µg/cm <sup>2</sup>	/
Polybrominated Biphenyls (PBBs) -Monobromobiphenyl (MonoBB) -Dibromobiphenyl (DiBB) -Tribromobiphenyl (TriBB) -Tetrabromobiphenyl (TetraBB) -Pentabromobiphenyl (PentaBB) -Hexabromobiphenyl (HexaBB) -Heptabromobiphenyl (HeptaBB) -Octabromobiphenyl (OctaBB) -Nonabromodiphenyl (DecaBB) -Decabromodiphenyl (DecaBB)	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
<ul> <li>PolybrominatedDiphenylethers (PBDEs)</li> <li>-Monobromodiphenyl ether (MonoBDE)</li> <li>-Dibromodiphenyl ether (DiBDE)</li> <li>-Tribromodiphenyl ether (TriBDE)</li> <li>-Tetrabromodiphenyl ether (TetraBDE)</li> <li>-Pentabromodiphenyl ether (PentaBDE)</li> <li>-Hexabromodiphenyl ether (HexaBDE)</li> <li>-Heptabromodiphenyl ether (HeptaBDE)</li> <li>-Octabromodiphenyl ether (OctaBDE)</li> <li>-Nonabromodiphenyl ether (NonaBDE)</li> <li>-Decabromodiphenyl ether (DecaBDE)</li> </ul>	IEC 62321-6:2015/ GC-MS	Single 5mg/kg	Sum 1000mg/kg
Di-iso-butyl phthalate (DIBP)		50mg/kg	1000mg/kg
Dibutyl phthalate (DBP)		50mg/kg	1000mg/kg
Butylbenzyl phthalate (BBP)	IEC 62321-8:2017/ GC-MS	50mg/kg	1000mg/kg
Di-(2-ethylhexyl) Phthalate (DEHP)		50mg/kg	1000mg/kg



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	I	Pb	BL	/	
		Cd	BL	/	
	H	Ig	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
1	Br	PBBs	. pi	/	Conformity
1	DI	PBDEs		/	Comoninty
	D	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	B	BP	N/A	N.D.	
	DE	EHP	N/A	N.D.	
	I	Pb	BL	/	
		Cd	BL	/	
	H	Ig	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
2	D.,	PBBs	DI	/	Conformity
2	ВГ	PBDEs		/	Comonnity
	D	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	В	BP	N/A	N.D.	
	DEHP		N/A	N.D.	
	Pb		BL	/	
	Cd		BL	/	
	H	Ig	BL	/	
	$Cr(Cr^{6+})$		BL	/	
2	D.,	PBBs	DI	/	Conformity
5	DI	PBDEs	DL	/	
	D	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	В	BP	N/A	N.D.	
	DE	EHP	N/A	N.D.	
	I	Ъ	BL	/	
	(	Cd	BL	/	
	H	łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
Λ	D.,	PBBs	DI	/	Conformity
4	Br	PBDEs	DL	/	
	D	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	B	BP	N/A	N.D.	
	DEHP		N/A	N.D.	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
	(	Cd	BL	/	
	I	łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	IN	N.D.	
5	D.	PBBs		/	Conformity
5	DI	PBDEs	IN/A	/	Comonnity
	D	IBP	N/A	/	
	D	BP	N/A	/	
	В	BP	N/A	/	
	DI	EHP	N/A	/	
	]	Pb	BL	/	
	(	Cd	BL	/	
	I	Чg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
6	D.	PBBs		/	Conformity
0	Br	PBDEs	IN/A	/	Comonnity
	D	IBP	N/A	/	
	D	BP	N/A	/	
	В	BP	N/A	/	
	DI	EHP	N/A	/	
	]	Pb	BL	/	
	Cd		BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
7	D.,	PBBs	NI/A	/	Conformity
/	Br	PBDEs	IN/A	/	
	D	IBP	N/A	/	
	D	BP	N/A	/	
	В	BP	N/A	/	
	DI	EHP	N/A	/	
	] ]	Pb	BL	/	
	(	Cd	BL	/	
	I	-lg	BL	/	Conformity
	Cr(	Cr <sup>6+</sup> )	BL	/	
0	Du	PBBs		/	
8	Br	PBDEs	] IN/A	/	
	D	IBP	N/A	/	
	D	BP	N/A	/	
	В	BP	N/A	/	
	DEHP		N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	P	'b	BL	/	
	C	Cd	BL	/	
	H	Ig	BL	/	
	Cr(0	Cr <sup>6+</sup> )	BL	/	
	D	PBBs	DI	/	
9	Br	PBDEs	BL	/	Conformity
	DI	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	B	BP	N/A	N.D.	
	DE	EHP	N/A	N.D.	
	P	'b	BL	/	
	C	Cd	BL	/	
	H	Ig	BL	/	
	Cr(0	Cr <sup>6+</sup> )	BL	/	
10	D.	PBBs		/	Conformity
10	Br	PBDEs	IN/A	/	
	DIBP		N/A	/	
	D	BP	N/A	/	
	BBP		N/A	/	
	DE	EHP	N/A	/	
	F	Ъ	BL	/	
	C	Cd	BL	/	
	E	Ig	BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
11	Br	PBBs	IN	N.D.	Conformity
11		PBDEs		N.D.	
	DI	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	B	BP	N/A	N.D.	
	DE	EHP	N/A	N.D.	
	P	<b>'</b> b	BL	/	
	C	Cd	BL	/	
	E	Ig	BL	/	
	Cr(0	Cr <sup>6+</sup> )	BL	/	
12	Br	PBBs	- N/A	/	Conformity
12		PBDEs	1.1/11		comorning
	DI	BP	N/A	/	
	D	BP	N/A	/	
	B	BP	N/A	/	
	DEHP		N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
	Pb		BL	/	
	0	Cd	BL	/	
	H	łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
12	D	PBBs	DI	/	
13	Br	PBDEs		/	Conformity
	DI	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	B	BP	N/A	N.D.	
	DE	EHP	N/A	N.D.	
	I	°b	BL	/	
	(	Cd	BL	/	
	H	Ig	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
14	Br	PBBs	- PI	/	Conformity
14	DI	PBDEs	DL	/	Comonnity
	DIBP		N/A	N.D.	
	D	BP	N/A	N.D.	
	BBP		N/A	N.D.	
	DEHP		N/A	N.D.	
	I	Pb	BL	/	
		Cd	BL	/	
	Hg		BL	/	
	Cr(Cr <sup>6+</sup> )		BL	/	
15	Br	PBBs	BL	/	Conformity
15		PBDEs		/	
	DI	BP	N/A	N.D.	
	D	BP	N/A	N.D.	
	B	BP	N/A	N.D.	
	DE	EHP	N/A	N.D.	
	I	Pb	BL	/	
		Cd	BL	/	
	F	łg	BL	/	
	Cr(	Cr <sup>6+</sup> )	BL	/	
16	Br	PBBs	N/A	/	Conformity
		PBDEs		/	<i>-</i>
	D	BP	N/A	/	
	D	BP	N/A	/	
	B	BP	N/A	/	
	DEHP		N/A	/	



Test point	Test Item		X-ray Fluorescence Spectrometry (XRF) mg/kg	Wet Chemistry Method mg/kg	Conclusion
		Pb	BL	/	
		Cd	BL	/	
	-	Hg	BL	/	
	$Cr(Cr^{6+})$		IN	N.D.	
17	Br	PBBs	N/A	/	Conformity
17		PBDEs		/	Conformity
	DIBP		N/A	/	
-	DBP		N/A	/	
	E	BBP	N/A	/	
	D	EHP	N/A	/	

Element	Unit	Non-metal	Metal	Composite Material
Cd	mg/kg	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤70-3σ <x &lt;130+3σ≤OL</x 	BL≤50-3σ <x &lt;150+3σ≤OL</x 
Pb	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Hg	mg/kg	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤700-3σ <x &lt;1300+3σ≤OL</x 	BL≤500-3σ <x &lt;1500+3σ≤OL</x 
Cr	mg/kg	BL≤700-3σ <x< td=""><td>BL≤700-3σ<x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<></td></x<>	BL≤700-3σ <x< td=""><td>BL≤500-3σ<x< td=""></x<></td></x<>	BL≤500-3σ <x< td=""></x<>
Br	mg/kg	BL≤300-3σ <x< td=""><td>N/A</td><td>BL≤250-3σ<x< td=""></x<></td></x<>	N/A	BL≤250-3σ <x< td=""></x<>

Remark:

- (1) BL= Below Limit, OL= Over limited, IN = Inconclusive, Scanning by XRF and detected by chemical method, N/A = Not applicable.
- (2) Results were obtained by XRF for primary scanning, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the above warning value.
- (3) The XRF scanning test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (4) Boiling-water-extraction:(X represents the results of the tested sample)

Number	Colorimetric result (Cr(VI) concentration)	Judgement
1	$X \le 0.1 \mu g/cm^2$	Negative
2	$0.1 \mu g/cm^2 \le X \le 0.13 \mu g/cm^2$	Uncertainty
3	$X > 0.13 \mu g/cm^2$	Positive

Negative indicates the absence of Cr(VI) on the tested areas concentration is below the limit of quantification. The coating is considered a non-Cr(VI) based coating.

Uncertainty indicates the absence of Cr(VI) on the tested areas unavoidable coating variations may influence the determination.

Positive indicates the presence of Cr(VI) on the tested areas concentration is above the limit of quantification and the statistical margin of error. The sample coating is considered to contain Cr(VI).

Storage conditions and production date of the tested sample are unavailable and thus result of Cr(VI) represent

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd

Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd



status of the sample at the time of testing.

(5) Disclaimers: This XRF Scanning report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF scanning report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 43

#### - Aromatic Amines Azodyes (AZO) Content

Test Methods and Equipment: EN ISO 14362-1:2017; GC-MS

Test Item(s)	Unit	Limit	MDL	Test Result(s)
4-Aminobiphenyl CAS:92-67-1	mg/kg	30	5	N.D.
Benzidine CAS:92-87-5	mg/kg	30	5	N.D.
4-Chloro-o-toluidine CAS:95-69-2	mg/kg	30	5	N.D.
2-Naphthylamine CAS:91-59-8	mg/kg	30	5	N.D.
o-Aminoazotoluene CAS:97-56-3	mg/kg	30	5	N.D.
5-Nitro-o-toluidine CAS:99-55-8	mg/kg	30	5	N.D.
p-Chloroaniline CAS:106-47-8	mg/kg	30	5	N.D.
4-Methoxy-m-phenylenediamine CAS:615-05-4	mg/kg	30	5	N.D.
4,4'-Diaminodiphenylmethane CAS:101-77-9	mg/kg	30	5	N.D.
3,3'-Dichlorobenzidine CAS:91-94-1	mg/kg	30	5	N.D.
3,3'-Dimethoxybenzidine CAS:119-90-4	mg/kg	30	5	N.D.
3,3'-Dimethybenzidine CAS:119-93-7	mg/kg	30	5	N.D.
4,4'-Methylenedi-o-toluidine CAS:838-88-0	mg/kg	30	5	N.D.
p-Cresidine CAS:120-71-8	mg/kg	30	5	N.D.
4,4'-Methylenebis[2-chloroaniline] CAS:101-14-4	mg/kg	30	5	N.D.
4,4'-Oxydianiline CAS:101-80-4	mg/kg	30	5	N.D.



Test Item(a)	Unit	Limit	MDI	Test Result(s)				
4,4'-Thiodianiline CAS:139-65-1	mg/kg	30	5	N.D.				
2-Aminotoluene CAS:95-53-4	mg/kg	30	5	N.D.				
2,4-Toluylendiamine CAS:95-80-7	mg/kg	30	5	N.D.				
2,4,5-Trimethylaniline CAS:137-17-7	mg/kg	30	5	N.D.				
o-Anisidine CAS:90-04-0	mg/kg	30	5	N.D.				
4-Aminoazobenzene CAS:60-09-3	mg/kg	30	5	N.D.				
	Conclusion							

Note: 4-aminoazobenzene: The EN ISO 14362-1:2017 methods will enable further cleavage of 4-aminoazobenzene to aniline and / or 1,4-phenylenediamine. If aniline and / or 1,4-phenylenediamine are detected, 4-aminoazobenzene shall be further determined by EN ISO 14362-3:2017.

#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 51&52

# - Phthalates Content

Test Methods and Equipment: EN 14372:2004; GC-MS

Test Item(s)	Unit	Limit	MDI	Test Result(s)		
Test ttem(s)	Unit		MDL	1-1	1-2	
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.01	N.D.	N.D.	
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.01	N.D.	N.D.	
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.01	N.D.	N.D.	
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.01	N.D.	N.D.	
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.01	N.D.	N.D.	
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.01	N.D.	N.D.	
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.01	N.D.	N.D.	
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	
Cor	Conformity	Conformity				



Test Item(s)	Unit	Limit	MDI	Test Result(s)		
Test Item(s)	Unit		INIDL	1-3	1-6	
Diisobutyl phthalate (DIBP) CAS:84-69-5	%	0.1	0.01	N.D.	N.D.	
Dibutyl phthalate (DBP) CAS:84-74-2	%	0.1	0.01	N.D.	N.D.	
Butylbenzyl phthalate (BBP) CAS:85-68-7	%	0.1	0.01	N.D.	N.D.	
Di-(2-ethylhexyl) Phthalate (DEHP) CAS:117-81-7	%	0.1	0.01	N.D.	N.D.	
Di-n-octyl phthalate (DNOP) CAS:117-84-0	%	/	0.01	N.D.	N.D.	
Di-isononyl phthalate (DINP) CAS:28553-12-0, 68515-48-0	%	/	0.01	N.D.	N.D.	
Di-isodecyl phthalate(DIDP) CAS:26761-40-0, 68515-49-1	%	/	0.01	N.D.	N.D.	
Sum of DIBP +DBP+BBP+DEHP	%	0.1	/	N.D.	N.D.	
Sum of DNOP+DINP+DIDP	%	0.1	/	N.D.	N.D.	
Cor	Conformity	Conformity				

#### Limit requirements of Phthalates

Toys and childcare articles	Each of DEHP, DBP, BBP, DIBP is less than 0.1% or the sum of DEHP+DBP+BBP+DIBP is less than 0.1%
Toys and childcare articles which can be placed in the mouth by children	DINP, DIDP, DNOP each less than 0.1%

Note: "\*" = As specified by client, this item is extra testing, this item is not included in above test requested.



#### Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 50

#### -Polycyclic-aromatic Hydrocarbons (PAHs) Content

Test Methods and Equipment: Afps GS 2019:01 PAK; GC-MS

Test Item(s)	Unit	Limit	MDI	Test Result(s)	
Test Item(s)	Unit	LIIIII	IVIDL	1-1	1-2
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.
Cor	Conformity	Conformity			

Test Item(s)	Unit	Limit	MDI	Test Result(s)	
Test Item(s)	Unit	LIIIII	IVIDL	1-3	1-6
Benzo[a]pyrene(BaP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[e]pyrene(BeP)	mg/kg	1	0.1	N.D.	N.D.
Benzo[a]anthracene(BaA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[b]fluoranthene(BbF)	mg/kg	1	0.1	N.D.	N.D.
Benzo[j]fluoranthene(BjFA)	mg/kg	1	0.1	N.D.	N.D.
Benzo[k]fluoranthene(BkF)	mg/kg	1	0.1	N.D.	N.D.
Chrysene(CHR)	mg/kg	1	0.1	N.D.	N.D.
Dibenzo[a,h]anthracene(DBA)	mg/kg	1	0.1	N.D.	N.D.
Cor	Conformity	Conformity			



Items	CAS No.	Extender oils or used for the production of tyres or parts of tyres	Any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity	Toys, including activity toys, and childcare articles, any of their rubber or plastic components that come into direct as well as prolonged or short-term repetitive contact with the human skin or the oral cavity
Benzo[a]pyrene(BaP)	50-32-8	$\leq 1$	$\leq 1$	$\leq 0.5$
Benzo[e]pyrene(BeP)	192-97-2	/	$\leq 1$	$\leq 0.5$
Benzo[a]anthracene(BaA)	56-55-3	/	$\leq 1$	$\leq 0.5$
Benzo[b]fluoranthene(BbF)	205-99-2	/	$\leq 1$	$\leq 0.5$
Benzo[j]fluoranthene(BjFA)	205-82-3	/	$\leq 1$	$\leq 0.5$
Benzo[k]fluoranthene(BkF)	207-08-9	/	$\leq 1$	$\leq 0.5$
Chrysene(CHR)	218-01-9	/	<u>≤</u> 1	$\leq 0.5$
Dibenzo[a,h]anthracene(DBA)	53-70-3	/	<u>≤</u> 1	≤ 0.5
Sum of BaP+ BeP+ BaA+ BbF+ BjFA+ BkF+ CHR+ DBA	/	≤10	/	/

# Limit requirements of Polycyclic-aromatic Hydrocarbons (PAHs) (Unit: mg/kg)

# Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 23

#### -Cadmium(Cd) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit	Limit	MDI	Test Result(s)			
Test tiem(s)			WIDL	1-1	1-2	1-3	
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	N.D.	
Con	Conformity	Conformity	Conformity				

Test Item(s)	Unit	Limit	MDI	Test Result(s)		
	Unit		MDL	1-6	1-8	
Cadmium(Cd)	mg/kg	100	10	N.D.	N.D.	
Co	Conformity	Conformity				



## Annex XVII of the REACH Regulation (EC) No 1907/2006, entry 63

#### - Lead(Pb) Content

Test Methods and Equipment: IEC 62321-5:2013; ICP-OES

Test Item(s)	Unit Limit		MDI	Test Result(s)			
Test tient(s)	Unit	LIIIII	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	1-2	1-3		
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.	
Con	clusion			Conformity	Conformity	Conformity	

Test Item (s)	Unit Limit		MDI	Test Result(s)			
Test Item(s)	Unit	Liiiiit	10 N.D. N.D.	1-6			
Lead(Pb)	mg/kg	500	10	N.D.	N.D.	N.D.	
Con	clusion			Conformity	Conformity	Conformity	

Test Item(s)	Unit	Limit	MDI	Test Result(s)
Test Item(s)	Unit	Liiiit	IVIDL	1-8
Lead(Pb)	mg/kg	500	10	N.D.
Co	Conformity			

#### Test Result(s) of Overall Migration

Unit: mg/dm<sup>2</sup>

		MDL				
Test Solution	Test condition			1-1		
			1 <sup>st</sup> extractives	2 <sup>nd</sup> extractives	3 <sup>rd</sup> extractives	
3% Acetic acid	<b>5</b> 00 <b>C 0</b>	5	N.D.	N.D.	N.D.	10
50% Ethanol	70°C, 2h	5	N.D.	N.D.	N.D.	10
Conclusion	/	/		Conformity		/

Unit: mg/dm<sup>2</sup>

		MDL					
Test Solution	Test condition			1-6			
	10000000000		1 <sup>st</sup> extractives	2 <sup>nd</sup> extractives	3 <sup>rd</sup> extractives		
		~	ND	ND	ND	10	
5% Acetic acid	70°C 2h	5	N.D.	N.D.	N.D.	10	
50% Ethanol	/0°C, 2h	5	N.D.	N.D.	N.D.	10	
Conclusion	/	/		Conformity		/	

Note: -MDL=method detection limit -N.D.=not detected (less than method detection limit)



Unit: mg/kg

Test Item(s)						
	Test condition/	MDL		Limit		
	Equipment		1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	
			extractives	extractives	extractives	
Specific migration of Bisphenol A(BPA)	3% Acetic acid 70°C, 2h / LC-MS-MS	0.02	N.D.	N.D.	N.D.	0.05
Conclusion	/	/		Conformity		/

**Note:** -MDL=method detection limit

-N.D.=not detected (less than method detection limit)

#### Test Result(s) of Bisphenol A(BPA) content

				U	nit: mg/kg
	Test Method/	MDI	Resi	ılt(s)	Limit
l est item(s)	Equipment	MDL	1-1	1-6	
Bisphenol A(BPA) content	EPA 3540C:1996 EPA 8321B:2007 LC-MS-MS	1	N.D.	N.D.	Absent
Conclusion	/	/	Conformity	Conformity	/

**Note:** -MDL=method detection limit

-N.D.=not detected (less than method detection limit)



Specific migration of Primary aromatic amines

Test Item(s)	MDL (mg/kg)	Limit (mg/kg)
4-Aminobiphenyl	0.002	N.D.
Benzidine	0.002	N.D.
4-Chloro-o-Toluidine	0.002	N.D.
2-Naphthylamine	0.002	N.D.
4-amino-2',3-dimethylazobenzene	0.002	N.D.
5-Nitro-o-toluidine	0.002	N.D.
4-Chloroaniline	0.002	N.D.
4-Methoxy-m-phenylenediamine	0.002	N.D.
4,4'-Diaminodiphenylmethane	0.002	N.D.
3,3'-Dichlorobenzidine	0.002	N.D.
3,3'-Dimethoxybenzidine	0.002	N.D.
3,3'-Dimethybenzidine	0.002	N.D.
4,4'-Methylenedi-o-toluidine	0.002	N.D.
6-methoxy-m-toluidine	0.002	N.D.
4,4'-methylenebis[2-chloroaniline]	0.002	N.D.
4,4'-Oxydianiline	0.002	N.D.
4,4'-Thiodianiline	0.002	N.D.
2-Aminotoluene	0.002	N.D.
4-methyl-m-phenylenediamine	0.002	N.D.
2,4,5-Trimethylaniline	0.002	N.D.
2-Methoxyaniline	0.002	N.D.
4-Aminoazobenzene	0.002	N.D.
1,3 phenylenediamine	0.002	N.D.
Total of other primary aromatic amines	0.01	0.01



	Test Result(mg/kg)				
Test Item(s)	1-1				
	3% Acetic acid				
	70°C, 2h				
4-Aminobiphenyl	N.D.				
Benzidine	N.D.				
4-Chloro-o-Toluidine	N.D.				
2-Naphthylamine	N.D.				
4-amino-2',3-dimethylazobenzene	N.D.				
5-Nitro-o-toluidine	N.D.				
4-Chloroaniline	N.D.				
4-Methoxy-m-phenylenediamine	N.D.				
4,4'-Diaminodiphenylmethane	N.D.				
3,3'-Dichlorobenzidine	N.D.				
3,3'-Dimethoxybenzidine	N.D.				
3,3'-Dimethybenzidine	N.D.				
4,4'-Methylenedi-o-toluidine	N.D.				
6-methoxy-m-toluidine	N.D.				
4,4'-methylenebis[2-chloroaniline]	N.D.				
4,4'-Oxydianiline	N.D.				
4,4'-Thiodianiline	N.D.				
2-Aminotoluene	N.D.				
4-methyl-m-phenylenediamine	N.D.				
2,4,5-Trimethylaniline	N.D.				
2-Methoxyaniline	N.D.				
4-Aminoazobenzene	N.D.				
1,3 phenylenediamine	N.D.				
Total of other primary aromatic amines	N.D.				
Conclusion	Conformity				

**Note:** -MDL=method detection limit

-N.D.=not detected (less than method detection limit)



	Test en litier /					
Test Item(s)	Test condition/	MDL (mg/lkg)		1-1		Limit
	Equipment	(mg/kg)	1 <sup>st</sup>	2 <sup>nd</sup>	3 <sup>rd</sup>	(ing/kg)
			extractives	extractives	extractives	
Barium (Ba)		0.1	N.D.	N.D.	N.D.	1
Cobalt (Co)		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/ 70°C, 2h/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)	_	0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)	_	0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)	_	0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)	_	0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion		/		Conformity		/
Ammonium (NH <sub>4</sub> <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)	_	0.01	1.108	0.020	0.884	/
Magnesium (Mg)		0.01	0.024	0.016	N.D.	/
Potassium (K)		0.01	0.024	N.D.	N.D.	/
Sodium (Na)		0.01	0.045	0.019	N.D.	/



		MDI			<b>.</b>	
Test Item(s)	Test condition/	MDL (mg/kg)		1-6		Limit
	Equipment	(ing/kg)	1 <sup>st</sup>	2 <sup>nd</sup>	3rd	(ing/kg)
Barium (Ba)		0.1	ND	ND	ND	1
Cobalt (Co)		0.1	N.D.	N.D.	N.D.	0.05
		0.01	N.D.	N.D.	N.D.	0.05
Copper (Cu)		0.25	N.D.	N.D.	N.D.	5
Iron (Fe)		0.25	N.D.	N.D.	N.D.	48
Lithium (Li)		0.1	N.D.	N.D.	N.D.	0.6
Manganese (Mn)		0.1	N.D.	N.D.	N.D.	0.6
Zinc (Zn)		0.25	N.D.	N.D.	N.D.	5
Aluminum (Al)		0.1	N.D.	N.D.	N.D.	1
Europium (Eu)		0.01	N.D.	N.D.	N.D.	/
Gadolinium (Gd)		0.01	N.D.	N.D.	N.D.	/
Lanthanum (La)		0.01	N.D.	N.D.	N.D.	/
Terbium (Tb)		0.01	N.D.	N.D.	N.D.	/
Sum(Eu+Gd+La+Tb)	3% Acetic acid/ 70°C, 2h/	/	N.D.	N.D.	N.D.	0.05
Antimony (Sb)	ICP-OES/ IC	0.01	N.D.	N.D.	N.D.	0.04
Arsenic (As)		0.01	N.D.	N.D.	N.D.	N.D.
Cadmium (Cd)		0.002	N.D.	N.D.	N.D.	N.D.
Chromium (Cr)		0.01	N.D.	N.D.	N.D.	N.D.
Lead (Pb)		0.01	N.D.	N.D.	N.D.	N.D.
Mercury (Hg)		0.01	N.D.	N.D.	N.D.	N.D.
Nickel (Ni)		0.01	N.D.	N.D.	N.D.	0.02
Conclusion	-	/		Conformity		/
Ammonium (NH <sub>4</sub> <sup>+</sup> )		0.10	N.D.	N.D.	N.D.	/
Calcium (Ca)		0.01	0.126	N.D.	N.D.	/
Magnesium (Mg)		0.01	N.D.	N.D.	N.D.	/
Potassium (K)		0.01	0.023	N.D.	N.D.	/
Sodium (Na)		0.01	0.035	N.D.	N.D.	/

# **Note:** -MDL=method detection limit -N.D.=not detected (less than method detection limit)



Unit: mg/dm<sup>2</sup>

		MDI	Test Result(s)	<b>.</b>
l est Solution	l est condition	MDL	1-3	Limit
3% Acetic acid	70°C 21	5	N.D.	10
50% Ethanol	/0°C, 2n	5	N.D.	10
Conclusion	/	/	Conformity	/

Note: -MDL=method detection limit

-N.D.=not detected (less than method detection limit)

#### Test result of Specific migration of Bisphenol A(BPA)

				Unit: mg/kg
			Test Result(s)	Limit
Test Item(s)	Test condition/ Equipment	MDL	1-3	(Client's Requirement )
Specific migration of Bisphenol A(BPA)	3% Acetic acid 70°C, 2h / LC-MS-MS	0.02	N.D.	0.05
Conclusion	/	/	Conformity	/

Note: -MDL=method detection limit

-N.D.=not detected (less than method detection limit)

#### Test Result(s) of Bisphenol A(BPA) content

				Unit: mg/kg
			Result(s)	Limit
Test Item(s)	Test Method/ Equipment	MDL	1-3	(Client's Requirement )
Bisphenol A(BPA) content	EPA 3540C:1996 EPA 8321B:2007 LC-MS-MS	1	N.D.	Absent
Conclusion	/	/	Conformity	/

Note: -MDL=method detection limit -N.D.=not detected (less than method detection limit)



Test Item	MDL	Result(s) 1-3	Limit
Peroxide value	0.2	Absent	Absent
Conclusion	/	Conformity	/

Note: -MDL=method detection limit -N.D.=not detected (less than method detection limit)

#### **Test result of Volatile Organic Matter**

Unit: %

Unit: %

Test item(s)	Test Condition	MDL	Result(s) 1-3	Limit
Volatile Organic Matter	- 200°C, 4h	0.1	0.37	0.5
Conclusion		/	Conformity	/

Note: -MDL=method detection limit -N.D.=not detected (less than method detection limit) -0.1% =1000mg/kg

#### Test result of Specific Migration of Organotin (measured as Tin)

Unit: mg/kg Test Result(s) **Test condition**/ Limit MDL Test Item(s) Equipment 1-3 3% Acetic acid Specific Migration of 70°C, 2h / 0.01 N.D. 0.1 Organotin (measured as Tin) **ICP-OES** / / Conformity / Conclusion

**Note:** -MDL=method detection limit

-N.D.=not detected (less than method detection limit)



Unit: mg/kg

			Test Result(s)	
Test Item(s)	Test condition/ Equipment	MDL	1 <sup>st</sup> + 2 <sup>nd</sup> extractives	Limit
	Equipment		1-4	
Barium (Ba)		0.1	N.D.	8.4
Copper (Cu)		0.1	N.D.	28
Iron (Fe)		0.1	N.D.	280
Tin (Sn)		0.1	N.D.	700
Chromium (Cr)		0.01	N.D.	1.75
Manganese (Mn)		0.1	N.D.	12.6
Zinc (Zn)		0.1	N.D.	35
Aluminum (Al)		0.1	N.D.	35
Lithium (Li)		0.01	N.D.	0.336
Beryllium (Be)		0.005	N.D.	0.07
Vanadium (V)	Artificial tap water /	0.005	N.D.	0.07
Nickel (Ni)	ICP-OES	0.01	N.D.	0.98
Cobalt (Co)		0.01	N.D.	0.14
Arsenic (As)		0.002	N.D.	0.014
Molybdenum (Mo)		0.01	N.D.	0.84
Silver (Ag)		0.01	N.D.	0.56
Cadmium (Cd)		0.002	N.D.	0.035
Antimony (Sb)		0.01	N.D.	0.28
Mercury (Hg)		0.002	N.D.	0.021
Thallium (Tl)		0.0001	N.D.	0.0007
Lead (Pb)		0.01	N.D.	0.07
Conclusion		/	Conformity	/



Unit: mg/kg

	Test and dition /		Test Result(s)	
Test Item(s)	Equipment	MDL	3 <sup>rd</sup> extractives	Limit
	Equipment		1-4	
Barium (Ba)	-	0.1	N.D.	1.2
Copper (Cu)		0.1	N.D.	4
Iron (Fe)		0.1	N.D.	40
Tin (Sn)		0.1	N.D.	100
Chromium (Cr)	-	0.01	N.D.	0.25
Manganese (Mn)		0.1	N.D.	1.8
Zinc (Zn)	-	0.1	N.D.	5
Aluminum (Al)		0.1	N.D.	5
Lithium (Li)	-	0.01	N.D.	0.048
Beryllium (Be)	-	0.005	N.D.	0.01
Vanadium (V)	Artificial tap water / 70°C, 2h ICP-OES	0.005	N.D.	0.01
Nickel (Ni)		0.01	N.D.	0.14
Cobalt (Co)		0.01	N.D.	0.02
Arsenic (As)		0.002	N.D.	0.002
Molybdenum (Mo)		0.01	N.D.	0.12
Silver (Ag)		0.01	N.D.	0.08
Cadmium (Cd)		0.002	N.D.	0.005
Antimony (Sb)		0.01	N.D.	0.04
Mercury (Hg)		0.002	N.D.	0.003
Thallium (Tl)	1	0.0001	N.D.	0.0001
Lead (Pb)	1	0.01	N.D.	0.01
Conclusion	1	/	Conformity	/

**Note:** -MDL=method detection limit

-N.D.=not detected (less than method detection limit)



#### Test Result(s) of Leachable Lead and Cadmium (NO.84/500/EEC and 2005/31/EC)

Unit: mg/L **Result(s) Test Condition**/ 4% Acetic acid Test Item(s) MDL Limit Equipment 1-7 N.D. 0.1 4.0 Lead (Pb) BS EN 1388-2:1996 N.D. Cadmium (Cd) 0.01 0.3 22°C, 24h/ **ICP-OES** Conclusion / Conformity /

**Note:** -MDL=method detection limit

-N.D.=not detected (less than method detection limit)

#### Test Result of mechanical dishwashing safe test:

#### Sample: 500 ml double wall SS bottle, Tritan bottle 500ml, Glass bottle in pouch 500 ml (Metal bottle)

Test method: BS EN 12875-1:2005

Washing temperature: 60°C

Number of cycle: Ten (10) cycles

Number of tested sample: 1(One) pc(s).

Number of control sample: 1(One) pc(s).

For all tested plastic or metal articles:

- 1) No visible change of color, gloss and clouding was found on the tested samples after wash.
- 2) No visible deposit or iridescent layer was found on the tested samples after wash.
- 3) No visible swelling, deformation, cracking, crazing or delaminate on was found on the tested samples after wash.

#### Sample: 500 ml double wall SS bottle, Tritan bottle 500ml, Glass bottle in pouch 500 ml (Plastic bottle)

Test method: BS EN 12875-1:2005

Washing temperature: 60°C

Number of cycle: Ten (10) cycles

Number of tested sample: 1(One) pc(s).

Number of control sample: 1(One) pc(s).

For all tested plastic or metal articles:

- 1) No visible change of color, gloss and clouding was found on the tested samples after wash.
- 2) No visible deposit or iridescent layer was found on the tested samples after wash.
- 3) No visible swelling, deformation, cracking, crazing or delaminate on was found on the tested samples after wash.

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd



#### Sample: 500 ml double wall SS bottle, Tritan bottle 500ml, Glass bottle in pouch 500 ml (Glass bottle)

Test method: BS EN 12875-1:2005

Washing temperature: 60°C

Number of cycle: Ten (10) cycles

Number of tested sample: 1(One) pc(s).

Number of control sample: 1(One) pc(s).

For all tested glass articles:

- 1) No visible change of color and gloss was found on the tested samples after wash.
- 2) No visible deposit or iridescent layer was found on the tested samples after wash.
- 3) No cloud texture was found on the tested samples after wash.
- 4) No decoration was detached after wash.

#### Test Results of Colour fastness to rubbing

**Test Method:** ISO 105-X12:2016

Rubbing finger: Cylinder

# **The time of conditioning as well as the atmospheric conditions during testing:** 20°C, 65 %R.H., 4hrs **The long direction of the specimen:** Warp/Weft

#### The percentage of soak of wet rubbing cloth: 95%~100%

	Test			
Test point	Colour fastness to	Conclusion		
	Dry rubbing	Wet rubbing		
1.8	4-5	4-5	Conformity	
Limit (Client's Requirement)	≥2-3	≥2-3	/	

Note:

Colour Fastness Grade: Grade 5 = No Colour Change (Best Grade) Grade 1 = Colour Change Seriously (Bad Grade) 9 grades in gray sample card: 5, 4-5, 4, 3-4, 3, 2-3, 2, 1-2, 1.

# **Test Flow Chart of XRF**





# **Test Flow Chart of Phthalates**







# Test Flow Chart of Hexavalent Chromium (Cr<sup>6+</sup>)



# **Test Flow Chart of PBBs and PBDEs**





# **Test Flow Chart of AZO**





## **Test Flow Chart of Phthalates**

















# Conditions of Issuance of Test Reports

1. All samples and goods are accepted by the Attestation of Global Compliance (Shenzhen) Std & Tech Co., Ltd. (the "Company") solely for testing and reporting in accordance with the following terms and conditions. The company provides its services on the basis that such terms and conditions constitute express agreement between the company and any person, firm or company requesting its services (the "Clients").

2. Any report issued by Company as a result of this application for testing services (the "Report") shall be issued in confidence to the Clients and the Report will be strictly treated as such by the Company. It may not be reproduced either in its entirety or in part and it may not be used for advertising or other unauthorized purposes without the written consent of the Company. The Clients to whom the Report is issued may, however, show or send it, or a certified copy thereof prepared by the Company to its customer, supplier or other persons directly concerned. The Company will not, without the consent of the Clients, enter into any discussion or correspondence with any third party concerning the contents of the Report, unless required by the relevant governmental authorities, laws or court orders.

3. The Company shall not be called or be liable to be called to give evidence or testimony on the Report in a court of law without its prior written consent, unless required by the relevant governmental authorities, laws or court orders.

4. In the event of the improper use of the report as determined by the Company, the Company reserves the right to withdraw it, and to adopt any other additional remedies which may be appropriate.

5. Samples submitted for testing are accepted on the understanding that the Report issued cannot form the basis of, or be the instrument for, any legal action against the Company.

6. The Company will not be liable for or accept responsibility for any loss or damage however arising from the use of information contained in any of its Reports or in any communication whatsoever about its said tests or investigations.

7. Clients wishing to use the Report in court proceedings or arbitration shall inform the Company to that effect prior to submitting the sample for testing.

8. The Company is not responsible for recalling the electronic version of the original report when any revision is made to them. The Client assumes the responsibility to providing the revised version to any interested party who uses them.

9. Subject to the variable length of retention time for test data and report stored hereinto as otherwise specifically required by individual accreditation authorities, the Company will only keep the supporting test data and information of the test report for a period of six years. The data and information will be disposed of after the aforementioned retention period has elapsed. Under no circumstances shall we provide any data and information which has been disposed of after retention period. Under no circumstances shall we be liable for damage of any kind, including (but not limited to) compensatory damages, lost profits, lost data, or any form of special, incidental, indirect, consequential or punitive damages of any kind, whether based on breach of contract of warranty, tort (including negligence), product liability or otherwise, even if we are informed in advance of the possibility of such damages.

\*\*\* End of Report \*\*\*

Any report having not been signed by authorized approver, or having been altered without authorization, or having not been stamped by the "Dedicated Testing/Inspection Stamp" is deemed to be invalid. Copying or excerpting portion of, or altering the content of the report is not permitted without the written authorization of AGC. The test results presented in the report apply only to the tested sample. Any objections to report issued by AGC should be submitted to AGC within 15days after the issuance of the test report. Further enquiry of validity or verification of the test report should be addressed to AGC by agc01@agccert.com.

Attestation of Global Compliance(Shenzhen)Co., Ltd Attestation of Global Compliance(Shenzhen)Std & Tech Co., Ltd