





# **TEST REPORT**

Test Report # 19H-003294 Date of Report Issue: June 10, 2019

Date of Sample Received: May 14, 2019 Pages: Page 1 of 14

**CLIENT INFORMATION:** 

Company: Hit Promotional Products

Recipient: Nathan Cotter

Recipient Email: ncotter@hitpromo.net





**SAMPLE INFORMATION:** 

Description: 12 Oz. Concord Mug

Assortment: 7 colors Purchase Order Number: 306724

SKU No.: 5392 Agent: Growth-Sonic

Factory No.: 127740 Country of Origin: China

Country of Distribution: United States Labeled Age Grade: -

Quantity Submitted: 12 pcs (Black, White), 9 pcs Recommended Age Grade: -

(Green), 7 pcs (Grey), 4 pcs

(Pink), 3 pcs (Red, Blue)

Testing Period: 05/14/2019 – 05/24/2019 Tested Age Grade: -

05/30/2019 - 06/10/2019

**OVERALL RESULT:** 

**PASS** 

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited



Loska Yeung Lok Ka Assistant Manager, Chemical Laboratory

QIMA Testing (HK) Limited \* 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong \* Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003294 Page 2 of 14

# **TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

| CONCLUSION | TEST(S) CONDUCTED  |
|------------|--|
| PASS       | CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings               |
| PASS       | California Proposition 65, Total Lead in Paints and Surface Coatings                     |
| PASS       | CPSIA Section 101, Total Lead in Substrate Materials                                     |
| PASS       | California Proposition 65, Total Lead in Substrate Materials                             |
| PASS       | FDA GRAS Specifications, Total Chromium in Stainless Steel Food Containers#              |
| PASS       | Client's Requirement, Bisphenol A and Bisphenol S#                                       |
| PASS       | FDA 21 CFR 177.1210, Closures with Sealing Gaskets#                                      |
| PASS       | FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers                           |
| PASS       | Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content |

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003294 Page 3 of 14

# **DETAILED RESULTS:**

# CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.    | 1+2             | 7+8+9           | 10+11           |                 |                 | Total          |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|
| Test Item       | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Limit<br>(ppm) |
| Total Lead (Pb) | ND              | ND              | ND              |                 |                 | 90             |
| Conclusion      | PASS            | PASS            | PASS            |                 |                 |                |

Note.

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Test Report #: 19H-003294 Page 4 of 14

# **DETAILED RESULTS:**

# California Proposition 65, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.    | 1+2             | 7+8+9           | 10+11           |                 |                 | Total          |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|
| Test Item       | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Limit<br>(ppm) |
| Total Lead (Pb) | ND              | ND              | ND              |                 |                 | 90             |
| Conclusion      | PASS            | PASS            | PASS            |                 |                 |                |

Note

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited \* 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong \* Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003294 Page 5 of 14

# **DETAILED RESULTS:**

# **CPSIA Section 101, Total Lead in Substrate Materials**

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal) Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.    | 3               | 4               | 5               | 6               |                 | Total          |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|
| Test Item       | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Limit<br>(ppm) |
| Total Lead (Pb) | ND              | ND              | ND              | ND              |                 | 100            |
| Conclusion      | PASS            | PASS            | PASS            | PASS            |                 |                |

Note.

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Test Report #: 19H-003294 Page 6 of 14

#### **DETAILED RESULTS:**

# California Proposition 65, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.    | 3               | 4               | 5               | 6               |                 | Total          |
|-----------------|-----------------|-----------------|-----------------|-----------------|-----------------|----------------|
| Test Item       | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Result<br>(ppm) | Limit<br>(ppm) |
| Total Lead (Pb) | ND              | ND              | ND              | ND              |                 | 100            |
| Conclusion      | PASS            | PASS            | PASS            | PASS            |                 |                |

#### Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003294 Page 7 of 14

# **DETAILED RESULTS:**

# FDA GRAS Specifications, Total Chromium in Stainless Steel Food Containers

Test Method: In-House Method#

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.        | 6                 |                   |                   |                   |                   |                  |
|---------------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item           | Result<br>(% m/m) | Limit<br>(% m/m) |
| Total Chromium (Cr) | 17.4              |                   |                   |                   |                   | GT 16            |
| Conclusion          | PASS              |                   |                   |                   |                   |                  |

Note:

% m/m = Percent by mass GT = Greater than

Remark:

The limit is quoted from ANSI/NSF 51-1997 Section 7.1.2.



Test Report #: 19H-003294 Page 8 of 14

#### **DETAILED RESULTS:**

# Client's Requirement, Bisphenol A and Bisphenol S

Test Method: In-House Method#

Analytical Method: Liquid Chromatography with Mass Spectrometry or

Liquid Chromatography with Mass Spectrometry Mass Spectrometry

| Specimen          | No.     | 3               | 4               |                 |                 |                |
|-------------------|---------|-----------------|-----------------|-----------------|-----------------|----------------|
| Test Item         | CAS No. | Result<br>(ppb) | Result<br>(ppb) | Result<br>(ppb) | Result<br>(ppb) | Limit<br>(ppb) |
| Bisphenol A (BPA) | 80-05-7 | ND              | ND              |                 |                 | ND             |
| Bisphenol S (BPS) | 80-09-1 | ND              | ND              |                 |                 | ND             |
| Conclusi          | on      | PASS            | PASS            |                 |                 |                |

Note

ppb (Parts per billion) = μg/kg (Micrograms per kilogram)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting limit: BPA = 1000 ppb; BPS = 200 ppb)

QIMA Testing (HK) Limited \* 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong \* Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003294 Page 9 of 14

# **DETAILED RESULTS:**

# FDA 21 CFR 177.1210, Closures with Sealing Gaskets

Test Method: FDA 21 CFR 177.1210#

| Specimen No.               |                                  |            | 3      |        |       |       |
|----------------------------|----------------------------------|------------|--------|--------|-------|-------|
| Tost Itom                  | Test Co                          | ndition    | Result | Result | RL    | Limit |
| Test Item                  | Temp.                            | Duration   | (ppm)  | (ppm)  | (ppm) | (ppm) |
| Distilled water extractive | Fill boiling Until Cool to 100°F |            | 11     |        | 10    | 50    |
|                            |                                  | Conclusion | PASS   |        |       |       |

#### Note:

Temp. = Temperature

°F = Degree Fahrenheit

ppm (Parts per million) = mg/kg (Milligrams per kilogram foodstuff)

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

#### Remark:

The specification is quoted from 21 CFR 177.1210 Table 2 Section 2.

QIMA Testing (HK) Limited \* 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong \* Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003294 Page 10 of 14

#### **DETAILED RESULTS:**

# FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers

Test Method: FDA 21 CFR 180.22 and 181.32

Analytical Method: Headspace-Gas Chromatography with Mass Spectrometry

#### Acrylonitrile Monomers:

| Specimen No                         | 4                     |          |        |       |        |
|-------------------------------------|-----------------------|----------|--------|-------|--------|
| Tost Simulant                       | Test Co               | ndition  | Docul+ | DI    | Limait |
| Test Simulant                       | Temp.                 | Duration | Result | RL    | Limit  |
| Distilled water extractive (mg/in²) | 120°F                 | 2 hours  | ND     | 0.001 | 0.003  |
| 3% Acetic acid extractive (mg/in²)  | ng/in²) 120°F 2 hours |          |        | 0.001 | 0.003  |
| Conclusion                          | PASS                  |          |        |       |        |

#### Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in<sup>2</sup> = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

# Remark:

The specification is quoted from 21 CFR 181.32 (b) (3).

QIMA Testing (HK) Limited \* 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong \* Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003294 Page 11 of 14

#### **DETAILED RESULTS:**

# Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

| Specimen No.    | 1+2               | 3                 | 4                 | 5                 | 6                 |               |
|-----------------|-------------------|-------------------|-------------------|-------------------|-------------------|---------------|
| Test Item       | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Limit         |
| Total Lead (Pb) | ND                | ND                | ND                | ND                | ND                | (mg/kg)<br>90 |
| Conclusion      | PASS              | PASS              | PASS              | PASS              | PASS              |               |

| Specimen No.    | 7+8+9             | 10+11             |                   |                   |                   |                  |
|-----------------|-------------------|-------------------|-------------------|-------------------|-------------------|------------------|
| Test Item       | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Result<br>(mg/kg) | Limit<br>(mg/kg) |
| Total Lead (Pb) | ND                | ND                |                   |                   |                   | 90               |
| Conclusion      | PASS              | PASS              |                   |                   |                   |                  |

#### Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass) LT = Less than

ND = Not detected (Reporting Limit = 20 mg/kg)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited \* 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong \* Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003294 Page 12 of 14

#### **SPECIMEN DESCRIPTION:**

| Specimen No. | Specimen Description                | Location                              |
|--------------|-------------------------------------|---------------------------------------|
| 1            | Red coating                         | On outer wall/ handle (red style)     |
| 2            | Blue coating                        | On outer wall/ handle (blue style)    |
| 3            | Translucent soft plastic (Silicone) | Gasket (all styles)                   |
| 4            | Transparent plastic (AS)            | Lid (all styles)                      |
| 5            | Silvery metal                       | Outer wall/ handle/ base (all styles) |
| 6            | Dull silvery metal (304SS)          | Inner wall (all styles)               |
| 7            | Grey coating                        | On outer wall/ handle (grey style)    |
| 8            | White coating                       | On outer wall/ handle (white style)   |
| 8            | Black coating                       | On outer wall/ handle (black style)   |
| 10           | Green coating                       | On outer wall/ handle (green style)   |
| 11           | Pink coating                        | On outer wall/ handle (pink style)    |



Test Report #: 19H-003294 Page 13 of 14

#### **SAMPLE PHOTO:**





QIMA Testing (HK) Limited \* 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong \* Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003294 Page 14 of 14

#### **SAMPLE PHOTO:**





-End Report-

QIMA Testing (HK) Limited \* 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong \* Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.