



19H-006976

TEST REPORT

Test Report # 19H-006976 Date of Report Issue: September 26, 2019

Date of Sample Received: September 16, 2019 Pages: Page 1 of 13

CLIENT INFORMATION:

Company: Hit Promotional Products

Recipient: Nathan Cotter

Recipient Email: ncotter@hitpromo.net

SAMPLE INFORMATION:

Description: 30 Oz. Rossmoor Stainless Steel Tumbler

Assortment: 7 colors Purchase Order Number: 317892

SKU No.: 5656 Agent: Brand New Days

Factory No.: 106782 Country of Origin: China

Country of Distribution: United States Labeled Age Grade: -

Quantity Submitted: 4 pcs per style Recommended Age Grade: -

Testing Period: 09/17/2019 – 09/26/2019 Tested Age Grade: -

OVERALL RESULT:

PASS

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited



Loska Yeung Lok Ka Assistant Manager, Chemical Laboratory

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 19H-006976 Page 2 of 13

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	CPSIA Section 101, Total Lead in Substrate Materials
PASS	California Proposition 65, Total Lead in Substrate Materials
PASS	Client's Requirement, Bisphenol A and Bisphenol S#
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets#
PASS	FDA 21 CFR 177.1520, Polypropylene Copolymers
PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers
PASS	Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content



Test Report #: 19H-006976 Page 3 of 13

DETAILED RESULTS:

CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+3	4+5	11			Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	53	ND			90
Conclusion	PASS	PASS	PASS			

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.



Test Report #: 19H-006976 Page 4 of 13

DETAILED RESULTS:

California Proposition 65, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+3	4+5	11			Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	53	ND			90
Conclusion	PASS	PASS	PASS			

Note.

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.



Test Report #: 19H-006976 Page 5 of 13

DETAILED RESULTS:

CPSIA Section 101, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal) Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	6+7	8	9	10		Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND		100
Conclusion	PASS	PASS	PASS	PASS		

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.



Test Report #: 19H-006976 Page 6 of 13

DETAILED RESULTS:

California Proposition 65, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	6+7	8	9	10		Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND		100
Conclusion	PASS	PASS	PASS	PASS		

Note.

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.



Test Report #: 19H-006976 Page 7 of 13

DETAILED RESULTS:

Client's Requirement, Bisphenol A and Bisphenol S

Test Method: In-House Method#

Analytical Method: Liquid Chromatography with Mass Spectrometry or

Liquid Chromatography with Mass Spectrometry Mass Spectrometry

Specimen	No.	6	7	8		
Test Item	CAS No.	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Limit (ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND		ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND		ND
Conclusi	ion	PASS	PASS	PASS		

Note:

ppb (Parts per billion) = μg/kg (Micrograms per kilogram)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting limit: BPA = 1000 ppb; BPS = 200 ppb)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.



Test Report #: 19H-006976 Page 8 of 13

DETAILED RESULTS:

FDA 21 CFR 177.1210, Closures with Sealing Gaskets

Test Method: FDA 21 CFR 177.1210#

Specimo	8					
Took House Te		Test Condition		Result	RL	Limit
Test Item	Temp.	Duration	(ppm)	(ppm)	(ppm)	(ppm)
Distilled water extractive	Fill boiling Until Cool to 100°F		ND		10	50
		Conclusion	PASS			

Note:

Temp. = Temperature

°F = Degree Fahrenheit

ppm (Parts per million) = mg/kg (Milligrams per kilogram foodstuff)

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1210 Table 2 Section 2.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with '\$\psi\$ was subcontracted to external laboratory.



Test Report #: 19H-006976 Page 9 of 13

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers

Test Method: FDA 21 CFR 177.1520

Specimen No.			6			
Test Item	Temp.	Duration	Result	Result	RL	Limit
Density (g/cc)	NA	NA	0.903		NA	0.85-1.00
n-Hexane extractive (%)	50°C	2 hours	ND		0.4	5.5
Xylene extractive (%)	Reflux	2 hours or until total dissolved	1.5		1.0	30
		Conclusion	PASS			

Note:

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.



Test Report #: 19H-006976 Page 10 of 13

DETAILED RESULTS:

FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers

Test Method: FDA 21 CFR 180.22 and 181.32

Analytical Method: Headspace-Gas Chromatography with Mass Spectrometry

Acrylonitrile Monomers:

Specimen No	7				
Test Simulant	Test Condition		Result	RL	Limit
rest simulant	Temp.	Duration	Result	KL	Liffiit
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
Conclusion	PASS				

Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 181.32 (b) (3).

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.



Test Report #: 19H-006976 Page 11 of 13

DETAILED RESULTS:

Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1+2+3	4+5	6+7	8	10	
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	11					
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Total Lead (Pb)	ND					90
Conclusion	PASS					

Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.



Test Report #: 19H-006976 Page 12 of 13

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Red coating	On outer wall (red style)
2	Purple coating	On outer wall (purple style)
3	White coating	On outer wall (white style)
4	Green coating	On outer wall (lime style)
5	Blue coating	On outer wall (blue style)
6	Black plastic (PP-co)	Inner wall (all styles)
7	Clear plastic (AS)	Lid/ slider (all styles)
8	Translucent soft plastic (Silicone)	Gasket (all styles)
9	Black foam with adhesive	Pad of bottom (all styles)
10	Silvery metal	Outer wall (all styles)
11	Orange coating	On outer wall (orange style)

according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' ϕ ' was subcontracted to external laboratory.



Test Report #: 19H-006976 Page 13 of 13

SAMPLE PHOTO:





-End Report-

according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with '\psi' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.