



# **TEST REPORT**

Test Report # 19H-009153 Date of Report Issue: December 23, 2019

Date of Sample Received: December 10, 2019 Pages: Page 1 of 14

**CLIENT INFORMATION:** 

Company: Hit Promotional Products

Recipient: Nathan Cotter

Recipient Email: ncotter@hitpromo.net

**SAMPLE INFORMATION:** 

Description: 20 Oz. Woodtone Himalayan Tumbler

Assortment: 2 colors Purchase Order Number: 347999

SKU No.: 5786 Agent: Growth-Sonic

Factory No.: 127740 Country of Origin: China

Country of Distribution: United States Labeled Age Grade: -

Quantity Submitted: 5 pcs per style Recommended Age Grade: -

Testing Period: 12/10/2019 – 12/23/2019 Tested Age Grade: -

**OVERALL RESULT:** 

P PASS

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited



Loska Yeung Lok Ka Assistant Manager, Chemical Laboratory

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, HKSAR, China • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with '\$\phi\$ was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 19H-009153 Page 2 of 14

### **TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	CPSIA Section 101, Total Lead in Substrate Materials
PASS	California Proposition 65, Total Lead in Substrate Materials
PASS	FDA GRAS Specifications, Total Chromium in Stainless Steel Food Containers#
PASS	Client's Requirement, Bisphenol A and Bisphenol S#0
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets#
PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers
PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Butadiene/Styrene Copolymers
PASS	Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content



Test Report #: 19H-009153 Page 3 of 14

#### **DETAILED RESULTS:**

### CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2				Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND				90
Conclusion	PASS	PASS				

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Test Report #: 19H-009153 Page 4 of 14

#### **DETAILED RESULTS:**

### California Proposition 65, Total Lead in Paints and Surface Coatings

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2				Total
Test Item	Result	Result	Result	Result	Result	Limit
rest item	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
Total Lead (Pb)	ND	ND				90
Conclusion	PASS	PASS				

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.



Test Report #: 19H-009153 Page 5 of 14

#### **DETAILED RESULTS:**

### **CPSIA Section 101, Total Lead in Substrate Materials**

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal) Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	3	4+5	6	7	8	Total
Test Item	Result	Result	Result	Result	Result	Limit
rest item	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Test Report #: 19H-009153 Page 6 of 14

### **DETAILED RESULTS:**

## California Proposition 65, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	3	4+5	6	7	8	Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.



Test Report #: 19H-009153 Page 7 of 14

### **DETAILED RESULTS:**

## FDA GRAS Specifications, Total Chromium in Stainless Steel Food Containers

Test Method: In-House Method#

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	8					
Test Item	Result (% m/m)	Limit (% m/m)				
Total Chromium (Cr)	17.7					GT 16
Conclusion	PASS					

Note:

% m/m = Percent by mass

GT = Greater than

Remark:

The limit is quoted from ANSI/NSF 51-1997 Section 7.1.2.



Test Report #: 19H-009153 Page 8 of 14

### **DETAILED RESULTS:**

### Client's Requirement, Bisphenol A and Bisphenol S

Test Method: In-House Method<sup>#</sup>

Analytical Method: Liquid Chromatography with Mass Spectrometry or

Liquid Chromatography with Mass Spectrometry Mass Spectrometry

Specimen No.		3	4	5		
Test Item	CAS No.	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Limit (ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND		ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND		ND
Conclus	ion	PASS	PASS	PASS		

Note:

ppb (Parts per billion) =  $\mu$ g/kg (Micrograms per kilogram)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting limit: BPA = 1000 ppb; BPS = 200 ppb)



Test Report #: 19H-009153 Page 9 of 14

## **DETAILED RESULTS:**

### FDA 21 CFR 177.1210, Closures with Sealing Gaskets

Test Method: FDA 21 CFR 177.1210#

Specimen No.			3			
Tost Itom	Test Condition			Result	RL	Limit
Test Item Temp.		Duration	(ppm)	(ppm)	(ppm)	(ppm)
Distilled water extractive	Fill boiling Until Cool to 100°F		12		10	50
		Conclusion	PASS			

#### Note:

Temp. = Temperature

°F = Degree Fahrenheit

ppm (Parts per million) = mg/kg (Milligrams per kilogram foodstuff)

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

#### Remark:

The specification is quoted from 21 CFR 177.1210 Table 2 Section 2.



Test Report #: 19H-009153 Page 10 of 14

### **DETAILED RESULTS:**

### FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers

Test Method: FDA 21 CFR 180.22 and 181.32

Analytical Method: Headspace-Gas Chromatography with Mass Spectrometry

## **Acrylonitrile Monomers:**

Specimen No	5				
Test Simulant	Test Co	Test Condition		RL	Limit
rest simulant	Temp.	Duration	Result	KL	Limit
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	120°F 2 hours		ND	0.001	0.003
Conclusion			PASS		

#### Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in<sup>2</sup> = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

#### Remark:

The specification is quoted from 21 CFR 181.32 (b) (3).



Test Report #: 19H-009153 Page 11 of 14

### **DETAILED RESULTS:**

## FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Butadiene/Styrene Copolymers

Test Method: FDA 21 CFR 180.22 and 181.32

Analytical Method: Headspace-Gas Chromatography with Mass Spectrometry

## **Acrylonitrile Monomers:**

Specimen No	4				
Test Simulant	Test Condition		Darrille	RL	Limit
rest simulant	Temp.	Duration	Result	KL	LITTIL
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	120°F 2 hours		ND	0.001	0.003
Conclusion			PASS		

#### Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in<sup>2</sup> = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

#### Remark:

The specification is quoted from 21 CFR 181.32 (b) (3).



Test Report #: 19H-009153 Page 12 of 14

### **DETAILED RESULTS:**

### Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2	3	4+5	7	
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	8					
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Total Lead (Pb)	ND					90
Conclusion	PASS					

#### Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.



Test Report #: 19H-009153 Page 13 of 14

#### **SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
1	Multicolor coating	On outer body (wood style)
2	Multicolor coating	On outer body (grey style)
3	Black soft plastic (silicone)	Gasket (all styles)
4	Transparent plastic (ABS)	Slider (all styles)
5	Clear plastic (AS)	Lid (all styles)
6	Black foam	Base pad (all styles)
7	Silvery metal	Outer body (all styles)
8	Dull silvery metal (304SS)	Inner body (all styles)



Test Report #: 19H-009153 Page 14 of 14

#### **SAMPLE PHOTO:**





-End Report-

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, HKSAR, China • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with '\phi' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Ver.14

CS-HK-RE005-HITP