





TEST REPORT

Test Report # 19H-003340 Date of Report Issue: May 27, 2019

Date of Sample Received: May 14, 2019 Pages: Page 1 of 21

CLIENT INFORMATION:

Company: Hit Promotional Products

Recipient: Nathan Cotter

Recipient Email: ncotter@hitpromo.net





SAMPLE INFORMATION:

Description: 24 oz Biggie Tumbler with Lid / 16 oz Newport Acrylic Tumbler

Assortment: 7 colors / 8 colors Purchase Order Number: 313259

SKU No.: 5853 / 5869 Agent: Brand New Days

Factory No.: 106719 Country of Origin: China

Country of Distribution: United States Labeled Age Grade:
Quantity Submitted: 5 pcs per style Recommended Age Grade: -

Testing Period: 05/16/2019 – 05/27/2019 Tested Age Grade: -

OVERALL RESULT:

PASS

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited



Loska Yeung Lok Ka Assistant Manager, Chemical Laboratory

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 2 of 21

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101, Total Lead in Substrate Materials
PASS	California Proposition 65, Total Lead in Substrate Materials
PASS	Client's Requirement, Bisphenol A and Bisphenol S#
PASS	FDA 21 CFR 177.1210, Closures with Sealing Gaskets#
PASS	FDA 21 CFR 177.1520, Polypropylene Copolymers
PASS	FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers
PASS	Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 3 of 21

DETAILED RESULTS:

CPSIA Section 101, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2+3+4	5+6+7	8+9+10	11+12+13	Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	14+15+16	17+18+19	20+21+22	23+24+25	26+27+28	Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 4 of 21

DETAILED RESULTS:

California Proposition 65, Total Lead in Substrate Materials

Test Method: CPSC-CH-E1001-08.3 (Metal), CPSC-CH-E1002-08.3 (Non-Metal)
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2+3+4	5+6+7	8+9+10	11+12+13	Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	14+15+16	17+18+19	20+21+22	23+24+25	26+27+28	Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND	ND	ND	ND	ND	100
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 5 of 21

DETAILED RESULTS:

Client's Requirement, Bisphenol A and Bisphenol S

Test Method: In-House Method#

Analytical Method: Liquid Chromatography with Mass Spectrometry or

Liquid Chromatography with Mass Spectrometry Mass Spectrometry

Specimen No.		1	2	3	4	
Test Item	CAS No.	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Limit (ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND	ND	ND
Conclusi	on	PASS	PASS	PASS	PASS	

Specimen No.		5	6	7	8	
Test Item	CAS No.	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Limit (ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND	ND	ND
Conclusi	on	PASS	PASS	PASS	PASS	

Specimen No.		9	10	11	12	
Test Item	Test Item CAS No.	Result	Result	Result	Result	Limit
rest item		(ppb)	(ppb)	(ppb)	(ppb)	(ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND	ND	ND
Conclusi	Conclusion		PASS	PASS	PASS	

Note:

ppb (Parts per billion) = μ g/kg (Micrograms per kilogram)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting limit: BPA = 1000 ppb; BPS = 200 ppb)

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 6 of 21

DETAILED RESULTS:

Client's Requirement, Bisphenol A and Bisphenol S

Test Method: In-House Method*

Analytical Method: Liquid Chromatography with Mass Spectrometry or

Liquid Chromatography with Mass Spectrometry Mass Spectrometry

Specimen No.		13	14	15	16	
Test Item	CAS No.	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Limit (ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND	ND	ND
Conclusi	on	PASS	PASS	PASS	PASS	

Specimen No.		17	21	23	24	
Test Item	CAS No.	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Limit (ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND	ND	ND
Conclusi	on	PASS	PASS	PASS	PASS	

Specimen No.		29	30	31	32	
Test Item	CAS No.	Result	Result	Result	Result	Limit
resertem	C/ 10 110.	(ppb)	(ppb)	(ppb)	(ppb)	(ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND	ND	ND
Conclusion		PASS	PASS	PASS	PASS	

Note:

ppb (Parts per billion) = μg/kg (Micrograms per kilogram)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting limit: BPA = 1000 ppb; BPS = 200 ppb)

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 7 of 21

DETAILED RESULTS:

Client's Requirement, Bisphenol A and Bisphenol S

Test Method: In-House Method#

Analytical Method: Liquid Chromatography with Mass Spectrometry or

Liquid Chromatography with Mass Spectrometry Mass Spectrometry

Specimen No.		33	34	35	36	
Test Item	CAS No.	Result (ppb)	Result (ppb)	Result (ppb)	Result (ppb)	Limit (ppb)
Bisphenol A (BPA)	80-05-7	ND	ND	ND	ND	ND
Bisphenol S (BPS)	80-09-1	ND	ND	ND	ND	ND
Conclusi	on	PASS	PASS	PASS	PASS	

Note

ppb (Parts per billion) = μg/kg (Micrograms per kilogram)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting limit: BPA = 1000 ppb; BPS = 200 ppb)

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 8 of 21

DETAILED RESULTS:

FDA 21 CFR 177.1210, Closures with Sealing Gaskets

Test Method: FDA 21 CFR 177.1210#

Specimen No.			1			
Tost Itom	Test Co	ndition	Result	Result	RL	Limit
Test Item	Temp.	Duration	(ppm)	(ppm)	(ppm)	(ppm)
Distilled water extractive	120°F	120°F 24 hours			10	50
Conclusion			PASS			

Note:

Temp. = Temperature

°F = Degree Fahrenheit

ppm (Parts per million) = mg/kg (Milligrams per kilogram foodstuff)

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1210 Table 2 Section 2.

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 9 of 21

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers

Test Method: FDA 21 CFR 177.1520

Specimen No.			2	3		
Test Item	Temp.	Duration	Result	Result	RL	Limit
Density (g/cc)	NA	NA	0.900	0.899	NA	0.85-1.00
n-Hexane extractive (%)	50°C	2 hours	0.5	0.7	0.4	5.5
Xylene extractive (%)	Reflux	2 hours or until total dissolved	3.1	3.7	1.0	30
		Conclusion	PASS	PASS		

Specimen No.		4	5			
Test Item	Temp.	Duration	Result	Result	RL	Limit
Density (g/cc)	NA	NA	0.900	0.902	NA	0.85-1.00
n-Hexane extractive (%)	50°C	2 hours	0.5	ND	0.4	5.5
Xylene extractive (%)	Reflux	2 hours or until total dissolved	2.0	2.1	1.0	30
		Conclusion	PASS	PASS		

Note:

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 10 of 21

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers

Test Method: FDA 21 CFR 177.1520

Specimen No.			6	7		
Test Item	Temp.	Duration	Result	Result	RL	Limit
Density (g/cc)	NA	NA	0.900	0.910	NA	0.85-1.00
n-Hexane extractive (%)	50°C	2 hours	0.6	ND	0.4	5.5
Xylene extractive (%)	Reflux	2 hours or until total dissolved	1.4	1.7	1.0	30
		Conclusion	PASS	PASS		

Specimen No.		8	9			
Test Item	Temp.	Duration	Result	Result	RL	Limit
Density (g/cc)	NA	NA	0.900	0.898	NA	0.85-1.00
n-Hexane extractive (%)	50°C	2 hours	ND	0.5	0.4	5.5
Xylene extractive (%)	Reflux	2 hours or until total dissolved	ND	1.8	1.0	30
		Conclusion	PASS	PASS		

Note:

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 11 of 21

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers

Test Method: FDA 21 CFR 177.1520

Specimen No.			10	11		
Test Item	Temp.	Duration	Result	Result	RL	Limit
Density (g/cc)	NA	NA	0.899	0.898	NA	0.85-1.00
n-Hexane extractive (%)	50°C	2 hours	0.9	0.8	0.4	5.5
Xylene extractive (%)	Reflux	2 hours or until total dissolved	ND	1.9	1.0	30
		Conclusion	PASS	PASS		

Specimen No.			12	13		
Test Item	Temp.	Duration	Result	Result	RL	Limit
Density (g/cc)	NA	NA	0.895	0.895	NA	0.85-1.00
n-Hexane extractive (%)	50°C	2 hours	0.8	0.6	0.4	5.5
Xylene extractive (%)	Reflux	2 hours or until total dissolved	2.3	1.1	1.0	30
	Conclusion			PASS		

Note:

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 12 of 21

DETAILED RESULTS:

FDA 21 CFR 177.1520, Polypropylene Copolymers

Test Method: FDA 21 CFR 177.1520

Specimen No.			14	15		
Test Item	Temp.	Duration	Result	Result	RL	Limit
Density (g/cc)	NA	NA	0.896	0.892	NA	0.85-1.00
n-Hexane extractive (%)	50°C	2 hours	0.8	0.5	0.4	5.5
Xylene extractive (%)	Reflux	2 hours or until total dissolved	2.7	1.4	1.0	30
		Conclusion	PASS	PASS		

Specimen No.		16	17			
Test Item	Temp.	Duration	Result	Result	RL	Limit
Density (g/cc)	NA	NA	0.898	0.897	NA	0.85-1.00
n-Hexane extractive (%)	50°C	2 hours	0.4	1.1	0.4	5.5
Xylene extractive (%)	Reflux	2 hours or until total dissolved	4.5	1.2	1.0	30
	·	Conclusion	PASS	PASS		

Note:

Temp. = Temperature

°C = Degree Celsius

g/cc = Grams per cubic centimeter

% = Percent by weight

NA = Not applicable

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 177.1520 (c) 3.1a.

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 13 of 21

DETAILED RESULTS:

FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers

Test Method: FDA 21 CFR 180.22 and 181.32

Analytical Method: Headspace-Gas Chromatography with Mass Spectrometry

Acrylonitrile Monomers:

Specimen No	21				
Tost Simulant	Test Co	ndition	Docul+	DI	Limait
Test Simulant	Temp.	Duration	Result	RL	Limit
Distilled water extractive (mg/in²)	120°F 2 hours		ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	120°F 2 hours		ND	0.001	0.003
Conclusion	PASS				

Specimen No	23				
Test Simulant	Test Co	ondition	Result	RL	Limit
Test Simulant	Temp.	Duration	Result	KL	Lillit
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	120°F 2 hours		ND	0.001	0.003
Conclusion	PASS				

Specimen No	24				
Test Simulant	Test Co	ondition	Docul+	DI	Limait
rest simulant	Temp.	Duration	Result	RL	Limit
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	active (mg/in²) 120°F 2 hours		ND	0.001	0.003
Conclusion	PASS				

Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 181.32 (b) (3).

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 14 of 21

DETAILED RESULTS:

FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers

Test Method: FDA 21 CFR 180.22 and 181.32

Analytical Method: Headspace-Gas Chromatography with Mass Spectrometry

Acrylonitrile Monomers:

Specimen No	29				
Tost Simulant	Test Condition		D li	DI	limait
Test Simulant	Temp.	Duration	Result	RL	Limit
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	120°F 2 hours		ND	0.001	0.003
Conclusion	PASS				

Specimen No	30				
Test Simulant	Test Condition		Danilla	RL	Limit
Test Simulant	Temp.	Duration	Result	KL	Limit
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	120°F 2 hours		ND	0.001	0.003
Conclusion	PASS				

Specimen No	31				
Test Simulant	Test Condition		Docul+	RL	Linait
Test Simulant	Temp. Duration		Result	KL	Limit
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	120°F 2 hours		ND	0.001	0.003
Conclusion	PASS				

Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 181.32 (b) (3).

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 15 of 21

DETAILED RESULTS:

FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers

Test Method: FDA 21 CFR 180.22 and 181.32

Analytical Method: Headspace-Gas Chromatography with Mass Spectrometry

Acrylonitrile Monomers:

Specimen No	32				
Tost Simulant	Test Condition		D II	DI	Limait
Test Simulant	Temp.	Duration	Result	RL	Limit
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	120°F 2 hours		ND	0.001	0.003
Conclusion	PASS				

Specimen No	33				
Test Simulant	Test Condition		Danilla	RL	Limit
Test Simulant	Temp.	Duration	Result	KL	Limit
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	120°F 2 hours		ND	0.001	0.003
Conclusion	PASS				

Specimen No	34				
Test Simulant	Test Condition		D II	DI	limait
Test Simulant	Temp.	Duration	Result	RL	Limit
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	acid extractive (mg/in²) 120°F 2 hours		ND	0.001	0.003
Conclusion	PASS				

Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 181.32 (b) (3).

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 16 of 21

DETAILED RESULTS:

FDA 21 CFR 180.22 and 181.32, Acrylonitrile/Styrene Copolymers

Test Method: FDA 21 CFR 180.22 and 181.32

Analytical Method: Headspace-Gas Chromatography with Mass Spectrometry

Acrylonitrile Monomers:

Specimen No	35				
Tost Simulant	Test Condition		Danille	RL	limait
Test Simulant	Temp.	Duration	Result	KL	Limit
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	120°F 2 hours		ND	0.001	0.003
Conclusion	PASS				

Specimen No	36				
Test Simulant	Test Condition		Danile	RL	Limit
Test Simulant	Temp.	Duration	Result	KL	Limit
Distilled water extractive (mg/in²)	120°F	2 hours	ND	0.001	0.003
3% Acetic acid extractive (mg/in²)	120°F 2 hours		ND	0.001	0.003
Conclusion	PASS				

Note:

Temp. = Temperature

°F = Degree Fahrenheit

mg/in² = Milligrams per square inch

LT = Less than

ND = Not detected. Result value is less than reporting limit (RL).

Remark:

The specification is quoted from 21 CFR 181.32 (b) (3).

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 17 of 21

DETAILED RESULTS:

Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content

Test Method: ASTM F963-17 Clause 8.3.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	2+3+4	5+6+7	8+9+10	11+12+13	
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Specimen No.	14+15+16	17+18+19	20+21+22	23+24+25	26+27+28	
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Total Lead (Pb)	ND	ND	ND	ND	ND	90
Conclusion	PASS	PASS	PASS	PASS	PASS	

Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass) LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 18 of 21

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Translucent soft plastic (silicone)	Gasket (all 16 oz styles)
2	Red plastic (PP-co)	Lid (24 oz – red style)
3	Orange plastic (PP-co)	Lid (24 oz – orange style)
4	Green plastic (PP-co)	Lid (24 oz – green style)
5	Blue plastic (PP-co)	Lid (24 oz – blue style)
6	Purple plastic (PP-co)	Lid (24 oz – purple style)
7	Black plastic (PP-co)	Lid (24 oz – black style)
8	Grey plastic (PP-co)	Lid (24 oz – clear style)
9	Light grey plastic (PP-co)	Slider (all 24 oz styles)
10	Translucent red plastic (PP-co)	Straw (16 oz - red style)
11	Translucent orange plastic (PP-co)	Straw/ ring of straw (16 oz -orange style)
12	Translucent green plastic (PP-co)	Straw/ ring of straw (16 oz -green style)
13	Translucent blue plastic (PP-co)	Straw (16 oz - blue style)
14	Translucent purple plastic (PP-co)	Straw (16 oz - purple style)
15	Translucent plastic (PP-co)	Straw (16 oz – clear style); ring of straw (all 16 oz styles except orange/ green styles)
16	Translucent light purple plastic (PP-co)	Straw (16 oz - fucsha style)
17	Translucent light blue plastic (PP-co)	Straw (16 oz - aqua style)
18	Transparent plastic	Outer wall (all 24 oz/ 16 oz - clear styles); inner wall (all 16 oz/ 24 oz - black styles); lid (16 oz - clear style)
19	Transparent red plastic	Inner wall (24 oz – red style); outer wall/ lid (16 oz – red style)
20	Transparent orange plastic	Inner wall (24 oz – orange style); outer wall/ lid (16 oz – orange style)
21	Transparent light green plastic (AS)	Inner wall (24 oz – green style)
22	Transparent blue plastic	Inner wall (24 oz – blue style); outer wall/ lid (16 oz – blue style)
23	Transparent purple plastic (AS)	Inner wall (24 oz – purple style)

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 19 of 21

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
24	Transparent black plastic (AS)	Inner wall (24 oz – clear style)
25	Transparent green plastic	Outer wall/ lid (16 oz - green style)
26	Transparent deep purple plastic	Outer wall/ lid (16 oz - purple style)
27	Transparent pink plastic	Outer wall/ lid (16 oz - fucsha style)
28	Transparent light blue plastic	Outer wall/ lid (16 oz – aqua style)
29	Transparent red plastic (AS)	Inner wall (24 oz – red style); lid (16 oz – red style)
30	Transparent orange plastic (AS)	Inner wall (24 oz – orange style); lid (16 oz – orange style)
31	Transparent blue plastic (AS)	Inner wall (24 oz – blue style); lid (16 oz – blue style)
32	Transparent plastic (AS)	Inner wall (24 oz - black style); inner wall (all 16 oz styles); lid (16 oz - clear style)
33	Transparent green plastic (AS)	Lid (16 oz - green style)
34	Transparent deep purple plastic (AS)	Lid (16 oz - purple style)
35	Transparent pink plastic (AS)	Lid (16 oz - fucsha style)
36	Transparent light blue plastic (AS)	Lid (16 oz – aqua style)

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 20 of 21

SAMPLE PHOTO:





QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



Test Report #: 19H-003340 Page 21 of 21

SAMPLE PHOTO:





-End Report-

QIMA Testing (HK) Limited * 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong * Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.