

## TEST REPORT

Test Report # 19H-004066 Date of Report Issue: January 7, 2020  
Date of Sample Received: June 4, 2019 Pages: Page 1 of 57

### CLIENT INFORMATION:

Company: Hit Promotional Products  
Recipient: Nathan Cotter  
Recipient Email: ncotter@hitpromo.net



### SAMPLE INFORMATION:

Description: #7124 - 11 Oz. White Ceramic Mug, #7131 - 14 Oz. The Curve Mug, #7138 - 16 Oz. Square Handle Mug, #7139 - 15 Oz. Coffee House Mug, #7145 - 14 Oz. Sorbet Bistro Mug, #8174 - MUG,10 OZ VITRIFIED,DINER, #7174 - MUG,VITRIFIED CERAMIC, #8161 - 16OZ TRAPEZOID MUG, #8122 - MUG,11OZ COLOR CHANGING, #7194 - 11 OZ SUBLIMATION MUG.CERAMIC

Assortment: 13 styles Purchase Order Number: -  
SKU No.: 7124, 7131, 7138, 7139, 7145 Agent: Brand new Days  
Factory No.: 106994 Country of Origin: China  
Country of Distribution: United States Labeled Age Grade: -  
Quantity Submitted: Refer to Page 2 Recommended Age Grade: -  
Testing Period: 09/16/2019 – 09/26/2019 Tested Age Grade: -  
11/25/2019 – 12/13/2019  
12/16/2019 – 12/30/2019  
01/07/2020 – 01/07/2020

### OVERALL RESULT:



Refer to page 3 for test result summary and appropriate notes.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein. If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#). This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

## TEST REPORT

Test Report # 19H-004066 Date of Report Issue: January 7, 2020  
Date of Sample Received: June 4, 2019 Pages: Page 2 of 57

QIMA Testing (HK) Limited



Loska Yeung Lok Ka  
Assistant Manager, Chemical Laboratory

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**QUANTITY SUBMITTED DETAILED:**

Style description	Qty.
11 Oz. White Ceramic Mug - White	15 pcs
14 Oz. The Curve Mug - Red	18 pcs
14 Oz. The Curve Mug - Lime	18 pcs
14 Oz. The Curve Mug - Blue	18 pcs
14 Oz. Sorbet Bistro Mug - Lime	15 pcs
14 Oz. Sorbet Bistro Mug - Blue	15 pcs
14 Oz. Sorbet Bistro Mug - Pink	14 pcs
15 Oz. Coffee House Mug	21 pcs
MUG,11OZ COLOR CHANGING	21 pcs
#8174 - MUG,10 OZ VITRIFIED,DINER	14 pcs
#7174 - MUG,VITRIFIED CERAMIC	14 pcs
#7194 - 11 OZ SUBLIMATION MUG.CERAMIC	21 pcs
#8122 - MUG,11OZ COLOR CHANGING - Forest	21 pcs

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	CPSIA Section 101, Total Lead in Glass and Ceramic Materials <sup>#φ</sup>
PASS	California Proposition 65, Total Lead in Glass and Ceramic Materials <sup>#φ</sup>
PASS	California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior <sup>#</sup>
PASS	FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior <sup>#</sup>
PASS	California Proposition 65 Case No. CGC-04-436729, Leachable Lead and Cadmium from Tableware – Lip and Rim <sup>#</sup>
PASS	California Proposition 65 Case No. CGC-04-436429, Lead and Cadmium from Beverage Products – External Decoration <sup>#</sup>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings**

Test Method: CPSC-CH-E-1003-09.1  
Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	19	27	34	36+37+38	---	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	ND	ND	ND	ND	---	90
Conclusion	PASS	PASS	PASS	PASS	---	

*Note:*

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65, Total Lead in Paints and Surface Coatings**

Test Method: CPSC-CH-E-1003-09.1  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	19	27	34	36+37+38	---	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	ND	ND	ND	ND	---	<b>90</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	---	

*Note:*

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

*Remark:*

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

*Test(s) marked with 'φ' was subcontracted to external laboratory.*

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**CPSIA Section 101, Total Lead in Glass and Ceramic Materials**

Test Method: In-House Method<sup>#φ</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	12	13	14	15	16	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	37	ND	ND	ND	31	100
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

Specimen No.	17	18	20	21	32+33	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	30	24	ND	ND	ND	100
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

Specimen No.	47	---	---	---	---	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	25	---	---	---	---	100
<b>Conclusion</b>	PASS	---	---	---	---	

*Note:*  
 ppm (Parts per million) = mg/kg (Milligrams per kilogram)  
 LT = Less than  
 ND = Not detected (Reporting Limit = 20 ppm)  
 Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.  
 The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65, Total Lead in Glass and Ceramic Materials**

Test Method: In-House Method<sup>#φ</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	12	13	14	15	16	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	37	ND	ND	ND	31	100
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

Specimen No.	17	18	20	21	32+33	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	30	24	ND	ND	ND	100
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

Specimen No.	47	---	---	---	---	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	25	---	---	---	---	100
<b>Conclusion</b>	PASS	---	---	---	---	

**Note:**  
 ppm (Parts per million) = mg/kg (Milligrams per kilogram)  
 LT = Less than  
 ND = Not detected (Reporting Limit = 20 ppm)  
 Composite results are based on specimen of least mass resulting in highest potential concentration.

**Remark:**  
 The specification is quoted from client's requirement.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.  
 The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



**DETAILED RESULTS:**

**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1A	1B	1C	1D	1E	1F	1G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	350	350	350	350	350	350	350
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>							

Specimen No.	1H	1I	1J	1K	1L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	350	350	350	350	350		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>0.049</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.100</b>
<b>Conclusion</b>						PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Flatware (Average of 12)	<b>0.189</b>	<b>0.226</b>
	Large Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Small Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Pitchers (Average of 12)	<b>0.049</b>	<b>0.100</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2A	2B	2C	2D	2E	2F	2G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	370	370	370	370	370	370	370
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>							

Specimen No.	2H	2I	2J	2K	2L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	370	370	370	370	370		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>0.049</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.100</b>
<b>Conclusion</b>						PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Flatware (Average of 12)	<b>0.189</b>	<b>0.226</b>
	Large Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Small Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Pitchers (Average of 12)	<b>0.049</b>	<b>0.100</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	3A	3B	3C	3D	3E	3F	3G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	400	400	400	400	400	400	400
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>							

Specimen No.	3H	3I	3J	3K	3L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	400	400	400	400	400		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>0.049</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.100</b>
<b>Conclusion</b>						PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Flatware (Average of 12)	<b>0.189</b>	<b>0.226</b>
	Large Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Small Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Pitchers (Average of 12)	<b>0.049</b>	<b>0.100</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	4A	4B	4C	4D	4E	4F	4G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	400	400	400	400	400	400	400
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>							

Specimen No.	4H	4I	4J	4K	4L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	400	400	400	400	400		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>0.049</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.100</b>
<b>Conclusion</b>						PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Flatware (Average of 12)	<b>0.189</b>	<b>0.226</b>
	Large Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Small Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Pitchers (Average of 12)	<b>0.049</b>	<b>0.100</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



**DETAILED RESULTS:**

**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	5A	5B	5C	5D	5E	5F	5G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	400	400	400	400	400	400	400
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>							

Specimen No.	5H	5I	5J	5K	5L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	400	400	400	400	400		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>0.049</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.100</b>
<b>Conclusion</b>						PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Flatware (Average of 12)	<b>0.189</b>	<b>0.226</b>
	Large Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Small Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Pitchers (Average of 12)	<b>0.049</b>	<b>0.100</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	22A	22B	22C	22D	22E	22F	22G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	320	320	320	320	320	320	320
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>							

Specimen No.	22H	22I	22J	22K	22L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	320	320	320	320	320		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>0.049</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.100</b>
<b>Conclusion</b>						PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Flatware (Average of 12)	<b>0.189</b>	<b>0.226</b>
	Large Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Small Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Pitchers (Average of 12)	<b>0.049</b>	<b>0.100</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	23A	23B	23C	23D	23E	23F	23G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	460	460	460	460	460	460	460
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>							

Specimen No.	23H	23I	23J	23K	23L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	460	460	460	460	460		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>0.049</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.100</b>
<b>Conclusion</b>						PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.  
 The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Flatware (Average of 12)	<b>0.189</b>	<b>0.226</b>
	Large Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Small Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Pitchers (Average of 12)	<b>0.049</b>	<b>0.100</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	28A	28B	28C	28D	28E	28F	28G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	280	280	280	280	280	280	280
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>							

Specimen No.	28H	28I	28J	28K	28L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	280	280	280	280	280		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>0.049</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.100</b>
<b>Conclusion</b>						PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Flatware (Average of 12)	<b>0.189</b>	<b>0.226</b>
	Large Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Small Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Pitchers (Average of 12)	<b>0.049</b>	<b>0.100</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



**DETAILED RESULTS:**

**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	29A	29B	29C	29D	29E	29F	29G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	340	340	340	340	340	340	340
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>							

Specimen No.	29H	29I	29J	29K	29L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	340	340	340	340	340		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>0.049</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.100</b>
<b>Conclusion</b>						PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Flatware (Average of 12)	<b>0.189</b>	<b>0.226</b>
	Large Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Small Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Pitchers (Average of 12)	<b>0.049</b>	<b>0.100</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	30A	30B	30C	30D	30E	30F	30G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	330	330	330	330	330	330	330
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>							

Specimen No.	30H	30I	30J	30K	30L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	330	330	330	330	330		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>0.049</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.100</b>
<b>Conclusion</b>						PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Flatware (Average of 12)	<b>0.189</b>	<b>0.226</b>
	Large Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Small Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Pitchers (Average of 12)	<b>0.049</b>	<b>0.100</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	39A	39B	39C	39D	39E	39F	39G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	330	330	330	330	330	330	330
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>							

Specimen No.	39H	39I	39J	39K	39L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	330	330	330	330	330		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>0.049</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.100</b>
<b>Conclusion</b>						PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Flatware (Average of 12)	<b>0.189</b>	<b>0.226</b>
	Large Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Small Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Pitchers (Average of 12)	<b>0.049</b>	<b>0.100</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	40A	40B	40C	40D	40E	40F	40G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	390	390	390	390	390	390	390
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
<b>Conclusion</b>							

Specimen No.	40H	40I	40J	40K	40L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	390	390	390	390	390		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>0.049</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.100</b>
<b>Conclusion</b>						PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Flatware (Average of 12)	<b>0.189</b>	<b>0.226</b>
	Large Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Small Hollowware (Average of 12)	<b>0.049</b>	<b>0.100</b>
	Pitchers (Average of 12)	<b>0.049</b>	<b>0.100</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



**DETAILED RESULTS:**

**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1A	1B	1C	1D	1E	1F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	350	350	350	350	350	350		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS		

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	<b>0.5</b>	<b>0.5</b>
	Flatware (Average of 6)	<b>0.5</b>	<b>3.0</b>
	Large Hollowware (Any of 6)	<b>0.25</b>	<b>1.0</b>
	Small Hollowware (Any of 6)	<b>0.5</b>	<b>2.0</b>
	Pitchers (Any of 6)	<b>0.25</b>	<b>0.5</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2A	2B	2C	2D	2E	2F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	370	370	370	370	370	370		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS		

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	<b>0.5</b>	<b>0.5</b>
	Flatware (Average of 6)	<b>0.5</b>	<b>3.0</b>
	Large Hollowware (Any of 6)	<b>0.25</b>	<b>1.0</b>
	Small Hollowware (Any of 6)	<b>0.5</b>	<b>2.0</b>
	Pitchers (Any of 6)	<b>0.25</b>	<b>0.5</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	3A	3B	3C	3D	3E	3F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	400	400	400	400	400	400		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS		

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	<b>0.5</b>	<b>0.5</b>
	Flatware (Average of 6)	<b>0.5</b>	<b>3.0</b>
	Large Hollowware (Any of 6)	<b>0.25</b>	<b>1.0</b>
	Small Hollowware (Any of 6)	<b>0.5</b>	<b>2.0</b>
	Pitchers (Any of 6)	<b>0.25</b>	<b>0.5</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	4A	4B	4C	4D	4E	4F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	400	400	400	400	400	400		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS		

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	<b>0.5</b>	<b>0.5</b>
	Flatware (Average of 6)	<b>0.5</b>	<b>3.0</b>
	Large Hollowware (Any of 6)	<b>0.25</b>	<b>1.0</b>
	Small Hollowware (Any of 6)	<b>0.5</b>	<b>2.0</b>
	Pitchers (Any of 6)	<b>0.25</b>	<b>0.5</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	5A	5B	5C	5D	5E	5F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	400	400	400	400	400	400		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS		

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	<b>0.5</b>	<b>0.5</b>
	Flatware (Average of 6)	<b>0.5</b>	<b>3.0</b>
	Large Hollowware (Any of 6)	<b>0.25</b>	<b>1.0</b>
	Small Hollowware (Any of 6)	<b>0.5</b>	<b>2.0</b>
	Pitchers (Any of 6)	<b>0.25</b>	<b>0.5</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	22A	22B	22C	22D	22E	22F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	320	320	320	320	320	320		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS		

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	<b>0.5</b>	<b>0.5</b>
	Flatware (Average of 6)	<b>0.5</b>	<b>3.0</b>
	Large Hollowware (Any of 6)	<b>0.25</b>	<b>1.0</b>
	Small Hollowware (Any of 6)	<b>0.5</b>	<b>2.0</b>
	Pitchers (Any of 6)	<b>0.25</b>	<b>0.5</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	23A	23B	23C	23D	23E	23F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	460	460	460	460	460	460		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS		

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	<b>0.5</b>	<b>0.5</b>
	Flatware (Average of 6)	<b>0.5</b>	<b>3.0</b>
	Large Hollowware (Any of 6)	<b>0.25</b>	<b>1.0</b>
	Small Hollowware (Any of 6)	<b>0.5</b>	<b>2.0</b>
	Pitchers (Any of 6)	<b>0.25</b>	<b>0.5</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	28A	28B	28C	28D	28E	28F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	280	280	280	280	280	280		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS		

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	<b>0.5</b>	<b>0.5</b>
	Flatware (Average of 6)	<b>0.5</b>	<b>3.0</b>
	Large Hollowware (Any of 6)	<b>0.25</b>	<b>1.0</b>
	Small Hollowware (Any of 6)	<b>0.5</b>	<b>2.0</b>
	Pitchers (Any of 6)	<b>0.25</b>	<b>0.5</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



**DETAILED RESULTS:**

**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	29A	29B	29C	29D	29E	29F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	340	340	340	340	340	340		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS		

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	<b>0.5</b>	<b>0.5</b>
	Flatware (Average of 6)	<b>0.5</b>	<b>3.0</b>
	Large Hollowware (Any of 6)	<b>0.25</b>	<b>1.0</b>
	Small Hollowware (Any of 6)	<b>0.5</b>	<b>2.0</b>
	Pitchers (Any of 6)	<b>0.25</b>	<b>0.5</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	30A	30B	30C	30D	30E	30F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	330	330	330	330	330	330		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS		

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	<b>0.5</b>	<b>0.5</b>
	Flatware (Average of 6)	<b>0.5</b>	<b>3.0</b>
	Large Hollowware (Any of 6)	<b>0.25</b>	<b>1.0</b>
	Small Hollowware (Any of 6)	<b>0.5</b>	<b>2.0</b>
	Pitchers (Any of 6)	<b>0.25</b>	<b>0.5</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	39A	39B	39C	39D	39E	39F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	330	330	330	330	330	330		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS		

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	<b>0.5</b>	<b>0.5</b>
	Flatware (Average of 6)	<b>0.5</b>	<b>3.0</b>
	Large Hollowware (Any of 6)	<b>0.25</b>	<b>1.0</b>
	Small Hollowware (Any of 6)	<b>0.5</b>	<b>2.0</b>
	Pitchers (Any of 6)	<b>0.25</b>	<b>0.5</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)<sup>#</sup>  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	40A	40B	40C	40D	40E	40F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	390	390	390	390	390	390		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS		

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 NA = Not applicable  
 LT = Less than  
 ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	<b>0.5</b>	<b>0.5</b>
	Flatware (Average of 6)	<b>0.5</b>	<b>3.0</b>
	Large Hollowware (Any of 6)	<b>0.25</b>	<b>1.0</b>
	Small Hollowware (Any of 6)	<b>0.5</b>	<b>2.0</b>
	Pitchers (Any of 6)	<b>0.25</b>	<b>0.5</b>

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. CGC-04-436729, Leachable Lead and Cadmium from Tableware – Lip and Rim**

Test Method: ASTM C927-80(2019)#  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	6A	6B	6C	6D	6E	6F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	180	180	180	180	180	180	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>2.0</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	

Specimen No.	7A	7B	7C	7D	7E	7F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	180	180	180	180	180	180	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>2.0</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 LT = Less than  
 ND = Not Detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. CGC-04-436729, Leachable Lead and Cadmium from Tableware – Lip and Rim**

Test Method: ASTM C927-80(2019)#  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	8A	8B	8C	8D	8E	8F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	180	180	180	180	180	180	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>2.0</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	

Specimen No.	24A	24B	24C	24D	24E	24F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	220	220	220	220	220	220	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>2.0</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 LT = Less than  
 ND = Not Detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. CGC-04-436729, Leachable Lead and Cadmium from Tableware – Lip and Rim**

Test Method: ASTM C927-80(2019)#  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	31A	31B	31C	31D	31E	31F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	200	200	200	200	200	200	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>2.0</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	

Specimen No.	35A	35B	35C	35D	35E	35F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	210	210	210	210	210	210	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>2.0</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 LT = Less than  
 ND = Not Detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.  
 The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. CGC-04-436729, Leachable Lead and Cadmium from Tableware – Lip and Rim**

Test Method: ASTM C927-80(2019)#  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	43A	43B	43C	43D	43E	43F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	200	200	200	200	200	200	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>2.0</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	

Specimen No.	44A	44B	44C	44D	44E	44F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	200	200	200	200	200	200	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>2.0</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 LT = Less than  
 ND = Not Detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.  
 ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



**DETAILED RESULTS:**

**California Proposition 65 Case No. CGC-04-436729, Leachable Lead and Cadmium from Tableware – Lip and Rim**

Test Method: ASTM C927-80(2019)#  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	45A	45B	45C	45D	45E	45F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	200	200	200	200	200	200	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	<b>2.0</b>
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	<b>0.5</b>
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	PASS	

*Note:*  
 mL = Millilitres  
 mg/L (Milligrams per litre) = ppm (Parts per million)  
 LT = Less than  
 ND = Not Detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.  
 Test(s) marked with 'φ' was subcontracted to external laboratory.  
 The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.  
 If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).  
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**DETAILED RESULTS:**

**California Proposition 65 Case No. CGC-04-436429, Lead and Cadmium from Beverage Products – External Decoration**

Test Method: NIOSH Method 9100#  
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	9	10	11	25	26	Limit (µg/article)
Test Item	Result (µg/article)	Result (µg/article)	Result (µg/article)	Result (µg/article)	Result (µg/article)	
Cadmium (Cd)	ND	ND	ND	ND	ND	1.0
Lead (Pb)	0.51	ND	ND	ND	ND	1.0
<b>Conclusion</b>	PASS	PASS	PASS	PASS	PASS	

Specimen No.	46	---	---	---	---	Limit (µg/article)
Test Item	Result (µg/article)	Result (µg/article)	Result (µg/article)	Result (µg/article)	Result (µg/article)	
Cadmium (Cd)	ND	---	---	---	---	1.0
Lead (Pb)	ND	---	---	---	---	1.0
<b>Conclusion</b>	PASS	---	---	---	---	

*Note:*  
 µg/article = Micrograms per article  
 LT = Less than  
 ND = Not detected (Reporting Limit = 0.4 µg/article)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
1	White printed dull white ceramic	Interior of mug (white style)
2	White printed dull white ceramic	Interior of mug (all 14 Oz. The Curve Mug styles)
3	Green printed dull white ceramic	Interior of mug (14 Oz. Sorbet Bistro Mug – Lime style)
4	Blue printed dull white ceramic	Interior of mug (14 Oz. Sorbet Bistro Mug – Blue style)
5	Pink printed dull white ceramic	Interior of mug (14 Oz. Sorbet Bistro Mug – Pink style)
6	Green/ light green printed dull white ceramic	Lip & Rim of mug (14 Oz. Sorbet Bistro Mug – Lime style)
7	Blue/ light blue printed dull white ceramic	Lip & Rim of mug (14 Oz. Sorbet Bistro Mug – Blue style)
8	Pink/ light pink printed dull white ceramic	Lip & Rim of mug (14 Oz. Sorbet Bistro Mug – Pink style)
9	Multicolor printed dull white ceramic	External decoration of mug (14 Oz. The Curve Mug – Red style)
10	Multicolor printed dull white ceramic	External decoration of mug (14 Oz. The Curve Mug – Lime style)
11	Multicolor printed dull white ceramic	External decoration of mug (14 Oz. The Curve Mug – Blue style)
12	White printed dull white ceramic	Whole of mug (white style)
13	Multicolor printed dull white ceramic	Whole of mug (14 Oz. The Curve Mug – Red style)
14	Multicolor printed dull white ceramic	Whole of mug ( 14 Oz. The Curve Mug – Lime style)
15	Multicolor printed dull white ceramic	Whole of mug ( 14 Oz. The Curve Mug – Blue style)
16	Green/ light green printed dull white ceramic	Whole of mug (14 Oz. Sorbet Bistro Mug – Lime style)
17	Blue/ light blue printed dull white ceramic	Whole of mug (14 Oz. Sorbet Bistro Mug – Blue style)
18	Pink/ light pink printed dull white ceramic	Whole of mug (14 Oz. Sorbet Bistro Mug – Pink style)
19	Blue coating	On outer body (MUG, 11OZ COLOR CHANGING style)
20	Off white printed dull white ceramic	Whole of mug (all #8122 - MUG,11OZ COLOR CHANGING styles)
21	Yellow printed beige ceramic	Whole of mug (15 Oz. Coffee House Mug style)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
22	Off white printed dull white ceramic	Interior of mug (all #8122 - MUG,11OZ COLOR CHANGING styles)
23	Yellow printed beige ceramic	Interior of mug (15 Oz. Coffee House Mug style)
24	Blue/ off white printed dull white ceramic	Lip & Rim of mug (MUG, 11OZ COLOR CHANGING style)
25	Blue/ off white printed dull white ceramic	External decoration of mug (MUG, 11OZ COLOR CHANGING style)
26	Yellow printed beige ceramic	External decoration of mug (15 Oz. Coffee House Mug style)
27	White coating	On outer body (#7194 - 11 OZ SUBLIMATION MUG.CERAMIC style)
28	Beige printed dull white ceramic	Interior of mug (#8174 - MUG,10 OZ VITRIFIED, DINER style)
29	Beige printed dull white ceramic	Interior of mug (#7174 - MUG, VITRIFIED CERAMIC style)
30	Matt white printed dull white ceramic	Interior of mug (#7194 - 11 OZ SUBLIMATION MUG.CERAMIC style)
31	White/ matt white printed dull white ceramic	Lip & Rim of mug (#7194 - 11 OZ SUBLIMATION MUG.CERAMIC style)
32	Beige printed dull white ceramic	Whole of mug (all #8174 - MUG,10 OZ VITRIFIED styles)
33	Matt white printed dull white ceramic	Whole of mug (#7194 - 11 OZ SUBLIMATION MUG.CERAMIC style)
34	Dark green coating	On outer body (#8122 - MUG,11OZ COLOR CHANGING – Forest style)
35	Dark green/ off white printed dull white ceramic	Lip & Rim of mug (#8122 - MUG,11OZ COLOR CHANGING – Forest style)
36	Red coating	On outer mug/ handle (11 OZ. COLOR CHANGING MUG - Red style)
37	Black coating	On outer mug/ handle (11 OZ. COLOR CHANGING MUG – Black style)
38	Transparent coating	On outer mug/ handle (11 OZ. WHITE CERAMIC MUG style)
39	White printed dull white ceramic	Interior of mug (all 11 OZ. COLOR CHANGING MUG styles)
40	White printed dull white ceramic	Interior of mug (14 OZ. THE CURVE MUG – Black style)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
43	Red/ white printed dull white ceramic	Lip & Rim of mug (11 OZ. COLOR CHANGING MUG – Red style)
44	Black/ white printed dull white ceramic	Lip & Rim of mug (11 OZ. COLOR CHANGING MUG – Black style)
45	Transparent/ white printed dull white ceramic	Lip & Rim of mug (11 OZ. WHITE CERAMIC MUG style)
46	Multicolor printed dull white ceramic	External decoration of mug (14 OZ. THE CURVE MUG – Black style)
47	Multicolor printed dull white ceramic	Whole of mug (all 11 OZ. COLOR CHANGING MUG/ 14 OZ. THE CURVE MUG - Black styles)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**SAMPLE PHOTO:**



QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

**SAMPLE PHOTO:**



QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.


The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



**SAMPLE PHOTO:**



QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



**SAMPLE PHOTO:**



-End Report-

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.  
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with 'φ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the [QIMA decision rule](#).

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.