

TEST REPORT

Test Report # 19H-003917 Date of Report Issue: June 25, 2019
 Date of Sample Received: May 29, 2019 Pages: Page 1 of 51

CLIENT INFORMATION:

Company: Hit Promotional Products
 Recipient: Nathan Cotter
 Recipient Email: ncotter@hitpromo.net



SAMPLE INFORMATION:

Description: 16oz Yukon Mug, 11oz Jamocha Mug, 14oz Versailles Ceramic Mug, 14oz Tall Campfire Mug, 15oz Woven Accent Mug
 Assortment: 5 colors Purchase Order Number: -
 SKU No.: 7136, 7148, 7161, 7163, 8150 Agent: Brand New Days
 Factory No.: 106998 Country of Origin: China
 Country of Distribution: United States Labeled Age Grade: -
 Quantity Submitted: Refer to Page 2 Recommended Age Grade: -
 Testing Period: 05/30/2019 – 06/25/2019 Tested Age Grade: -

OVERALL RESULT:



Refer to page 3 for test result summary and appropriate notes.

QIMA Testing (HK) Limited



Loska Yeung Lok Ka
 Assistant Manager, Chemical Laboratory

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 2 of 51

QUANTITY SUBMITTED DETAILED:

Style description	Qty.
11oz Jamocha Mug - Red	21 pcs
14oz Tall Campfire Mug - Royal Blue	15 pcs
14oz Tall Campfire Mug - Lenom	15 pcs
11oz Jamocha Mug - Ocean Blue	21 pcs
11oz Jamocha Mug - Lime	14 pcs
Dry Paint	1 lot
16oz Yukon Mug - Cobalt Blue	15 pcs
14oz Versailles Ceramic Mug - Charcoal	19 pcs
11oz Jamocha Mug - Orange	21 pcs
11oz Jamocha Mug - Yellow	21 pcs
11oz Jamocha Mug - White	21 pcs
15oz Woven Accent Mug - blue	21 pcs
15oz Woven Accent Mug - Green	21 pcs

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 3 of 51

TEST RESULTS SUMMARY:

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65, Total Lead in Paints and Surface Coatings
PASS	California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior [#]
PASS	FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior [#]
PASS	California Proposition 65 Case No. CGC-04-436729, Leachable Lead and Cadmium from Tableware – Lip and Rim [#]
PASS	California Proposition 65 Case No. CGC-04-436429, Lead and Cadmium from Beverage Products – External Decoration [#]

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 4 of 51

DETAILED RESULTS:**CPSIA Section 101 & 16 CFR 1303, Total Lead in Paints and Surface Coatings**

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	---	---	---	---	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	ND	---	---	---	---	90
Conclusion	PASS	---	---	---	---	

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 5 of 51

DETAILED RESULTS:**California Proposition 65, Total Lead in Paints and Surface Coatings**

Test Method: CPSC-CH-E-1003-09.1

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1	---	---	---	---	Total Limit (ppm)
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	
Total Lead (Pb)	ND	---	---	---	---	90
Conclusion	PASS	---	---	---	---	

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

Remark:

The specification is quoted from client's requirement.

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 6 of 51

DETAILED RESULTS:**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2A	2B	2C	2D	2E	2F	2G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	310	310	310	310	310	310	310
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
Conclusion							

Specimen No.	2H	2I	2J	2K	2L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	310	310	310	310	310		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	0.049
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.100
Conclusion						PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 7 of 51

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	0.049	0.100
	Flatware (Average of 12)	0.189	0.226
	Large Hollowware (Average of 12)	0.049	0.100
	Small Hollowware (Average of 12)	0.049	0.100
	Pitchers (Average of 12)	0.049	0.100

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 8 of 51

DETAILED RESULTS:**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	3A	3B	3C	3D	3E	3F	3G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	380	380	380	380	380	380	380
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
Conclusion							

Specimen No.	3H	3I	3J	3K	3L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	380	380	380	380	380		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	0.049
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.100
Conclusion						PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 9 of 51

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	0.049	0.100
	Flatware (Average of 12)	0.189	0.226
	Large Hollowware (Average of 12)	0.049	0.100
	Small Hollowware (Average of 12)	0.049	0.100
	Pitchers (Average of 12)	0.049	0.100

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 10 of 51

DETAILED RESULTS:**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	4A	4B	4C	4D	4E	4F	4G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	310	310	310	310	310	310	310
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
Conclusion							

Specimen No.	4H	4I	4J	4K	4L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	310	310	310	310	310		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	0.049
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.100
Conclusion						PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 11 of 51

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	0.049	0.100
	Flatware (Average of 12)	0.189	0.226
	Large Hollowware (Average of 12)	0.049	0.100
	Small Hollowware (Average of 12)	0.049	0.100
	Pitchers (Average of 12)	0.049	0.100

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 12 of 51

DETAILED RESULTS:**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	5A	5B	5C	5D	5E	5F	5G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	310	310	310	310	310	310	310
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
Conclusion							

Specimen No.	5H	5I	5J	5K	5L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	310	310	310	310	310		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	0.049
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.100
Conclusion						PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 13 of 51

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	0.049	0.100
	Flatware (Average of 12)	0.189	0.226
	Large Hollowware (Average of 12)	0.049	0.100
	Small Hollowware (Average of 12)	0.049	0.100
	Pitchers (Average of 12)	0.049	0.100

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 14 of 51

DETAILED RESULTS:**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	11A	11B	11C	11D	11E	11F	11G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	440	440	440	440	440	440	440
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
Conclusion							

Specimen No.	11H	11I	11J	11K	11L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	440	440	440	440	440		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	0.049
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.100
Conclusion						PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 15 of 51

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	0.049	0.100
	Flatware (Average of 12)	0.189	0.226
	Large Hollowware (Average of 12)	0.049	0.100
	Small Hollowware (Average of 12)	0.049	0.100
	Pitchers (Average of 12)	0.049	0.100

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 16 of 51

DETAILED RESULTS:**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	12A	12B	12C	12D	12E	12F	12G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	470	470	470	470	470	470	470
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
Conclusion							

Specimen No.	12H	12I	12J	12K	12L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	470	470	470	470	470		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	0.049
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.100
Conclusion						PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 17 of 51

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	0.049	0.100
	Flatware (Average of 12)	0.189	0.226
	Large Hollowware (Average of 12)	0.049	0.100
	Small Hollowware (Average of 12)	0.049	0.100
	Pitchers (Average of 12)	0.049	0.100

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 18 of 51

DETAILED RESULTS:**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	13A	13B	13C	13D	13E	13F	13G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	310	310	310	310	310	310	310
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
Conclusion							

Specimen No.	13H	13I	13J	13K	13L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	310	310	310	310	310		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	0.049
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.100
Conclusion						PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 19 of 51

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	0.049	0.100
	Flatware (Average of 12)	0.189	0.226
	Large Hollowware (Average of 12)	0.049	0.100
	Small Hollowware (Average of 12)	0.049	0.100
	Pitchers (Average of 12)	0.049	0.100

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 20 of 51

DETAILED RESULTS:**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	14A	14B	14C	14D	14E	14F	14G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	310	310	310	310	310	310	310
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
Conclusion							

Specimen No.	14H	14I	14J	14K	14L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	310	310	310	310	310		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	0.049
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.100
Conclusion						PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 21 of 51

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	0.049	0.100
	Flatware (Average of 12)	0.189	0.226
	Large Hollowware (Average of 12)	0.049	0.100
	Small Hollowware (Average of 12)	0.049	0.100
	Pitchers (Average of 12)	0.049	0.100

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 22 of 51

DETAILED RESULTS:**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	15A	15B	15C	15D	15E	15F	15G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	310	310	310	310	310	310	310
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
Conclusion							

Specimen No.	15H	15I	15J	15K	15L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	310	310	310	310	310		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	0.049
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.100
Conclusion						PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 23 of 51

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	0.049	0.100
	Flatware (Average of 12)	0.189	0.226
	Large Hollowware (Average of 12)	0.049	0.100
	Small Hollowware (Average of 12)	0.049	0.100
	Pitchers (Average of 12)	0.049	0.100

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 24 of 51

DETAILED RESULTS:**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	19A	19B	19C	19D	19E	19F	19G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	430	430	430	430	430	430	430
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
Conclusion							

Specimen No.	19H	19I	19J	19K	19L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	430	430	430	430	430		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	0.049
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.100
Conclusion						PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 25 of 51

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	0.049	0.100
	Flatware (Average of 12)	0.189	0.226
	Large Hollowware (Average of 12)	0.049	0.100
	Small Hollowware (Average of 12)	0.049	0.100
	Pitchers (Average of 12)	0.049	0.100

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 26 of 51

DETAILED RESULTS:**California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	20A	20B	20C	20D	20E	20F	20G
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)
Volume of acid used (mL)	430	430	430	430	430	430	430
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	ND
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	ND
Conclusion							

Specimen No.	20H	20I	20J	20K	20L	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	430	430	430	430	430		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	0.049
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.100
Conclusion						PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 27 of 51

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Average of 12)	0.049	0.100
	Flatware (Average of 12)	0.189	0.226
	Large Hollowware (Average of 12)	0.049	0.100
	Small Hollowware (Average of 12)	0.049	0.100
	Pitchers (Average of 12)	0.049	0.100

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 28 of 51

DETAILED RESULTS:**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2A	2B	2C	2D	2E	2F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	310	310	310	310	310	310		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	0.5
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS		

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	0.5	0.5
	Flatware (Average of 6)	0.5	3.0
	Large Hollowware (Any of 6)	0.25	1.0
	Small Hollowware (Any of 6)	0.5	2.0
	Pitchers (Any of 6)	0.25	0.5

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 29 of 51

DETAILED RESULTS:**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	3A	3B	3C	3D	3E	3F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	380	380	380	380	380	380		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	0.5
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS		

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	0.5	0.5
	Flatware (Average of 6)	0.5	3.0
	Large Hollowware (Any of 6)	0.25	1.0
	Small Hollowware (Any of 6)	0.5	2.0
	Pitchers (Any of 6)	0.25	0.5

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 30 of 51

DETAILED RESULTS:**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	4A	4B	4C	4D	4E	4F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	310	310	310	310	310	310		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	0.5
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS		

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	0.5	0.5
	Flatware (Average of 6)	0.5	3.0
	Large Hollowware (Any of 6)	0.25	1.0
	Small Hollowware (Any of 6)	0.5	2.0
	Pitchers (Any of 6)	0.25	0.5

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 31 of 51

DETAILED RESULTS:**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	5A	5B	5C	5D	5E	5F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	310	310	310	310	310	310		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	0.5
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS		

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	0.5	0.5
	Flatware (Average of 6)	0.5	3.0
	Large Hollowware (Any of 6)	0.25	1.0
	Small Hollowware (Any of 6)	0.5	2.0
	Pitchers (Any of 6)	0.25	0.5

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 32 of 51

DETAILED RESULTS:**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	11A	11B	11C	11D	11E	11F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	440	440	440	440	440	440		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	0.5
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS		

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	0.5	0.5
	Flatware (Average of 6)	0.5	3.0
	Large Hollowware (Any of 6)	0.25	1.0
	Small Hollowware (Any of 6)	0.5	2.0
	Pitchers (Any of 6)	0.25	0.5

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 33 of 51

DETAILED RESULTS:**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	12A	12B	12C	12D	12E	12F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	470	470	470	470	470	470		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	0.5
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS		

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	0.5	0.5
	Flatware (Average of 6)	0.5	3.0
	Large Hollowware (Any of 6)	0.25	1.0
	Small Hollowware (Any of 6)	0.5	2.0
	Pitchers (Any of 6)	0.25	0.5

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 34 of 51

DETAILED RESULTS:**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	13A	13B	13C	13D	13E	13F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	310	310	310	310	310	310		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	0.5
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS		

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	0.5	0.5
	Flatware (Average of 6)	0.5	3.0
	Large Hollowware (Any of 6)	0.25	1.0
	Small Hollowware (Any of 6)	0.5	2.0
	Pitchers (Any of 6)	0.25	0.5

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 35 of 51

DETAILED RESULTS:**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	14A	14B	14C	14D	14E	14F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	310	310	310	310	310	310		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	0.5
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS		

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	0.5	0.5
	Flatware (Average of 6)	0.5	3.0
	Large Hollowware (Any of 6)	0.25	1.0
	Small Hollowware (Any of 6)	0.5	2.0
	Pitchers (Any of 6)	0.25	0.5

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 36 of 51

DETAILED RESULTS:**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	15A	15B	15C	15D	15E	15F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	310	310	310	310	310	310		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	0.5
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS		

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	0.5	0.5
	Flatware (Average of 6)	0.5	3.0
	Large Hollowware (Any of 6)	0.25	1.0
	Small Hollowware (Any of 6)	0.5	2.0
	Pitchers (Any of 6)	0.25	0.5

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 37 of 51

DETAILED RESULTS:**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	19A	19B	19C	19D	19E	19F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	430	430	430	430	430	430		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	0.5
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS		

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	0.5	0.5
	Flatware (Average of 6)	0.5	3.0
	Large Hollowware (Any of 6)	0.25	1.0
	Small Hollowware (Any of 6)	0.5	2.0
	Pitchers (Any of 6)	0.25	0.5

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 38 of 51

DETAILED RESULTS:**FDA CPG 545.400 & CPG 545.450, Leachable Cadmium and Lead from Ceramics – Interior**

Test Method: ASTM C738-94(Reapproved 2016)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	20A	20B	20C	20D	20E	20F	Average (mg/L)	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)		
Volume of acid used (mL)	430	430	430	430	430	430		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	NA	0.5
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	NA	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS		

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

Category		Leachable Cd (mg/L)	Leachable Pb (mg/L)
X	Cups and Mugs (Any of 6)	0.5	0.5
	Flatware (Average of 6)	0.5	3.0
	Large Hollowware (Any of 6)	0.25	1.0
	Small Hollowware (Any of 6)	0.5	2.0
	Pitchers (Any of 6)	0.25	0.5

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 39 of 51

DETAILED RESULTS:**California Proposition 65 Case No. CGC-04-436729, Leachable Lead and Cadmium from Tableware – Lip and Rim**

Test Method: ASTM C927-80(2019)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	6A	6B	6C	6D	6E	6F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	190	190	190	190	190	190	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	2.0
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS	

Specimen No.	7A	7B	7C	7D	7E	7F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	210	210	210	210	210	210	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	2.0
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

LT = Less than

ND = Not Detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 40 of 51

DETAILED RESULTS:**California Proposition 65 Case No. CGC-04-436729, Leachable Lead and Cadmium from Tableware – Lip and Rim**

Test Method: ASTM C927-80(2019)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	8A	8B	8C	8D	8E	8F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	210	210	210	210	210	210	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	2.0
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS	

Specimen No.	9A	9B	9C	9D	9E	9F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	190	190	190	190	190	190	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	2.0
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

LT = Less than

ND = Not Detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 41 of 51

DETAILED RESULTS:**California Proposition 65 Case No. CGC-04-436729, Leachable Lead and Cadmium from Tableware – Lip and Rim**

Test Method: ASTM C927-80(2019)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	10A	10B	10C	10D	10E	10F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	190	190	190	190	190	190	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	2.0
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS	

Specimen No.	16A	16B	16C	16D	16E	16F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	180	180	180	180	180	180	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	2.0
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

LT = Less than

ND = Not Detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 42 of 51

DETAILED RESULTS:**California Proposition 65 Case No. CGC-04-436729, Leachable Lead and Cadmium from Tableware – Lip and Rim**

Test Method: ASTM C927-80(2019)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	17A	17B	17C	17D	17E	17F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	180	180	180	180	180	180	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	2.0
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS	

Specimen No.	18A	18B	18C	18D	18E	18F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	180	180	180	180	180	180	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	2.0
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

LT = Less than

ND = Not Detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 43 of 51

DETAILED RESULTS:**California Proposition 65 Case No. CGC-04-436729, Leachable Lead and Cadmium from Tableware – Lip and Rim**

Test Method: ASTM C927-80(2019)[#]
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	21A	21B	21C	21D	21E	21F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	190	190	190	190	190	190	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	2.0
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS	

Specimen No.	22A	22B	22C	22D	22E	22F	Limit (mg/L)
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	
Volume of acid used (mL)	190	190	190	190	190	190	
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	2.0
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.5
Conclusion	PASS	PASS	PASS	PASS	PASS	PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

LT = Less than

ND = Not Detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 44 of 51

DETAILED RESULTS:**California Proposition 65 Case No. CGC-04-436429, Lead and Cadmium from Beverage Products – External Decoration**

Test Method: NIOSH Method 9100#
 Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	23	24	---	---	---	Limit (µg/article)
Test Item	Result (µg/article)	Result (µg/article)	Result (µg/article)	Result (µg/article)	Result (µg/article)	
Cadmium (Cd)	ND	ND	---	---	---	1.0
Lead (Pb)	ND	ND	---	---	---	1.0
Conclusion	PASS	PASS	---	---	---	

Note:

µg/article = Micrograms per article

LT = Less than

ND = Not detected (Reporting Limit = 0.4 µg/article)

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 45 of 51

SPECIMEN DESCRIPTION:

Specimen No.	Specimen Description	Location
1	Brown coating	On bottom (red/ ocean blue/ lime styles)
2	Red printed dull white ceramic	Interior of mug (red style)
3	White printed dull white ceramic	Interior of mug (royal blue/ lenom styles)
4	Blue printed dull white ceramic	Interior of mug (ocean blue style)
5	Green printed dull white ceramic	Interior of mug (lime style)
6	Red/ black printed dull white ceramic	Lip & Rim of mug (red style)
7	Multicolor printed dull white ceramic	Lip & Rim of mug (royal blue style)
8	Multicolor printed dull white ceramic	Lip & Rim of mug (lenom style)
9	Blue/ black printed dull white ceramic	Lip & Rim of mug (ocean blue style)
10	Green/ black printed dull white ceramic	Lip & Rim of mug (lime style)
11	Dark blue printed dull white ceramic	Interior of mug (cobalt blue style)
12	Grey printed dull white ceramic	Interior of mug (charcoal style)
13	Orange printed dull white ceramic	Interior of mug (orange style)
14	Yellow printed dull white ceramic	Interior of mug (yellow style)
15	White printed dull white ceramic	Interior of mug (white style)
16	Orange/ black printed dull white ceramic	Lip & Rim of mug (orange style)
17	Yellow/ black printed dull white ceramic	Lip & Rim of mug (yellow style)
18	White/ black printed dull white ceramic	Lip & Rim of mug (white style)
19	Multicolor printed dull white ceramic	Interior of mug (blue style)
20	Multicolor printed dull white ceramic	Interior of mug (green style)
21	Multicolor printed dull white ceramic	Interior of mug (blue style)
22	Multicolor printed dull white ceramic	Interior of mug (green style)
23	Multicolor printed dull white ceramic	External decoration of mug (blue style)
24	Multicolor printed dull white ceramic	External decoration of mug (green style)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong • Tel: (852)3185 8000.
 The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
 The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
 This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
 ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SAMPLE PHOTO:



QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.



YOUR EYES IN THE SUPPLY CHAIN

Test Report #: 19H-003917

Page 47 of 51

SAMPLE PHOTO:



QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SAMPLE PHOTO:



QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SAMPLE PHOTO:



QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.*

SAMPLE PHOTO:



QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

SAMPLE PHOTO:



-End Report-

QIMA Testing (HK) Limited ♦ 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, Hong Kong ♦ Tel: (852)3185 8000.
*The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.
The test result(s) and conclusion(s) in this report relate to the sample(s) tested as described herein.
This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.
ANAB is recognized by ILAC, APLAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.*