



## **TEST REPORT**

Test Report # 20H-000194 Date of Report Issue: January 23, 2020

Date of Sample Received: January 13, 2020 Pages: Page 1 of 9

**CLIENT INFORMATION:** 

Company: Hit Promotional Products

Recipient: Nathan Cotter

Recipient Email: ncotter@hitpromo.net

**SAMPLE INFORMATION:** 

Description: 15 Oz. Full Color Mug

Assortment: 1 color Purchase Order Number:

SKU No.: 8192 Agent: Brand New Days

Factory No.: 106994 Country of Origin: China

Country of Distribution: United States Labeled Age Grade: -

Quantity Submitted: 15 pcs Recommended Age Grade: -

Testing Period: 01/13/2020 – 01/23/2020 Tested Age Grade: -

**OVERALL RESULT:** 

**PASS** 

Refer to page 2 for test result summary and appropriate notes.

QIMA Testing (HK) Limited

Th.

Loska Yeung Lok Ka Assistant Manager, Chemical Laboratory QIMA Testing (HK) Limited

Ricky Cheung Chin Yeung Manager, Physical Laboratory

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, HKSAR, China • Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB)

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with '\phi' was subcontracted to external laboratory.



Test Report #: 20H-000194 Page 2 of 9

#### **TEST RESULTS SUMMARY:**

At the request of the client, the following tests were conducted:

CONCLUSION	TEST(S) CONDUCTED
PASS	CPSIA Section 101, Total Lead in Glass and Ceramic Materials#
PASS	California Proposition 65, Total Lead in Glass and Ceramic Materials#
PASS	California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior
PASS	Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content#  Ontent#

#### Remark:

Client's Requirement, Bisphenol A and Bisphenol S was not conducted as no food contact plastic and coating material found on received sample.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 20H-000194 Page 3 of 9

#### **DETAILED RESULTS:**

### **CPSIA Section 101, Total Lead in Glass and Ceramic Materials**

Test Method: In-House Method#

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2					Total
Test Item	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Result (ppm)	Limit (ppm)
Total Lead (Pb)	ND					100
Conclusion	PASS					

#### Note

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 20H-000194 Page 4 of 9

#### **DETAILED RESULTS:**

#### California Proposition 65, Total Lead in Glass and Ceramic Materials

Test Method: In-House Method#

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2					Total
Test Item	Result	Result	Result	Result	Result	Limit
rest item	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)	(ppm)
Total Lead (Pb)	ND					100
Conclusion	PASS					

Note:

ppm (Parts per million) = mg/kg (Milligrams per kilogram)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

#### Remark:

The specification is quoted from client's requirement.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 20H-000194 Page 5 of 9

#### **DETAILED RESULTS:**

# California Proposition 65 Case No. 938430, Leachable Lead and Cadmium from Tableware (Shipment over 2,000 Pieces) – Interior

Test Method: ASTM C738-94(Reapproved 2016)#

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	1A	1B	1C	1D	1E	1F	1G
Test Item	Result (mg/L)						
Volume of acid used (mL)	460	460	460	460	460	460	460
Leachable Cadmium (Cd)	ND						
Leachable Lead (Pb)	ND						
Conclusion							

Specimen No.	1H	11	1J	1K	1L		
Test Item	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Result (mg/L)	Average (mg/L)	Limit (mg/L)
Volume of acid used (mL)	460	460	460	460	460		
Leachable Cadmium (Cd)	ND	ND	ND	ND	ND	ND	0.049
Leachable Lead (Pb)	ND	ND	ND	ND	ND	ND	0.100
Conclusion						PASS	

Note:

mL = Millilitres

mg/L (Milligrams per litre) = ppm (Parts per million)

NA = Not applicable

LT = Less than

ND = Not detected (Reporting Limit: Pb = 0.04 mg/L; Cd = 0.02 mg/L)

QIMA Testing (HK) Limited • 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, HKSAR, China • Tel: (852)3185 8000.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

Ver.14

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited. CS-HK-RE005-HITP



Test Report #: 20H-000194 Page 6 of 9

		Category	Leachable Cd (mg/L)	Leachable Pb (mg/L)
Χ	Cups and Mugs	(Average of 12)	0.049	0.100
	Flatware	(Average of 12)	0.189	0.226
	Large Hollowware	(Average of 12)	0.049	0.100
	Small Hollowware	(Average of 12)	0.049	0.100
	Pitchers	(Average of 12)	0.049	0.100

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.

CS-HK-RE005-HITP

Ver.14



Test Report #: 20H-000194 Page 7 of 9

#### **DETAILED RESULTS:**

#### Canadian Consumer Products Containing Lead Regulations (SOR/2018-83), Total Lead Content

Test Method: ASTM F963-17 Clause 8.3.1, In-House Method#0

Analytical Method: Inductively Coupled Plasma-Optical Emission Spectrometry

Specimen No.	2					
Test Item	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Result (mg/kg)	Limit (mg/kg)
Total Lead (Pb)	ND					90
Conclusion	PASS					

#### Note:

mg/kg (Milligrams per kilogram) = ppm (Parts per million) = 0.0001 % m/m (Percent by mass)

LT = Less than

ND = Not detected (Reporting Limit = 20 ppm)

Composite results are based on specimen of least mass resulting in highest potential concentration.

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation.

ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally.

Test(s) marked with '\phi' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.



Test Report #: 20H-000194 Page 8 of 9

#### **SPECIMEN DESCRIPTION:**

Specimen No.	Specimen Description	Location
1	White printed dull white ceramic	Interior of mug
2	White printed dull white ceramic	Whole of mug

The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with ' $\phi$ ' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.

This test report may not be reproduced in whole or in part, without written approval of QIMA Testing (HK) Limited.



Test Report #: 20H-000194 Page 9 of 9

#### **SAMPLE PHOTO:**





-End Report-

QIMA Testing (HK) Limited \* 3/F Liven House, No. 61 – 63 King Yip Street, Kwun Tong, Kowloon, HKSAR, China \* Tel: (852)3185 8000. The above test(s) is/are accredited under the laboratory's ISO/IEC 17025 accreditation issued by the ANSI-ASQ National Accreditation Board (ANAB) according to certificate and scope of accreditation (Certificate # AT-1500.) Test(s) marked with '#' is/are not covered under the scope of accreditation. ANAB is recognized by ILAC, APAC and IAAC as a signatory of multilateral recognition arrangements that facilitate acceptance of test internationally. Test(s) marked with '\phi' was subcontracted to external laboratory.

The test result(s) and conclusion(s) in this report relate only to the sample(s) as received and method /regulation section(s) tested as described herein.

If it is not further specified in the report, the decision rule for stating conformity is based on the QIMA decision rule.