

Report No.: LCS190521050AR Date: 2019.06.10 Page 1 of 11 Applicant : Mid Ocean Brands B.V. 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Address Kong Manufacturer 114628 5 Address : 1 Report on the submitted samples said to be: Sample Name : Pedometer **Trade Mark** N/A 1 Style No. MO8508 : **Testing Period** May 22, 2019 ~ June 10, 2019 : Results : Please refer to next page(s).

TEST REQUEST	CONCLUSION
According to the customer's request, based on the performed tests on submitted	
sample, the result of Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs,	
PBDEs, Dibuyl Phthalate(DBP), Benzylbutyl Phthalate(BBP), Bis(2-ethylhexyl)	PASS
Phthalate(DEHP), Diispbutyl phthalate(DIBP) content comply with the limit as set of	FASS
RoHS Directive (EU) 2015/863 amending Annex II to Directive 2011/65/EU.	

Signed for and on behalf of LCS Lily Dan





Report No.: LCS190521050AR

Date: 2019.06.10

Page 2 of 11

Results:

A.EU RoHS Directive 2011/65/EU and its amendment directives on XRF

Test method: With reference to IEC 62321-3-1:2013, Screening by X-ray Fluorescence Spectroscopy (XRF)

Seq. No.			Date of sample					
	Tested Part(s)			(10)	- T	Br		submission/resu
		Cd	Pb	Hg	Cr▼	PBBs	PBDEs	bmission
1	Red plastic sheet	BL	BL	BL	BL	BL	BL	2019-05-22
2	Gray plastic sheet	BL	BL	BL	BL	BL	BL	2019-05-22
3	Silver wire	BL	BL	BL	x	/	1	2019-05-22
4	Red plastic sheet	BL	BL	BL	BL	BL	BL	2019-05-22
5	Silver metal sheet	BL	BL	BL	BL	1	/	2019-05-22
6	Silver metal screw	BL	BL	BL	BL	/	1	2019-05-22
7	Transparent plastic sheet	BL	BL	BL	BL	BL	BL	2019-05-22
8	Pink foamed cotton chips	BL	BL	BL	BL	BL	BL	2019-05-22
9	Grey glass sheet	BL	BL	BL	BL	BL	BL	2019-05-22
10	White plastic sheet	BL	BL	BL	Х	BL	BL	2019-05-22
11	Silver metal sheet	BL	BL	BL	BL	1	/	2019-05-22
12	Black IC	BL	BL	BL	BL	BL	BL	2019-05-22
13	Metal sheet	BL	BL	BL	BL	/	/	2019-05-22
14	Silver metal sheet	BL	BL	BL	X	1	1	2019-05-22
15	Silver metal sheet	BL	BL	BL	x	/	/	2019-05-22
16	Tin solder	BL	BL	BL	BL	/	/	2019-05-22
17	PCB board	BL	BL	BL	BL	BL	BL	2019-05-22
18	Silver metal sheet	BL	BL	BL	BL	1	1	2019-05-22
19	White plastic sheet	BL	BL	BL	BL	BL	BL	2019-05-22
20	Black toner	BL 🔇	BL	BL	BL	BL	BL	2019-05-22

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Report No.: LCS190521050AR

Date: 2019.06.10

Page 3 of 11

Note:

(1) Results were obtained by XRF for primary screening, and further chemical testing by ICP (for Cd, Pb, Hg), UV-Vis (for Cr(VI)) and GC-MS (for PBBs, PBDEs) are recommended to be performed, if the concentration exceeds the below warning value according to IEC 62321-3-1:2013.

Element	Unit	Non-metal	Metal	Composite Material
Cd	m a /lk a	BL≤70-3σ<Χ	BL≤70-3σ<Χ	BL≤50-3σ<Χ
Cd mg/kg		<130+3σ≤OL	<130+3σ≤OL	<150+3σ≤OL
Pb mg/kg		BL≤700-3σ <x< td=""><td>BL≤500-3σ<Χ</td></x<>		BL≤500-3σ<Χ
		<1300+3σ≤OL	<1300+3σ≤OL	<1500+3σ≤OL
l l a		BL≤700-3σ<Χ	BL≤700-3σ<Χ	BL≤500-3σ<Χ
Hg mg/kg		<1300+3σ≤OL	<1300+3σ≤OL	<1500+3σ≤OL
Cr	mg/kg	BL≤700-3σ<Χ	BL≤700-3σ<Χ	BL≤500-3σ<Χ
Br	mg/kg	BL≤300-3σ <x< td=""><td></td><td>BL≤250-3σ<Χ</td></x<>		BL≤250-3σ<Χ

Note:

BL = Below Limit OL = Over Limit X = Inconclusive

- (2) The XRF screening test for RoHS elements The reading may be different to the actual content in the sample be of non-uniformity composition.
- (3) The maximum permissible limit is quoted from the document 2015/863/EC amending RoHS directive 2011/65/EU:
- (4) ▼=For restricted substances PBBs and PBDEs, the results show the total Br content; The restricted substance was Cr(VI), and the results showed the total Cr content

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Report No.: LCS190521050AR

Date: 2019.06.10

Page 4 of 11

RoHS Restricted Substances	Maximum Concentration Value (mg/kg) (by weight in homogenous materials)				
Cadmium (Cd)	100				
Lead (Pb)	1000				
Mercury (Hg)	1000				
Hexavalent Chromium (Cr(VI))	1000				
Polybrominated biphenyls (PBBs)	1000				
Polybrominated diphenylethers (PBDEs)	1000				
Dibuyl Phthalate(DBP)	1000				
Benzylbutyl Phthalate(BBP)	1000				
Bis(2-ethylhexyl) Phthalate(DEHP)	1000				
Diispbutyl phthalate(DIBP)	1000				

Disclaimers:

This XRF Screening report is for reference purposes only. The applicant shall make its/his/her own judgment as to whether the information provided in this XRF screening report is sufficient for its/his/her purposes.

The result shown in this XRF screening report will differ based on various factors, including but not limited to, the sample size, thickness, area, surface flatness, equipment parameters and matrix effect (e.g. plastic, rubber, metal, glass, ceramic etc.). Further wet chemical pre-treatment with relevant chemical equipment analysis are required to obtain quantitative data.







Report No.: LCS190521050AR

Date: 2019.06.10

Page 5 of 11

B. EU RoHS Directive 2011/65/EU and its amendment Directives 2015/863/EU on Lead, Cadmium, Mercury, Hexavalent Chromium, PBBs, PBDEs, DBP, BBP, DEHP, DIBP content.

Test method:

Lead(Pb) & Cadmium(Cd) Content:

With reference to IEC 62321-5:2013, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

Mercury(Hg) Content:

With reference to IEC 62321-4:2013+AMD1:2017 CSV, by acid digestion and analysis was performed by inductively coupled plasma atomic emission spectrometer (ICP-OES)

Hexavalent Chromium(Cr⁶⁺) Content:

With reference to IEC 62321-7-1:2015 or IEC 62321-7-2:2017, by alkaline digestion and analysis was performed by UV-visible spectrophotometer (UV-Vis)

PBBs & PBDEs Content:

With reference to IEC 62321-6:2015, by solvent extraction and analysis was performed by gas chromatographic-mass spectrometer (GC-MS)


BBP DBP DEHP & DIBP Content:

With reference to IEC 62321-8:2017, by solvent extraction and analysis was performed by gas

1) The test results of Hexavalent Chromium (Cr⁶⁺)(metal)

Item	Unit	MDL		Results	S	Limit
			(3)	(14)	(15)	
Hexavalent Chromium (Cr ⁶⁺)	ug/cm ²	0.10	N.D.	N.D.	N.D.	1000 mg/kg
	*******	****	****	*****	I A A A A A A A A A A A A A A A A A A A	- I I I I I I I I I I I I I I I I I I I









Report No.: LCS190521050AR

Date: 2019.06.10



Page 6 of 11

Note:

MDL = Method Detection Limit

码: 871117

/= Not apply

代

- LOQ = Limit of Quantification, The LOQ of Hexavalent chromium is 0.10 μg/cm²
- mg/kg = ppm=parts per million
- N.D.=Not Detected(<MDL or LOQ)
- *The sample is negative for Cr(VI)-The Cr(VI) concentration is below 0.10ug/cm²
 The coating is considered a non-Cr(VI) based coating.
- #1 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in glass of cathode ray tubes, electronic components and fluorescent tubes.
- #2 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in electronic ceramic parts (e.g. piezoelectronic devices).
- #3 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Copper containing up to 4% (40000ppm) by weight.
- #4 According to RoHS directive 2011/65/EU and its amendments, Lead is exempted in high melting temperature type solders (i.e. lead-based alloys containing 85 % by weight or more lead).
- #5 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Lead is exempted as an alloying element in Aluminum containing up to 0.4% (4000ppm) by weight.
- #6 According to the statement provided by the customer, according to RoHS directive 2011/65/EU and its amendments, Cadmium and its compounds in electrical contact is exempted.
- Flow chart appendix is included.
- Photo appendix is included.

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Report No.: LCS190521050AR

Date: 2019.06.10

Page 7 of 11

2) The test results of DBP、BBP、DEHP & DIBP

	Unit	MDL	Results				Ð
Item			1	2	4	7	Limit
Dibuyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000 mg/kg
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000 mg/kg
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000 mg/kg
Diispbutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000 mg/kg


Unit	MDL	Results				Limit
		8	9	10	20	Linit
mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000 mg/kg
mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000 mg/kg
mg/kg	50	N.D.	N.D.	59	N.D.	1000 mg/kg
mg/kg	50	N.D.	N.D.	N.D.	N.D.	1000 mg/kg
	mg/kg mg/kg mg/kg	mg/kg 50 mg/kg 50 mg/kg 50	mg/kg 50 N.D. mg/kg 50 N.D. mg/kg 50 N.D. mg/kg 50 N.D.	Unit MDL 8 9 mg/kg 50 N.D. N.D. mg/kg 50 N.D. N.D. mg/kg 50 N.D. N.D. mg/kg 50 N.D. N.D.	Unit MDL 8 9 10 mg/kg 50 N.D. N.D. N.D. mg/kg 50 N.D. N.D. N.D. mg/kg 50 N.D. N.D. N.D. mg/kg 50 N.D. N.D. 59	Unit MDL 8 9 10 20 mg/kg 50 N.D. N.D. N.D. N.D. mg/kg 50 N.D. N.D. N.D. N.D. mg/kg 50 N.D. N.D. N.D. N.D. mg/kg 50 N.D. N.D. So N.D.


ltem	Unit	MDL	Resi	Limit	
		MDL	19	12+17	
Dibuyl Phthalate(DBP)	mg/kg	50	N.D.	N.D.	1000 mg/kg
Benzylbutyl Phthalate(BBP)	mg/kg	50	N.D.	N.D.	1000 mg/kg
Bis(2-ethylhexyl) Phthalate(DEHP)	mg/kg	50	N.D.	N.D.	1000 mg/kg
Diispbutyl phthalate(DIBP)	mg/kg	50	N.D.	N.D.	1000 mg/kg

Remark:


- mg/kg = ppm
- N.D. = Not detected
- MDL=Method detected limited
- Flow chart appendix is included
- Photo appendix is included.

Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com






Shenzhen LCS Compliance Testing Laboratory Lt Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com



The photo of the sample



Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail.verfication@lcs-cert.com






Report No.: LCS190521050AR

Date: 2019.06.10

Page 10 of 11











Shenzhen LCS Compliance Testing Laboratory Ltd. Hotline: 4007-886-986 www.LCS-cert.com E-mail:verfication@lcs-cert.com





Report No.: LCS190521050AR

Date: 2019.06.10

Page 11 of 11



****************** End of Report ***************

Statement:

- 1. The test report is considered invalidated without approval signature, special seal on the perforation.
- 2. The result(s) shown in this report refer only to the sample(s) tested.
- 3. Without written approval of LCS, this report can't be reproduced except in full.
- 4. The sample(s) and sample information was/were provided by the client who should be responsible for the authenticity which LCS hasn't verified.
- 5. In case of any discrepancy between the English version and Chinese version of the testing reports (if generated), the Chinese version shall prevail.

