



LABORATORY DEPARTMENT

10090 ZAGREB, Josipa Pupačića 2
Tel: (01) 3865-384, (01) 3815-042
Fax: (01) 3815-046
e-mail: info@ec-inspekt.hr, www.ec-inspekt.hr

Laboratory department is authorized to testing the health and safety according to the decision of the Ministry of Health and Social Welfare class: UP//540-02/08-02/09 Ur. number 534-08-1-2/2-08-4 of 23.04.2008. and by decision of the Ministry of Health class: UP/I-541-02/19-03/15 UR. NUMBER 534-07-1-1-1/2-19-3 Zabreb, July 24, 2019

Test report number: 46/20 OU

Sample name: **WOODEN CUTTING BOARD (oval shape)**

Type of sample: Dishes, utensils, appliances and appliances in direct contact with food

Client test:

Type of Request: The client's request for an analysis of the number **249/20** of **29.07.2020.**

Date of receipt of the sample: 29.07.2020.

Start date of analysis: 30.07.2020.

End date of analysis: 10.08.2020.

Applicant (name and address):

Manufacturer:

Origin of products: Croatia

Purpose of sampling: Health check

Place of sampling: The sample was delivered to the laboratory

**LABORATORY DEPARTMENT**

10090 ZAGREB, Josipa Pupačića 2

Tel: (01) 3865-384, (01) 3815-042

Fax: (01) 3815-046

e-mail: info@ec-inspekt.hr, www.ec-inspekt.hr

Laboratory department is authorized to testing the health and safety according to the decision of the Ministry of Health and Social Welfare class: UP//540-02/08-02/09 Ur. number 534-08-1-2/2-08-4 of 23.04.2008. and by decision of the Ministry of Health class: UP/I-541-02/19-03/15 UR. NUMBER 534-07-1-1-1/2-19-3 Zabreb, July 24, 2019

Continuation of the test report number: 46/200U**Results of the analysis:**

Sample name: WOODEN CUTTING BOARD (oval shape)				
Testing name:	Result:			Correctly:
Sample Description:	The sample was delivered in bulk without a declaration in the Croatian language.			YES
Organoleptic properties:	Wooden cutting board is oval shaped with a bark, made of a healthy tree that does not smell or otherwise affects organoleptic properties; properly treated, undamaged, shaped according to purpose			YES
Sample name: WOODEN CUTTING BOARD (oval shape)				
Determination of metal release in model solution (distilled water / 23°C / 1 h):				
Testing name:	Result:	Measuring unit:	NDK*:	Measuring method:
Lead (Pb)	<0,1	mg/l	0,5	HRN EN ISO 15586:2008
Cadmium (Cd)	<0,01	mg/l	0,05	HRN EN ISO 15586:2008
Mercury (Hg)	<0,001	mg/l	0,01	Varian Manual-VGA -77
Determination of formaldehyde migration into model solution (distilled water / 23°C / 1 h):				
Formadehyde	<0,1	mg/dm ²	0,5	own method

NDK* - maximum permitted quantity according to Article 72 of the Ordinance on the health of materials and articles coming in direct contact with food (NN RH 125/09, 31/11).

CONFORMITY ISSUES:

On the basis of the tested parameters, the sample conforms to the requirements of Article 72 of the Ordinance on healthworthiness of materials and articles coming in direct contact with food and their amendments (NN RH 125/09, 31/11) and the requirements of Regulation (EC) 1935/2004 of the European Parliament and of the Council of 27 October 2004 on materials and articles intended for direct contact with food.

In Zagreb, 11.08.2020.

Head of Department for Laboratory Activities:
Ivana Karamatić, dipl. ing.