

**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page:10f 15

Applicant: MID OCEAN BRANDS B.V

Address: 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

1,6/F.,Building2,No. 1-4, ChaxiSanwei Technical Industrial Park, Gushu,

Xixiang, Baoan District, Shenzhen, Guangdong, China

Report on the submitted samples said to be:

Sample Name : Cards & dices in wooden box, Domino in wooden box

Model : MO9187, MO9188

Country of origin : CHINA

Country of destination : EUROPE

Labeled Age Grading : Not stated

Requested Age Grading : 3+

Age Group Applied in Testing : 3+

Sample Receiving Date : Nov.05, 2019

Testing Period : Nov.05, 2019 to Nov.19, 2019

Sample receiving state : Normal

**Test Requested**: Please refer to next pages.

**Test Method** : Please refer to next pages.

**Test Result**: Please refer to next pages.

Approved by: \_ Approved by: \_

Qinlianzhi, Reed

Laboratory Supervisor Technical Director

Liulinwen, Lewis

The results shown in this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page:2of 15

**Test Requested:** Conclusion 1.(1) For compliance with the European Standard on Safety of Toys EN71-1: 2014+A1:2018– Mechanical and Physical Properties EN71-2:2011+A1:2014-Flammability of Toys Pass EN71-3:2019 – Migration of certain elements Pass (2) Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark See the result (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys page 2. As specified by client, to determine the Lead compounds content in the submitted sample(s) with reference to entry 63, Annex XVII of the REACH Regulation (EC) No Pass 1907/2006. 3. As specified by client, to determine the Cadmium(Cd)content in the submitted sample(s) with Pass reference to entry 23, Annex XVII of the REACH Regulation (EC) No 1907/2006. 4.As specified by client, to determine the Polycyclic Aromatic Hydrocarbons (PAHs) content in the submitted sample(s) with reference to entry 50, Annex XVII of the REACH Regulation Pass (EC) No 1907/2006. 5. As specified by client, to determine the phthalates content in the submitted sample(s) with reference to entry 51 and its amendment (EU)2018/2005& entry 52, Annex XVII of the REACH Regulation (EC) No 1907/2006 and Amendment Regulation (EC) No 552/2009.

The results spown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page:3of 15

### **Test Result(s):**

### 1.(1)-1:EN71 Part 1: 2014+A1:2018 - Mechanical and Physical Properties

| Clause | Description  | Result |
|--------|--|--------|
| 4      | GENERAL REQUIREMENTS   |        |
| 4.1    | Material cleanliness   | Pass   |
| 4.2    | Assembly   | N/A    |
| 4.3    | Flexible plastics sheeting   | N/A    |
| 4.4    | Toy bags   | N/A    |
| 4.5    | Glass  | N/A    |
| 4.6    | Expanding materials  | N/A    |
| 4.7    | Edges San Market Company of the Comp | Pass   |
| 4.8    | Points and metallic wires  | Pass   |
| 4.9    | Protruding parts   | N/A    |
| 4.10   | Parts moving against each other  | N/A    |
| 4.10.1 | Folding and sliding mechanisms   | N/A    |
| 4.10.2 | Driving mechanisms   | N/A    |
| 4.10.3 | Hinges   | N/A    |
| 4.10.4 | Springs  | N/A    |
| 4.11   | Mouth-actuated toys and other toys intended to be put in the mouth   | N/A    |
| 4.12   | Balloons   | N/A    |
| 4.13   | Cords of toy kites and other flying toys   | N/A    |
| 4.14   | Enclosures   | N/A    |
| 4.15   | Toys intended to bear the mass of a child  | N/A    |
| 4.16   | Heavy immobile toys  | N/A    |
| 4.17   | Projectiles  | N/A    |
| 4.18   | Aquatic toys and inflatable toys   | N/A    |
| 4.19   | Percussion caps specifically designed for use in toys and toys using percussion caps   | N/A    |
| 4.20   | Acoustics  | N/A    |
| 4.21   | Toys containing a non-electrical heat source   | N/A    |
| 4.22   | Small balls  | N/A    |

The results shown in this less report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed of http://www.agc-eatt.com.



**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page:4of 15

| Clause | Description   | Result |
|--------|---|--------|
| 4.23   | Magnets   | N/A    |
| 4.24   | Yo-yo balls   | N/A    |
| 4.25   | Toys attached to food   | N/A    |
| 4.26   | Toy Disguise Costumes   | N/A    |
| 4.27   | Flying toys   | N/A    |
| 5      | TOYS INTENDED FOR CHILDREN UNDER 36 MONTHS                    | CO     |
| 5.1    | General requirements  | N/A    |
| 5.2    | Filling materials   | N/A    |
| 5.3    | Plastic sheeting  | N/A    |
| 5.4    | Cords, chains and electrical cables in toys                   | N/A    |
| 5.5    | Liquid-filled toys  | N/A    |
| 5.6    | Speed limitation of electrically driven toys                  | N/A    |
| 5.7    | Glass and porcelain   | N/A    |
| 5.8    | Shape and size of certain toys                                | N/A    |
| 5.9    | Toys comprising monofilament fibres                           | N/A    |
| 5.10   | Small balls   | N/A    |
| 5.11   | Play figures  | N/A    |
| 5.12   | Hemispheric-shaped toys                                       | N/A    |
| 5.13   | Suction cups  | N/A    |
| 5.14   | Straps intended to be worn fully or partially around the neck | N/A    |
| 5.15   | Sledges with cords for pulling                                | N/A    |
| 6      | PACKAGING   | Pass   |
| 7      | Warnings, markings and instructions for use                   | Pass   |

**Note:** N/A=Not Application

As per client's requirement, the sample(s) was evaluated for use by children 3+

The results shown in this less report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed of http://www.agc-eatt.com.



Page:5of 15 Report No.: AGC03507191104-001 Date: Nov.19, 2019

#### (1)-2:EN71 Part 2:2011+A1:2014 - Flammability of Toys

| Clause | Description  | Result         |
|--------|--|----------------|
| 4      | Requirements   | Attestation of |
| 4.1    | General  | Pass           |
| 4.2    | Toys to be worn on the head  | N/A            |
| 4.2.1  | General  | N/A            |
| 4.2.2  | Beards, moustaches, wigs, etc, made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands), which protrude more than or equal to 50 mm from the surface of the toy       | N/A            |
| 4.2.3  | Beards, moustaches, wigs etc. made from hair, pile or material with similar features (e.g. freehanging ribbons, paper or cloth strands etc.), which protrude less than 50 mm from the surface of the toy               | N/A            |
| 4.2.4  | Full or partial moulded head masks   | N/A            |
| 4.2.5  | Flowing elements of toys to be worn on the head (except those covered by 4.2.2 and 4.2.3), hoods, head-dresses etc. and fabric masks which partially or fully cover the head, but excluding those items covered by 4.3 | N/A            |
| 4.3    | Toys disguise costumes and other toys intended to be worn by a child in play   | N/A            |
| 4.4    | Toys intended to be entered by a child   | N/A            |
| 4.5    | Soft Filled Toys (animals and dolls, etc) with a piled or textile surface  | N/A            |

Note: N/A=Not Application

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by 15°C, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed in the confirmed of the confir AGC



**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page:6of 15

(1)-3 EN 71-3: 2019- Migration of Certain Elements.

Category III: Scrapped - off toy material

Test method:EN 71-3:2019, Analysis was performed by ICP-OES, GC-MS, LC-ICP-MS.

Unit: mg/kg

| TO SELVENCE SCIENCE       | Result(s) |      |      | MDI   | T  |  |
|---------------------------|-----------|------|------|-------|--|--|
| Tested Item(s)            | 1-1       | 1-2  | 1-3  | MDL   | Limit  |  |
| Aluminum (Al) (M)         | N.D.      | 219  | N.D. | 50    |  |  |
| Antimony (Sb) (M)         | N.D.      | N.D. | N.D. | 2.0   | 100  |  |
| Arsenic (As) (M)          | N.D.      | N.D. | N.D. | 0.5   |  |  |
| Barium (Ba) (M)           | N.D.      | N.D. | N.D. | 50    | The Manuel Manuel  |  |
| Boron (B) (M)             | N.D.      | N.D. | N.D. | 50    | station of Global  |  |
| Cadmium (Cd) (M)          | N.D.      | N.D. | N.D. | 0.3   |  |  |
| Chromium III(Cr(III)) (M) | N.D.      | N.D. | N.D. | 0.2   | and a  |  |
| Chromium VI(Cr(VI)) (M)   | N.D.      | N.D. | N.D. | 0.005 | arce Th  |  |
| Cobalt (Co) (M)           | N.D.      | N.D. | N.D. | 8 2.5 | (B) Attestation of G.  |  |
| Copper (Cu) (M)           | N.D.      | N.D. | N.D. | 50    | 50   |  |
| Lead(Pb) (M)              | N.D.      | N.D. | N.D. | 0.25  | See Remark   |  |
| Manganese (Mn) (M)        | N.D.      | N.D. | N.D. | 50    | The Compliance   |  |
| Mercury (Hg) (M)          | N.D.      | N.D. | N.D. | 1.0   | ation of Globa   |  |
| Nickel (Ni) (M)           | N.D.      | N.D. | N.D. | 10    | CO   |  |
| Selenium (Se) (M)         | N.D.      | N.D. | N.D. | 5     |  |  |
| Strontium (Sr) (M)        | N.D.      | N.D. | N.D. | 50    | 五 五 五 五 五 五 五 五 五 五 五 五 五 五 五 五 五 五 五  |  |
| Tin (Sn) (M)              | N.D.      | N.D. | N.D. | 50    | (B) Attestation of C   |  |
| Organic Tin*(M)           | N.D.      | N.D. | N.D. | 0.15  | ) :  |  |
| Zinc (Zn) (M)             | N.D.      | N.D. | N.D. | 50    |  |  |
| Conclusion                | Pass      | Pass | Pass | 1     | The state of the s |  |

The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.



**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page: 7 of 15

Unit: mg/kg

| Traded Mars()             | 6    | Result(s) | MDI  | - J.       |                        |  |
|---------------------------|------|-----------|------|------------|------------------------|--|
| Tested Item(s)            | 1-4  | 1-5       |      | MDL        | Limit                  |  |
| Aluminum (Al) (M)         | N.D. | N.D.      | 566  | 50         | 0 3                    |  |
| Antimony (Sb) (M)         | N.D. | N.D.      | N.D. | 2.0        | 1                      |  |
| Arsenic (As) (M)          | N.D. | N.D.      | N.D. | 0.5        | 711)                   |  |
| Barium (Ba) (M)           | N.D. | N.D.      | N.D. | 50         | Stubing (8)            |  |
| Boron (B) (M)             | N.D. | N.D.      | N.D. | 50         |                        |  |
| Cadmium (Cd) (M)          | N.D. | N.D.      | N.D. | 0.3        |                        |  |
| Chromium III(Cr(III)) (M) | N.D. | N.D.      | N.D. | 0.2        | The Hallance           |  |
| Chromium VI(Cr(VI)) (M)   | N.D. | N.D.      | N.D. | 0.005      | Lation of Global Co    |  |
| Cobalt (Co) (M)           | N.D. | N.D.      | N.D. | 2.5        | , 105°                 |  |
| Copper (Cu) (M)           | N.D. | N.D.      | N.D. | 50         |                        |  |
| Lead(Pb) (M)              | N.D. | N.D.      | N.D. | 0.25       | See Remark             |  |
| Manganese (Mn) (M)        | N.D. | N.D.      | N.D. | 50         | (8) Altestation of G   |  |
| Mercury (Hg) (M)          | N.D. | N.D.      | N.D. | 1.0        | 30                     |  |
| Nickel (Ni) (M)           | N.D. | N.D.      | N.D. | 10         | -711                   |  |
| Selenium (Se) (M)         | N.D. | N.D.      | N.D. | 5          | KE Just                |  |
| Strontium (Sr) (M)        | N.D. | N.D.      | N.D. | 50         | lation of Global       |  |
| Tin (Sn) (M)              | N.D. | N.D.      | N.D. | 50         | 1GC                    |  |
| Organic Tin*(M)           | N.D. | N.D.      | N.D. | 0.15       |                        |  |
| Zinc (Zn) (M)             | N.D. | N.D.      | 173  | 50         | 环                      |  |
| Conclusion                | Pass | Pass      | Pass | I I Julian | ® Allestation of Green |  |

**Note:** 1. N.D.= Not Detected (lower thanmethod detection limit)

2.MDL = Method detection limit

3.mg/kg = milligram per kilogram

4.M = Migration

5.\* = Migration of organic tin is expressed as tributyl tin cation content in mg/kg.

6. As specified by client, only test the designated sample.

The results shown if this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.



**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page:8of 15

### Permissible Limit for Different Materials

| Item                      | Category III In scraped-off toy material | Category II In liquid or sticky toy material | Category I In dry, brittle, powder-like or pliable toy material |
|---------------------------|--|--|---|
| Aluminum (Al) (M)         | 70000                                    | 1406   | 5625  |
| Antimony (Sb) (M)         | 560                                      | 11.3   | 45  |
| Arsenic (As) (M)          | 47                                       | 0.9  | 3.8   |
| Barium (Ba) (M)           | 18750                                    | 375  | 1500  |
| Boron (B) (M)             | 15000                                    | 300  | 1200  |
| Cadmium (Cd) (M)          | 17                                       | 0.3  | 1.3   |
| Chromium III(Cr(III)) (M) | 460                                      | 9.4  | 37.5  |
| Chromium VI (Cr(VI)) (M)  | 0.053                                    | 0.005  | 0.02  |
| Cobalt (Co) (M)           | 130                                      | 2.6  | 10.5  |
| Copper (Cu) (M)           | 7700                                     | 156  | 622.5   |
| Lead (Pb) (M)             | 23                                       | 0.5  | 2.0   |
| Manganese (Mn) (M)        | 15000                                    | 300  | 1200  |
| Mercury (Hg) (M)          | 94                                       | 1.9  | 7.5   |
| Nickel (Ni) (M)           | 930                                      | 18.8   | 75  |
| Selenium (Se) (M)         | 460                                      | 9.4  | 37.5  |
| Strontium (Sr) (M)        | 56000                                    | 1125   | 4500  |
| Tin (Sn) (M)              | 180000                                   | 3750   | 15000   |
| Organic Tin (M)           | 12                                       | 0.2  | 0.9   |
| Zinc (Zn) (M)             | 46000                                    | 938  | 3750  |

The results shown in this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cent.com.



**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page:9of 15

(2) Labeling requirement (Washing/Cleaning Label, CE mark, importer / manufacturer mark (name, address), product identification) according to the Directive 2009/48/EC-Safety of toys

Summary table:

| lier little                  | On product | On packaging |
|------------------------------|------------|--------------|
| Washing/Cleaning instruction | Absent     | Absent       |
| CE mark                      | Present    | Present      |
| Manufacturer's name          | Absent     | Absent       |
| Manufacturer's address       | Absent     | Absent       |
| Importer's name              | Absent     | Absent       |
| Importer's address           | Absent     | Absent       |
| Product ID                   | Absent     | Present      |

#### Remark:

- 1: Washing/Cleaning label According to Directive 2009/48/EC the following safety requirements apply regarding cleaning and washing: A toy intended for use by children under 36 months must be designed and manufactured in such a way that it can be cleaned. A textile toy must, to this end, be washable, except if it contains a mechanism that may be damaged if soak washed. The toy must fulfill the safety requirements also after having been cleaned in accordance with this point and the manufacturer's instructions. The manufacturer should, if applicable, provide instructions on how the toy has to be cleaned.
- 2:Toys made available on the market must bear the CE marking. The CE marking must be subject to the general principles set out in Article 30 of Regulation (EC) No 765/2008. The CE marking must be affixed visibly, legibly and indelibly to the toy, to an affixed label or to the packaging. In the case of small toys and toys consisting of small parts, the CE marking may alternatively be affixed to a label or an accompanying leaflet. Where, in the case of toys sold in counter displays, that is not technically possible, and on condition that the counter display was originally used as packaging for the toy, the CE marking may be affixed to the counter display. Where the CE marking is not visible from outside the packaging, if any, it shall as a minimum be affixed to the packaging. Where specific legislation does not impose specific dimensions, the CE marking must be at least 5 mm high.
- 3: The manufacturer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy. This requirement applies also to the name and address etc. of any importer.
- 4: Manufacturers must ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy

The results shown if this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-centr.com.



**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page: 10of 15

### 2.Test Result(s) of Lead and Lead compounds content

Unit: mg/kg

| T (1)              | Test Method/     | MDI |      | ion of Global Comp. |      |           |
|--------------------|------------------|-----|------|---------------------|------|-----------|
| Test item(s)       | Equipment        | MDL | 1-1  | 1-2                 | 1-3  | Limit     |
| Lead (Pb)          | IEC 62321-5:2013 | 10  | N.D. | N.D.                | N.D. | 500       |
| Conclusion ICP-OES |                  | /   | Pass | Pass                | Pass | © / Files |

Unit: mg/kg

|              | Test Method/     | MDI |      | 推测   |      |       |
|--------------|------------------|-----|------|------|------|-------|
| Test item(s) | Equipment        | MDL | 1-4  | 1-5  | 1-6  | Limit |
| Lead (Pb)    | IEC 62321-5:2013 | 10  | N.D. | N.D. | N.D. | 500   |
| Conclusion   | ICP-OES          | /   | Pass | Pass | Pass | 1. 10 |

Note: 1. MDL=Method Detection Limit

2. N.D.=Not Detected(less than method detection limit)

3.As specified by client, only test the designated sample

### 3.Test Result(s) of Cdcontent

Unit: mg/kg

| Toot Homes   | Test Method/     | MDI | -TILL | 下 校 mair |      |       |
|--------------|------------------|-----|-------|----------|------|-------|
| Test item(s) | Equipment        | MDL | 示 1-1 | 1-2      | 1-3  | Limit |
| Cadmium (Cd) | IEC 62321-5:2013 | 10  | N.D.  | N.D.     | N.D. | 100   |
| Conclusion   | ICP-OES          | /   | Pass  | Pass     | Pass | / :   |

Unit: mg/kg

| Togt Home(a) | Test Method/     | MDI |      | <b>T</b> |      |       |  |
|--------------|------------------|-----|------|----------|------|-------|--|
| Test item(s) | Equipment        | MDL | 1-4  | 1-5      | 1-6  | Limit |  |
| Cadmium (Cd) | IEC 62321-5:2013 | 10  | N.D. | N.D.     | N.D. | 100   |  |
| Conclusion   | ICP-OES          |     | Pass | Pass     | Pass | 1     |  |

The results shown in this lest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.

No.18 C

Attestation of Global Compliance Std. & Tech.



**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page:11of 15

Note: 1. MDL=Method Detection Limit

2. N.D.=Not Detected(less than method detection limit)

3. As specified by client, only test the designated sample

#### 4.Test Result(s) of Polycyclic Aromatic Hydrocarbons (PAHs)

Unit: mg/kg

| Toot Itom(a)                   | <b>Test Method</b>                               | MDL       | Result(s) |      | Limit           |  |
|--------------------------------|--|-----------|-----------|------|-----------------|--|
| Test Item(s)                   | /Equipment                                       | MIDL      | 1-5       | 1-6  | Limit           |  |
| Benzo[a]anthracene (BaA)       | Many Standard County                             | 0.1       | N.D.      | N.D. | 1               |  |
| Chrysene (CHR)                 | - C Marketon                                     | 0.1       | N.D.      | N.D. | 1               |  |
| Benzo[b]fluoranthene (BbFA)    |  | 0.1       | N.D.      | N.D. | ompliance 1     |  |
| Benzo[k]fluoranthene (BkFA)    | · 图 · · · · · · · · · · · · · · · · · ·          | 0.1       | N.D.      | N.D. | 16              |  |
| Benzo[j]fluoranthene(BjFA)     | AfPS GS 2014:01 PAK                              | 0.1       | N.D.      | N.D. | 1               |  |
| Benzo[a]pyrene (BaP)           | GC-MS  | 0.1       | N.D.      | N.D. | 1               |  |
| Benzo[e]pyrene(BeP)            | ·mi  | 0.1       | N.D.      | N.D. | The Colobar Co. |  |
| Dibenzo[a,h]anthracene (DBAhA) | The Compliance                                   | 0.1       | N.D.      | N.D. | Allestation 1   |  |
| Sum of 8 PAHs                  | ® ## Allering of Global Comments of the Allering | in of the | N.D.      | N.D. | _               |  |
| Conclusion                     | O MILL   | /         | Pass      | Pass | - 1 /           |  |

**Note:** 1. MDL=Method Detection Limit

2. N.D.=Not Detected(less than method detection limit)

3. "—"=Not regulated

4. As specified by client, only test the designated sample.

The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SCC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.



**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page:12of 15

### 5.Test Result(s) of phthalates content

Unit: %, w/w

| Test Item(s)                        | Test Method/<br>Equipment | MDL       | Result(s) |      | ® # Fraccional Comme |
|-------------------------------------|---------------------------|-----------|-----------|------|----------------------|
|                                     |                           |           | 1-5       | 1-6  | Limit                |
| Dibutyl phthalate (DBP)             | S ME FARESTON             | 0.01      | N.D.      | N.D. | 0.1                  |
| Butylbenzyl phthalate (BBP)         |                           | 0.01      | N.D.      | N.D. | 0.1                  |
| Di- (2-ethylhexyl) phthalate (DEHP) |                           | 0.01      | N.D.      | N.D. | 0.1                  |
| Diisobutyl phthalate (DIBP)         |                           | 0.01      | N.D.      | N.D. | 0.1                  |
| Sum of DBP+BBP+DEHP+DIBP            | EN 14372:2004             | 9 –       | N.D.      | N.D. | 0.1                  |
| Di-n-octyl phthalate (DNOP)         | GC-MS                     | 0.01      | N.D.      | N.D. | - NG                 |
| Di-isononyl phthalate (DINP)        |                           | 0.01      | N.D.      | N.D. |                      |
| Di-isodecyl phthalate (DIDP)        |                           | 0.01      | N.D.      | N.D. |                      |
| Sum of DNOP+DINP+DIDP               |                           | _         | N.D.      | N.D. | 0.1                  |
| Conclusion                          |                           | <b>基本</b> | Pass      | Pass | and Janon            |

Note:

- 1. 0.1%, w/w = 1000mg/kg
- 2. MDL=method detection limit
- 3. N.D.=not detected (less than method detection limit)
- 4. "—" =Not regulated
- 5.As specified by client, only test the designated sample

#### **Sample Description**

| 11-1 | Wooden box       |          |
|------|------------------|----------|
| 1-2  | Poker            | Altestal |
| 1-3  | Wood dice        |          |
| 1-4  | Wooden card nine | j®       |
| 1-5  | Black coating    | G        |
| 1-6  | White coating    |          |

The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-cett.com.




**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page:13of 15


#### **Test Flow Chart**

#### 1. For EN71-3


① Test Flow Chart for Migration of 17 Heavy Metals-Lead, Cadmium, Chromium, Mercury, Antimony, Barium, Arsenic, Selenium, Aluminum, Boron, Cobalt, Copper, Manganese, Nickel, Strontium, Zinc and Tin:



② Test Flow Chart for Migration of Chromium(III) and Chromium(VI):



③ Test Flow Chart for Migration of Organic Tin Compounds:




The results spown if this test report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by ASC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eart.com.



Page:14of 15 Report No.: AGC03507191104-001 Date: Nov.19, 2019 2. For Pb, Cd Acid digestion with Weigh Sample Sample Preparation microwave/hotplate **DATA ICP-OES** Filtration 3. For PAHs Cutting/Preparation Weigh Sample Sample solvent extraction Concentration/ Dilution of Extracted solution DATA GC-MS Filtration

#### 4. For phthalates



The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by KSC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.



**Report No.: AGC03507191104-001** Date: Nov.19, 2019 Page:15of 15

Test result on specimen No.1-6 was resubmitted sample on Nov.15,2019.

### The photo of the sample





### AGC03507191104-001

AGC authenticate the photo on original report only

\*\*\* End of Report\*\*\*

The results shown if this jest report refer only to the sample(s) tested unless otherwise stated and the sample(s) are retained for 30 days only. The document is issued by (SC, this document cannot be reproduced except in full with our prior written permission. The more details and the authenticity of the report will be confirmed at http://www.agc-eatt.com.