

中国认可 国际互认 检测 TESTING **CNAS L6478** 



TEST REPORT Reference No. 1 WTF17F1195525C Applicant ..... Mid Ocean Brands B.V. Address ..... Unit 201 2/F., Laford Centre, 838 Lai Chi Kok Road, Cheung Sha Wan, Kowloon, Hong Kong. Manufacturer..... 111587 Sample Name..... Evemask Model No. MO9233 Test Requested ..... 1) Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628 2) Determine the specified AZO Colorants contents in the submitted

sample in according to the Entries 43 in Annex XVII of the REACH Regulation (EC) No.1907/2006 and the Amendment Regulation (EC) No.552/ 2009 & No.126/ 2013 (previously restricted under Directive 2002/61/EC).

- 3) Determination of specified Phthalates content according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009
- 4) As requested by client, to determine the Diisobutyl phthalate (DIBP) content in the submitted samples
- 5) As requested by the applicant, to test Colour Fastness to Rubbing in the submitted sample.

Please refer to next page (s) Test Conclusion ..... Please refer to next page (s)

Date of Receipt sample..... 2017-11-19

Test Method .....

Date of Test..... 2017-11-19 to 2017-11-23 Date of Issue ..... 2017-11-25

Test Result ..... Please refer to next page (s) 1

Remarks:

The results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of reporter and reviewer.

Prepared By:

Waltek Services (Foshan) Co., Ltd. Address: No. 13-19, 2/F, 2nd Building, Sunlink International Machinery City, Chencun Town, Shunde District, Foshan, Guangdong, China

Tel: +86-757-23811398 Fax: +86-757-23811381

Compiled by:

Swing.Liang /Project Engineer

Approved by: Zhang /Lab Manager



# Test Result:

1) Lead (Pb)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	MDL	20. 1.	ALTER MUTER	Limit	
	(mg/kg)	No.1	No.2	No.3	(mg/kg)
Lead(Pb)	<sup>3</sup> <sup>10</sup> 2	ND	ND	ND	500
Conclusion	JEL JE	Pass	Pass	Pass	s- 18- 1

## Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than MDL)
- (3) MDL = Method Detection Limit
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.



## 2) AZO

Test Method: With reference to BS EN 14362-1: 2012 and BS EN 14362-3: 2012, analysis was performed by Gas Chromatographic Mass Spectrometry (GC-MS)

No.	Amines Substances	CAS No.	Limit	Result (mg/kg)	
NO.	Amines Substances	(mg/kg)		No.2	No.3
1	4-Aminobiphenyl	92-67-1	30	ND	ND
2	Benzidine	92-87-5	<u></u> 30 <u></u>	ND	ND
3	4-chloro-o-Toluidine	95-69-2	30	ND ND	ND
4	2-Naphthylamine	91-59-8	- 30	SC ND SC	ND
5	o-Aminoazotoluene	97-56-3	<u>30</u>	ND	ND
6	2-Amino-4-nitrotoluene	99-55-8	30	ND	ND
7	p-Chloroaniline	106-47-8	30 🖑	ND	ND
8	2,4-diaminoanisol	615-05-4	30	ND	ND
9	4,4'-Diaminodiphenylmethane	101-77-9	30	ND	ND
10	3,3'-Dichlorobenzidine	91-94-1	30	ND S	ND
11	3,3'-Dimethoxybenzidine	119-90-4	30	ND	ND
12	3,3'-Dimethylbenzidine	119-93-7	30	ND	ND
13	3,3'-Dimethyl-4,4'-diaminodiphenylmethane	838-88-0	30	ND	ND
14	p-cresinin	120-71-8	30	ND	ND
15	4,4'-Methylen-bis-(2-chloroaniline)	101-14-4	30	ND	ND
16	4,4'-Oxydianiline	101-80-4	30	ND	ND
17	4,4'-Thiodianiline	139-65-1	30	ND	ND
18	o-Toluidine	95-53-4	30	ND S	ND
19	2,4-Toluylendiamine	95-80-7	30	ND	ND
20	2,4,5 – Trimethylaniline	137-17-7	30	ND	ND ND
21	o-anisidine	90-04-0	30	ND	ND
22	4-aminoazobenzene	60-09-3	30	ND	ND
23	2,4-Xylidin	95-68-1	30	ND	ND
24	2,6-Xylidin	87-62-7	30	ND	ND
	Conclusion	nnt - nn	11.	Pass	Pass

## Note:

- ND = Not detected or less than the method detection limit
- mg/kg=Milligram per kilogram
- Method Detection Limit (mg/kg): Each 5mg/kg
- The CAS-numbers 97-56-3 and 99-55-8 are further reduced to CAS-numbers 95-53-4 and 95-80-7.
- AZO colorants that are able to form 4-aminoazobenzene, generate under the condition of this method aniline and 1,4-phenylenediamine. The presence of these colorants cannot be reliably ascertained without additional information, e.g. the chemical structure of the colorant used.
- The CAS-numbers 95-68-1 and 87-62-7 are not proscribed under REACH Regulation (EC) No 1907/2006



## 3) Phthalates

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Items	BBP	DBP	DEHP	DIDP		DNOP	WHITE WALLY
MDL (%)	0.005	0.005	0.005	o <sup>10</sup> 0.01 o <sup>11</sup>	0.01	0.005	A 74
Limit (%)	sum of th	ree phthala	ates < 0.1	sum of th	nree phthala	ites < 0.1	an nut a
Specimen No.	Result (%)			Conclusion			
No.3	,,⊢ND,,,,+	ND	S <sup>O</sup> ND S	ND	ND N	ND	Pass

## Note:

DBP= Dibutyl phthalate DINP= Di-isononyl phthalate BBP= Benzyl butyl phthalate DNOP= Di-n-octyl phthalate DEHP= Bis-(2-ethylhexyl)- phthalate DIDP= Di-isodecyl phthalate

- (1) % = percentage by weight
- (2) ND = Not detected or Less than the method detection limit
- (3) MDL=Method Detection Limit
- (4) "<" = less than
- (5) The above limit was quoted according to Annex XVII Items 51 & 52 of the REACH Regulation (EC) No. 1907/2006 & Amendment No. 552/2009(formerly known as Directive 2005/84/EC) for phthalate content in toys and child care articles.

## 4) Diisobutyl Phthalate(DIBP)

Test Method: With reference to EN14372:2004, by Gas Chromatographic-Mass Spectrometric (GC-MS) analysis.

Test Item(s)	MDL	Results (mg/kg)	Client's Limit (mg/kg)	
a at at	(mg/kg)	No.3		
Diisobutyl phthalate (DIBP)	50	ND	1000	
Conclusion	white John white	Pass	. It set set	

#### Note:

(1) mg/kg=milligram per kilogram=ppm

- (2) ND = Not detected or Less than the method detection limit
- (3) MDL=Method Detection Limit



## 5) Colour Fastness to Rubbing

Colour Fastness to Rub	bing* 🖉 🖓	1 1 1	t let set site.
(ISO 105 X12: 2001/Cor 2	002; Size of rubbing finger:	16mm diameter.)	when the sur so
the state of the state	No.2	No.3	Client's Limit
Dry staining	4-5	4-5	2-3
Wet staining	4-5	JAY JA-5 JA	2-3
Conclusion	Pass	Pass	et ret - ret and

#### Note:

- (1) Grey Scale Rating is based on the 5-step scale of 1 to 5, where 1 is bad and 5 is good.
- (2) The testing item marked with "\*" does not been accredited by CNAS

## **Test Specimen Description:**

No.1: White nylon table with black printing No.2: Navy fabric No.3: Black elastic band

## Sample photo:



Page 6 of 6



## Photographs of parts tested:



===== End of Report ======

Waltek Services (Foshan) Co.,Ltd. http://www.waltek.com.cn