



中国认可  
国际互认  
检测  
TESTING  
CNAS L6478



# TEST REPORT

**Reference No.** ..... : WTF19F04021261C

**Applicant** ..... : Mid Ocean Brands B.V.

**Address** ..... : 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon, Hong Kong

**Manufacturer** ..... : 114628

**Sample Name** ..... : Phone stand wlth sound amplifier

**Model No.** ..... : MO9706

**Test Requested** ..... :  
1) Determination of Lead content in the submitted sample in accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628  
2) As specified by client, determination of the free and hydrolysed formaldehyde content in submitted sample

**Test Method** ..... : Please refer to next page (s)

**Test Conclusion** ..... : Please refer to next page (s)

**Date of Receipt sample** ..... : 2019-04-09

**Date of Test** ..... : 2019-04-09 to 2019-04-15

**Date of Issue** ..... : 2019-04-17

**Test Result** ..... : Please refer to next page (s)

**Note** ..... : As per client's requirement, all results are extracted from report No. WTF19F04021260C.

**Remarks:**

The results shown in this test report refer only to the sample(s) tested, this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of reporter and reviewer.

**Prepared By:**

**Waltek Services (Foshan) Co., Ltd.**

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Compiled by:

*Swing Liang*

Swing.Liang /Project Engineer



Approved by:

*Ding.Zhang*

Ding.Zhang /Lab Manager


**Test Result:**
**1) Lead (Pb)**

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	MDL (mg/kg)	Results (mg/kg)		Limit (mg/kg)
		No.1		
Lead(Pb)	2	ND		500
<b>Conclusion</b>	--	<b>Pass</b>		--

**Note:**

(1) mg/kg = milligram per kilogram

(2) ND = Not Detected (lower than MDL)

(3) MDL = Method Detection Limit

(4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.

**2) Formaldehyde**

With reference to EN717-3 :1996, analysis was performed by UV-VIS

Test Item	Unit	Result		MDL	Client's Limit
		No.1			
Formaldehyde (CH <sub>2</sub> O)	mg/kg	ND		10	80
<b>Conclusion</b>	--	<b>Pass</b>		--	--

**Note:**

- ND = Not detected or less than the method detection limit

- mg/kg =milligram per kilogram=ppm

- MDL= Method Detection Limit

**Test Specimen Description:**

No.1: Brown wooden shell



**Sample photo:**



===== End of Report =====

**WALTEK**