

Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 1 of 15

TEST REPORT

| APPLICANT | : | Mid Ocean Brands B.V |
|-----------------------------------|---|--|
| ADDRESS | : | 7/F, Kings Tower, 111 King Lam Street, Cheung Sha Wan, |
| | | Kowloon, Hong Kong. |
| SAMPLE DESCRIPTION | : | 12pc pencil set in wooden box |
| ITEM NO. | : | MO9836-40 |
| MANUFACTURER | : | 114628 |
| COUNTRY OF ORIGIN | : | China |
| COUNTRY OF DESTINATION | : | Europe |
| AGE REQUESTED ON APPLICATION FORM | : | 3+ |
| LABELED AGE GRADE | : | Not Present |
| AGE GRADE APPLIED IN TESTING | : | Over 3 Years |
| SAMPLE RECEIVED DATE | : | 23-Sep-2019 |
| SAMPLE RESUBMISSION DATE | : | 26-Sep-2019 |
| TURN AROUND TIME | : | 23-Sep-2019 to 08-Oct-2019 |

The following test item(s) was/were performed on submitted sample(s) and/or component(s) confirmed by applicant

| TEST REQUESTED | TEST METHOD/REGULATION | RESULT |
|---|---|-----------------|
| Mechanical and Physical Properties | EN71 Part 1:2014+A1:2018 | Pass |
| Flammability of Toys | EN71 Part 2:2011+A1:2014 | Pass |
| Labeling Requirement | Directive 2009/48/EC | See Test Result |
| Migration of Certain Elements | EN71 Part 3:2019 | Pass |
| Total Cadmium Content | REACH Annex XVII, Entry 23 | Pass |
| Phthalates Content | REACH Annex XVII, Entry 51 & 52, (EU) 2018/2005 | Pass |
| Polycyclic Aromatic Hydrocarbons (PAHs) | REACH Annex XVII, Entry 50 | Pass |
| Formaldehyde Content for Wood | EN71 Part 9:2005 + A1:2007 | Pass |
| Benzene Content | REACH Annex XVII, Entry 5 | Pass |

Samples are obtained by express delivery, Results obtained refer only to samples, products or material received in Laboratory, as described in point related to sample description, and tested in conditions shown in present report. Eurofins Product Testing Service (Shanghai) Co., Ltd ensures that this job has been performed according to our Quality System and complying contract and legal conditions. If you happen to have any comments, please do it by sending email to <u>info.sh@eurofins.com</u> and referring to this report number. Reproduction of this document is only valid if it is done completely and under the written permission of Eurofins Product Testing Service (Shanghai) Co., Ltd. If you happen to have any complaints, please do it by sending email to <u>chinacomplaint@eurofins.com</u> and referring to this report number.



Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 2 of 15

Eurofins (Shanghai) contact information Customer service: <u>ElsieWu@eurofins.com</u> / +86 21 36202808 Sales specialist: <u>AmyXu@eurofins.com</u>/ +86 13456161010

************ FOR FURTHER DETAILS, PLEASE REFER TO THE FOLLOWING PAGE(S) ************

Signed for and on behalf of Eurofins Product Testing Service (Shanghai) Co., Ltd


Degr lar

Joyce Liu Lab Manager



Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 3 of 15

SAMPLE PHOTO



EFSH19092064-CG-01



Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 4 of 15

COMPONENT LIST

| Component No. | Component |
|---------------|---|
| 1 | Black coating on wood |
| 2 | Black pencil lead |
| 3 | Black colorful pencil lead |
| 4 | Blue colorful pencil lead |
| 5 | Brown colorful pencil lead |
| 6 | Yellow colorful pencil lead |
| 7 | Green colorful pencil lead |
| 8 | Red colorful pencil lead |
| 9 | Orange colorful pencil lead |
| 10 | Wine colorful pencil lead |
| 11 | Sky blue colorful pencil lead |
| 12 | Light green colorful pencil lead |
| 13 | Lime green colorful pencil lead |
| 14 | Grey colorful pencil lead |
| 15 | Dark green colorful pencil lead |
| 16 | Flesh orange colorful pencil lead |
| 17 | Violet colorful pencil lead |
| 18 | Dark purple colorful pencil lead |
| 19 | Rose red colorful pencil lead |
| 20 | Purple red colorful pencil lead |
| 21 | White eraser |
| 22 | Silver metal screw/blade (pencil sharpener) |
| 23 | Natural color pine-wood (box/ruler) |
| 24 | Natural color beech-wood (pencil sharpener) |
| 25 | Natural color poplar-wood (pencil) |



Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 5 of 15

TEST RESULT

Mechanical and Physical Properties

Test Request: As specified in European Standard on Safety of Toys EN71 Part 1:2014+A1:2018

| Description | Result |
|--|---|
| General requirements | |
| Material cleanliness (by visual assessment) | Р |
| Assembly | N/A |
| Flexible plastic sheeting | N/A |
| Toy Bags | N/A |
| Glass | N/A |
| Expanding Materials | N/A |
| Edges | Р |
| Points and Metallic Wires | Р |
| Protruding parts | N/A |
| | |
| | N/A |
| | N/A |
| ~ | N/A |
| | |
| · · · · · · · · · · · · · · · · · · · | N/A |
| | N/A |
| | |
| | N/A |
| Percussion caps specifically designed for use in toys and toys using | N/A |
| | |
| | N/A |
| | N/A N/A |
| | IN/A |
| | General requirements Material cleanliness (by visual assessment) Assembly Flexible plastic sheeting Toy Bags Glass Expanding Materials Edges Points and Metallic Wires Protruding parts Parts moving against each other Folding and sliding mechanisms Driving mechanisms Muth-actuated toys and other toys intended to be put in the mouth Balloons Cords of toy kites and other flying toys Enclosures Toys which a child can enter Masks and helmets Toys propelled by the child or by other means Toy bicycles Rocking horses and similar toys Toys not propelled by a child Toys coters Heavy immobile toys Projectiles General All projectile toy with stored energy Certain projectile toys without stored energy Aquatic toys |

Eurofins Product Testing Service (Shanghai) Co., Ltd No.395 West Jiangchang Road, Jing'an District, Shanghai, China



Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 6 of 15

TEST RESULT

| Section | Description | Result |
|------------|---|------------|
| 4.20.2.12 | Voice toys | N/A |
| 4.21 | Toys containing a non-electrical heat source | N/A |
| 4.22 | Small balls | N/A |
| 4.23 | Magnets | N/A |
| 4.24 | Yo-yo balls | N/A |
| 4.25 | Toys attached to food | N/A |
| 4.26 | Toy disguise costumes | N/A |
| 4.27 | Flying toys | N/A |
| 4.27.1 | General | N/A |
| 4.27.2 | Rotors and propellers on flying toys | N/A |
| 4.27.3 | Rotors and propellers on remote controlled flying toys | N/A |
| 5 | Toys intended for children under 36 months | 11// 1 |
| 5.1 | General requirements | N/A |
| 5.2 | Soft-filled toys and soft-filled parts of a toy | N/A |
| 5.2 5.3 | Plastic sheeting | N/A |
| 5.4 | Cords, chains and electrical cables in toys | N/A |
| 5.4 5.5 | Liquid-filled toys | N/A N/A |
| | | |
| 5.6 | Speed limitation of electrically-driven ride-on toys | N/A |
| 5.7 | Glass and porcelain | <u>N/A</u> |
| 5.8 | Shape and size of certain toys | <u>N/A</u> |
| 5.9 | Toys comprising monofilament fibres | N/A |
| 5.10 | Small balls | N/A |
| 5.11 | Play figures | N/A |
| 5.12 | Hemispheric-shaped toys | N/A |
| 5.13 | Suction cups | N/A |
| 5.14 | Straps intended to be worn fully or partially around the neck | N/A |
| 5.15 | Sledges with cords for pulling | N/A |
| 6 | Packaging | N/A |
| 7 | Warnings, markings and instructions for use | |
| 7.1 | General | N/A |
| 7.2 | Toys not intended for children under 36 months | N/A |
| 7.3 | Latex Balloons | N/A |
| 7.4 | Aquatic toys | N/A |
| 7.5 | Functional Toys | N/A |
| 7.6 | Hazardous sharp functional edges and points | N/A |
| 7.7 | Projectiles toys | N/A |
| 7.8 | Imitation protective masks and helmets | N/A |
| 7.9 | Toy kites | N/A |
| 7.10 | Roller skates, inline skates, skateboards and certain other ride-on toys | N/A |
| 7.11 | Toys intended to be strung across a cradle, cot, or perambulator | N/A |
| 7.12 | Liquid-filled teethers | N/A |
| 7.13 | Percussion caps specifically designed for use in toys | N/A |
| 7.13 | Acoustics | N/A |
| | | N/A N/A |
| 7.15 | Toys bicycles | |
| 7.16 | Toys intended to bear the mass of a child | N/A |
| 7.17 | Toys comprising monofilament fibres | N/A |
| 7.18 | Toy scooters | N/A |
| 7.19 | Rocking horses and similar toys | N/A |
| 7.20 | Magnetic/electrical experimental sets | N/A |
| 7.21 | Toy with electrical cables exceeding 300mm in length | N/A |
| 7.22 | Toys with cords or chains intended for children of 18 months and over but under 36 months | N/A |

Eurofins Product Testing Service (Shanghai) Co., Ltd No.395 West Jiangchang Road, Jing'an District, Shanghai, China



Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 7 of 15

TEST RESULT

| Section | Description | Result |
|---------|---|--------|
| 7.23 | Toys intended to be attached to a cradle, cot or perambulator | N/A |
| 7.24 | Sledges with cords for pulling | N/A |
| 7.25 | Flying toys | N/A |
| 7.25.1 | Flying toys | N/A |
| 7.25.2 | Remote controlled flying toys | N/A |
| 7.26 | Improvised projectiles | N/A |

Remark:

P – Pass N/A – Not Applicable



TEST RESULT

Flammability of Toys

Test Request: As specified in European Standard on Safety of Toys EN71 Part 2:2011+A1:2014

| Section | Description | Result |
|---------|---|--------|
| 4 | Requirements | |
| 4.1 | General Requirements | Р |
| 4.2 | Toys to be worn on the head | N/A |
| 4.3 | Toy disguise costumes and toys intended to be worn by a child in play | N/A |
| 4.4 | Toys intended to be entered by a child. | N/A |
| 4.5 | Soft-filled toys (animals and dolls, etc) (Sample was not tested if its maximum dimension is 150mm or less.) | N/A |

Remark:

P – Pass N/A – Not Applicable

Labeling Requirement

Test Request: Labeling requirement including Washing/Cleaning instruction, CE mark, importer / manufacturer name and address, product identification as specified in Directive 2009/48/EC – Safety of toys

| Labeling Content | Observation Result | Location | Conclusion |
|-------------------------------|--------------------|----------|--------------|
| Washing/Cleaning Instruction | Not Applicable | - | - |
| CE Mark | Not Present | - | See Remark 1 |
| Importer's Name & Address | Not Present | - | See Remark 2 |
| Manufacturer's Name & Address | Not Present | - | See Remark 2 |
| Product ID | Not Present | - | See Remark 3 |

Remark:

1. According to TSD 2009/48/EC, The CE marking shall be affixed before the toy is placed on the market and its height must be at least 5mm.

2. According to TSD 2009/48/EC, manufacturer's and importer's name, registered trade name or registered trade mark and the address at which the manufacturer can be contacted must be indicated on the toy or, where that is not possible, on its packaging or in a document accompanying the toy.

3. According to TSD 2009/48/EC, manufacturers shall ensure that their toys bear a type, batch, serial or model number or other element allowing their identification, or, where the size or nature of the toy does not allow it, that the required information is provided on the packaging or in a document accompanying the toy.



Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 9 of 15

TEST RESULT

Migration of Certain Elements

Test Request: Migration of certain elements as specified in European Standard on Safety of Toys EN71 Part 3:2019

Test Method: General elements, with reference to EN 71 Part 3:2019, analysis was performed by ICP-MS; Extractable Chromium (VI), with reference to EN 71 Part 3:2019, analysis was performed by IC-ICP-MS; Extractable organic tin, with reference to EN 71 Part 3:2019, analysis was performed by GC-MS.

| To at Itam (a): | | Result | | | | | | | |
|---------------------------------------|-------|--------|-----|-----|-----|-----|-----|----|-----|
| Test Item(s): | Unit | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 |
| Category Type | | | I | I | | I | I | I | I |
| Extractable Lead (Pb) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Antimony (Sb) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Arsenic (As) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Barium (Ba) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Cadmium (Cd) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Mercury (Hg) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Selenium (Se) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Boron (B) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Cobalt (Co) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Manganese (Mn) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Strontium (Sr) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Zinc (Zn) | mg/kg | ND | ND | 176 | ND | ND | ND | ND | ND |
| Extractable Copper (Cu) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Aluminum (AI) | mg/kg | ND | 340 | 101 | 186 | 235 | 140 | ND | 186 |
| Extractable Nickel (Ni) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Tin (Sn) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Organic Tin#1 | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Chromium#2 | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Chromium (III) (Cr III)#3 | mg/kg | - | - | - | - | - | - | - | - |
| Extractable Chromium (VI) (Cr VI) | mg/kg | - | - | - | - | - | - | - | - |



TEST RESULT

| Test Item(s): | | Result | | | | | | | |
|---------------------------------------|-------|--------|----|-----|-----|-----|-----|-----|-----|
| Test item(s). | Unit | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 |
| Category Type | | _ | | I | I | _ | I | _ | |
| Extractable Lead (Pb) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Antimony (Sb) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Arsenic (As) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Barium (Ba) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Cadmium (Cd) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Mercury (Hg) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Selenium (Se) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Boron (B) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Cobalt (Co) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Manganese (Mn) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Strontium (Sr) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Zinc (Zn) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Copper (Cu) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Aluminum (Al) | mg/kg | 208 | ND | 219 | 106 | 163 | 190 | 219 | 160 |
| Extractable Nickel (Ni) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Tin (Sn) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Organic Tin#1 | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Chromium#2 | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Chromium (III) (Cr III)#3 | mg/kg | - | - | - | - | - | - | - | - |
| Extractable Chromium (VI) (Cr VI) | mg/kg | - | - | - | - | - | - | - | - |

| | | Result | | | | | | | |
|---------------------------------------|-------|--------|-----|-----|-----|----|----|----|----|
| Test Item(s): | Unit | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 |
| Category Type | | | I | | | | | | |
| Extractable Lead (Pb) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Antimony (Sb) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Arsenic (As) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Barium (Ba) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Cadmium (Cd) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Mercury (Hg) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Selenium (Se) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Boron (B) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Cobalt (Co) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Manganese (Mn) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Strontium (Sr) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Zinc (Zn) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Copper (Cu) | mg/kg | ND | 58 | ND | ND | ND | ND | ND | ND |
| Extractable Aluminum (Al) | mg/kg | 290 | 187 | 291 | 154 | ND | ND | ND | ND |
| Extractable Nickel (Ni) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Tin (Sn) | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Organic Tin#1 | mg/kg | ND | ND | ND | ND | ND | ND | ND | ND |
| Extractable Chromium#2 | mg/kg | ND | ND | ND | ND | ND | - | - | ND |
| Extractable Chromium (III) (Cr III)#3 | mg/kg | - | - | - | - | - | ND | ND | - |
| Extractable Chromium (VI) (Cr VI) | mg/kg | - | - | - | - | - | ND | ND | - |



Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 11 of 15

TEST RESULT

| Test Item(s): | | Result |
|---------------------------------------|-------|--------|
| rest ttem(s). | Unit | 25 |
| Category Type | | |
| Extractable Lead (Pb) | mg/kg | ND |
| Extractable Antimony (Sb) | mg/kg | ND |
| Extractable Arsenic (As) | mg/kg | ND |
| Extractable Barium (Ba) | mg/kg | ND |
| Extractable Cadmium (Cd) | mg/kg | ND |
| Extractable Mercury (Hg) | mg/kg | ND |
| Extractable Selenium (Se) | mg/kg | ND |
| Extractable Boron (B) | mg/kg | ND |
| Extractable Cobalt (Co) | mg/kg | ND |
| Extractable Manganese (Mn) | mg/kg | ND |
| Extractable Strontium (Sr) | mg/kg | ND |
| Extractable Zinc (Zn) | mg/kg | ND |
| Extractable Copper (Cu) | mg/kg | ND |
| Extractable Aluminum (Al) | mg/kg | ND |
| Extractable Nickel (Ni) | mg/kg | ND |
| Extractable Tin (Sn) | mg/kg | ND |
| Extractable Organic Tin#1 | mg/kg | ND |
| Extractable Chromium#2 | mg/kg | ND |
| Extractable Chromium (III) (Cr III)#3 | mg/kg | - |
| Extractable Chromium (VI) (Cr VI) | mg/kg | - |

Note:

- #1 Result of Organic Tin is calculated by assuming the extractable Tin content is wholly contributed from tributyltin (TBT) cation unless further specified.
- #2 If the migration of total Chromium is below the maximum limit for Chromium (VI), it can be inferred that the material complies with the requirements for both Chromium(III) and Chromium(VI).
- #3 In particular Chromium (III) is calculated by subtracting the Chromium (VI) concentration from the total chromium concentration.

Remarks:

mg/kg = milligram per kilogram MDL = Method Detection Limit ND = Not Detected, less than MDL



Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 12 of 15

TEST RESULT

Limits –MDL per category type:

| Test Item(s): | Unit | Limit | MDL | Limit | MDL | Limit | MDL |
|-------------------------------------|-------|-------|------|-------|-------|-----------------|------|
| Category Type | | | | | | I | I |
| Extractable Lead (Pb) | mg/kg | 2.0 | 1.0 | 0.5 | 0.2 | 23 | 10 |
| Extractable Antimony (Sb) | mg/kg | 45 | 5 | 11.3 | 1 | 560 | 10 |
| Extractable Arsenic (As) | mg/kg | 3.8 | 0.2 | 0.9 | 0.1 | 47 | 5 |
| Extractable Barium (Ba) | mg/kg | 1500 | 50 | 375 | 10 | 18750 | 50 |
| Extractable Cadmium (Cd) | mg/kg | 1.3 | 0.1 | 0.3 | 0.05 | 17 | 1 |
| Extractable Mercury (Hg) | mg/kg | 7.5 | 0.5 | 1.9 | 0.2 | 94 | 10 |
| Extractable Selenium (Se) | mg/kg | 37.5 | 2 | 9.4 | 1 | 460 | 10 |
| Extractable Boron (B) | mg/kg | 1200 | 50 | 300 | 10 | 15000 | 50 |
| Extractable Cobalt (Co) | mg/kg | 10.5 | 1 | 2.6 | 0.2 | 130 | 10 |
| Extractable Manganese (Mn) | mg/kg | 1200 | 50 | 300 | 10 | 15000 | 50 |
| Extractable Strontium (Sr) | mg/kg | 4500 | 50 | 1125 | 50 | 56000 | 50 |
| Extractable Zinc (Zn) | mg/kg | 3750 | 50 | 938 | 50 | 46000 | 50 |
| Extractable Copper (Cu) | mg/kg | 622.5 | 10 | 156 | 10 | 7700 | 50 |
| Extractable Aluminum (Al) | mg/kg | 5625 | 50 | 1406 | 50 | 70000 | 50 |
| Extractable Nickel (Ni) | mg/kg | 75 | 5 | 18.8 | 2 | 930 | 10 |
| Extractable Tin (Sn) | mg/kg | 15000 | 50 | 3750 | 50 | 180000 | 50 |
| Extractable Organic Tin | mg/kg | 0.9 | 0.2 | 0.2 | 0.2 | 12 | 0.2 |
| Extractable Chromium | mg/kg | - | 0.02 | - | 0.005 | - | 0.02 |
| Extractable Chromium (III) (Cr III) | mg/kg | 37.5 | 2 | 9.4 | 1 | 460 | 10 |
| Extractable Chromium (VI) (Cr VI) | mg/kg | 0.02 | 0.02 | 0.005 | 0.005 | 0.2 / 0.053* | 0.02 |

Category I: dry, brittle, powder-like or pliable toy material

Category II: liquid or sticky toy material

Category III: scrapped-off toy material

"-" = Not Regulated

*: The migration limit for Chromium (VI) for Category III has been amended by Commission Directive (EU) 2018/725. The new limit value (0.053 mg/kg) applies from 2019-11-18. Before this date the limit value 0.2 mg/kg applies.



Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 13 of 15

TEST RESULT

Total Cadmium Content

Test Request: Total cadmium content as specified in Commission Regulation (EU) 2016/217 amending entry 23 of Annex XVII of REACH Regulation (EC) No 1907/2006.

Test Method: EPA 3050B:1996, EPA 3052:1996, EN 1122:2001 Method B, acid digestion method was used and total cadmium content was determined by ICP-OES.

| Tested Item(s) | Unit | Limit MDL | Result | |
|-------------------|------|-----------|--------|----|
| rested item(s) | Onit | Liiiit | MDL , | 1 |
| Total Cadmium(Cd) | % | 0.1 | 0.0005 | ND |

| Tested Item(s) | Unit Limit MDL | Result | | |
|-------------------|----------------|--------|--------|----|
| rested item(s) | Unit | LIIIII | MDL | 21 |
| Total Cadmium(Cd) | % | 0.01 | 0.0005 | ND |

Remark:

MDL = method detection limit ND = Not detected, less than MDL

Phthalates Content

Test Request:Phthalates content as specified in entry 51&52 of annex XVII of REACH Regulation (EC) No
1907/2006 and its amendment Commission Regulation (EU) 2018/2005.

Test Method: EPA 3550C:2007, EPA 8270E:2018, solvent extraction and quantification by GC-MS.

| Tested Item(s) | CAS No. | Unit | Limit | MDL | Result | |
|-------------------------------|------------|------|-------|-------|--------|----|
| | | | | | 1 | 21 |
| Dibutylphthalate (DBP) | 84-74-2 | % | - | 0.005 | ND | ND |
| Benzylbutylphthalate (BBP) | 85-68-7 | % | - | 0.005 | ND | ND |
| Diethylhexylphthalate (DEHP) | 117-81-7 | % | - | 0.005 | ND | ND |
| Diisobutylphthalate (DIBP) | 84-69-5 | % | - | 0.005 | ND | ND |
| Sum (DBP + BBP + DEHP + DIBP) | - | % | 0.1 | - | ND | ND |
| Di-n-octylphthalate (DNOP) | 117-84-0 | % | - | 0.005 | ND | ND |
| Diisononylphthalate (DINP) | 28553-12-0 | % | - | 0.005 | ND | ND |
| Diisodecylphthalate (DIDP) | 26761-40-0 | % | - | 0.005 | ND | ND |
| Sum (DNOP + DINP + DIDP) | - | % | 0.1 | - | ND | ND |

Remark:

MDL = method detection limit ND = Not detected, less than MDL



Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 14 of 15

TEST RESULT

Polycyclic Aromatic Hydrocarbons (PAHs)

Test Request:Polycyclic Aromatic Hydrocarbons (PAHs) content as specified in Regulation (EU) 2015/326
amending entry 50 of Annex XVII of REACH Regulation (EC) No 1907/2006.

Test Method: Solvent extraction and quantification by gas chromatography-mass selective detection (GC-MS) with respect to AfPS GS 2014:01 PAK (PAK=PAHs) requirement.

| Tested Item(s) | CAS No. | Unit | Limit | MDL | Result | | | |
|---|----------|-------|-------|-----|--------|----|--|--|
| | | | | | 1 | 21 | | |
| For rubber or plastic of toys or child use articles, will direct contact with skin and mouth. | | | | | | | | |
| Benzo(a)anthracene | 56-55-3 | mg/kg | 0.5 | 0.2 | ND | ND | | |
| Chrysene | 218-01-9 | mg/kg | 0.5 | 0.2 | ND | ND | | |
| Benzo(b)fluoranthene | 205-99-2 | mg/kg | 0.5 | 0.2 | ND | ND | | |
| Benzo(j)fluoranthene | 205-82-3 | mg/kg | 0.5 | 0.2 | ND | ND | | |
| Benzo(k)fluoranthene | 207-08-9 | mg/kg | 0.5 | 0.2 | ND | ND | | |
| Benzo(a)pyrene | 50-32-8 | mg/kg | 0.5 | 0.2 | ND | ND | | |
| Dibenzo(a,h)anthracene | 53-70-3 | mg/kg | 0.5 | 0.2 | ND | ND | | |
| Benzo(e)pyrene | 192-97-2 | mg/kg | 0.5 | 0.2 | ND | ND | | |

Remark:

mg/kg = milligram per kilogram MDL = method detection limit ND = Not detected, less than MDL



Report No. : EFSH19092064-CG-01 Date : 08-Oct-2019 Page : 15 of 15

TEST RESULT

Formaldehyde Content for Wood

Test Request:Formaldehyde content as specified in EN71 Part 9:2005 + A1:2007.Test Method:With reference to EN 717-3:1996, analysis was performed by UV-Vis.

| Tested Item(s) | CAS No. | Unit | Limit | MDL | Result | | |
|----------------|---------|-------|-------|-----|--------|----|----|
| | | | | | 23 | 24 | 25 |
| Formaldehyde | 50-00-0 | mg/kg | 80 | 5 | ND | ND | ND |

Remark:

mg/kg = milligram per kilogram MDL = method detection limit ND = Not detected, less than MDL

Benzene Content

Test Request: Benzene content as specified in entry 5 of annex XVII of REACH Regulation (EC) No 1907/2006 and its amendment Regulation (EU) 2015/1494.

Test Method: EPA 3550C:2007, EPA 8270E:2018, solvent extraction and quantification by GC-MS.

| Tested Item(s) | CAS No. | Unit | Limit | MDL | Res | ult |
|----------------|---------|-------|-------|-----|-----|-----|
| | | | | | 1 | 21 |
| Benzene | 71-43-2 | mg/kg | 5 | 5 | ND | ND |

Remark:

mg/kg = milligram per kilogram MDL = method detection limit ND = Not detected, less than MDL

END OF THE REPORT