



TEST REPORT

Reference No	WTF19F08060075C
VEIELELICE MOT	VV LE LAEUQUQUUU/OC

Applicant: Mid Ocean Brands B.V.

Address: 7/F., Kings Tower, 111 King Lam Street, Cheung Sha Wan, Kowloon,

Hong Kong

Manufacturer.....: 104438

Sample Name.....: Double Mirror with cork finish

Model No. : MO9799

accordance with REACH regulation Annex XVII Entries 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628

oved by:

hang / Lab Manager

2) Determination of Cadmium content in the submitted sample in accordance with REACH regulation Annex XVII Entries 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011, No.

835/2012 and (EU) 2016/217

3) As specified by client, determination of the free and hydrolysed

formaldehyde content in submitted sample

Test Method Please refer to next page (s)

Test Conclusion: Please refer to next page (s)

Date of Receipt sample....: 2019-08-28

Date of Test 2019-08-28 to 2019-09-04

Date of Issue 2019-09-04

Test Result: Please refer to next page (s)

Remarks:

The results shown in this test report refer only to the sample(s) tested; this test report cannot be reproduced, except in full, without prior written permission of the company. The report would be invalid without specific stamp of test institute and the signatures of compiler and approver.

If the report is not stamped with the accreditation recognized seal, it will only be used for scientific research, education, and internal quality control activities, and is not used for the purpose of issuing supporting data to the society.

Prepared By:

Waltek Services (Foshan) Co., Ltd.

Address: No.13-19, 2/F., 2nd Building, Sunlink International Machinery City, Chencun, Shunde District, Foshan, Guangdong, China

Tel:+86-757-23811398 Fax:+86-757-23811381 E-mail:info@waltek.com.cn

Compiled by:

Swing.Liang / Project Engineer

SIFE WIFE WHITE WAITE

Test Result:



Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	MDL	Results (mg/kg)			Limit
	(mg/kg)	No.2+No.5	No.3	No.4	(mg/kg)
Lead(Pb)	2	ND*	ND ND	ND	500
Conclusion	WITE WITE	Pass	Pass	Pass	TEX- TEX

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than MDL)

Reference No.: WTF19F08060075C

- (3) MDL = Method Detection Limit
- (4) Limit of Lead was quoted from REACH regulation Annex XVII Item 63 (EC) No. 1907/2006 and the amendment No. 836/2012 and (EU) 2015/628.
- (5) "*" = Results are calculated by the minimum weight of mixed components.

2) Cadmium (Cd)

Test Method: With reference to IEC 62321-5:2013, the analysis was performed by ICP-OES.

Test Item	MDL wint	Results (mg/kg)	
	(mg/kg)	of the No.3 per mi	
Cadmium(Cd)	2	ND	
Conclusion	TEX ITE	Pass	

Note:

- (1) mg/kg = milligram per kilogram
- (2) ND = Not Detected (lower than MDL)
- (3) MDL = Method Detection Limit
- (4) Limit of Cadmium according to REACH regulation Annex XVII Item 23 (EC) No. 1907/2006 and the amendment No. 552/2009, No. 494/2011 and No. 835/2012 and (EU) 2016/217.

Category	Limit (mg/kg)		
Wet paint	100		
Surface coating	1000		
Plastic	100		
Metal parts of jewellery and hair accessories	100		



3) Formaldehyde

Test Method: With reference to EN717-3:1996, analysis was performed by UV-VIS

Test Item	unit Unit Incide	Result	MDL	Client's Limit
		No.1		
Formaldehyde (CH ₂ O)	mg/kg	ND	10	80
Conclusion		Pass	WALL WALL	ing -ne

Note:

- ND = Not detected or less than the method detection limit
- mg/kg =milligram per kilogram=ppm
- MDL= Method Detection Limit

Test Specimen Description:

No.1: Brown wooden shell

No.2: Silvery metal shell

No.3: White plastic shell with silvery plating

No.4: Silvery glass


No.5: Silvery metal axle

Sample photo:





Photographs of parts tested:



===== End of Report =====

EX JUNE OF LIFE CALL THE CALL