

TEST REPORT

Technical Report: 技术报告	(5220)006-0109		January 13, 2020
Date Received: 样品收取日期	January 6, 2020		Page 1 of 10
Sample Description: 样品描述	Sample(s) received is/are stated to be: Mercury Free Alkaline Button Cell		
Color:	/	Style No(s):	/
颜色		款号	•
Order No.: 订单号	/	PO No.: 采购订单号	/
Model No.: 型号	L521C (AG0, 379, LR63, LR521) L621C (AG1, 364, LR60, LR621) L726C (AG2, 396, LR59, LR726) L736C (AG3, 392, LR41, LR736) L626C (AG4, 377, LR66, LR626) L754C (AG5, 393, LR48, LR754) L921C (AG6, 370, LR69, LR921) L926C (AG7, 395, LR57, LR926) L1121C (AG8, 391, LR55, LR1121) L936C (AG9, 394, LR45, LR936) L1131C (AG10, 390, LR54, LR1131, LR1130) L721C (AG11, 344, LR58, LR721) L1142C (AG12, 386, LR43, LR1142) L1154C (AG13, LR44, 357, LR1154) L416C (LR416, 416) L516C (LR516, 317, 516) L616C (LR616, LR65, 321, 616)	Batch No.: 批号 Product End Use:	/
Age Grade: 年龄组别	/	产品最终用途	/
Vendor:	/	Retest No.:	/
卖方	,	复测试号	,
Manufacturer: 制造商		Supplier Reference: 供应商参考	/
Buyer: 买家	1	Country of Origin: 原产地	China
Test Period: 所需工作周期	January 6, 2020 to January 13, 2020	Country of Destination: 目的地	/

LA

Bureau Veritas Hong Kong Ltd.
Consumer Product Services Division
Kowloon Bay Office
1/F, Pacific Trade Centre,
2 Kai Hing Road, Kowloon Bay,
Kowloon, Hong Kong
Telephone: (852) 2331 0330 Fax: (852) 2331 0889
www.cps.bureauveritas.com

This report is governed by, and incorporates by reference, the Conditions of Testing as posted at the date of issuance of this report at http://www.cps.bureauveritas.com and is intended for your exclusive use. Any copying or replication of this report to or for any other person or entity, or use of our name or trademark, is permitted only with our prior written permission. This report sets forth our findings solely with respect to the test samples identified herein. The results set forth in this report are not indicative or representative of the quality or characteristics of the lot from which a test sample was taken or any similar or identical product unless specifically and expressly noted. Our report includes all of the tests requested by you and the results thereof based upon the information that you provided to us. You have 60 days from date of issuance of this report to notify us of any material error or omission caused by our negligence; provided, however, that such notice shall be in writing and shall specifically address the issue you wish to raise. A failure to raise such issue within the prescribed time shall constitute you unqualified acceptance of the completeness of this report, the tests conducted and the correctness of the report contents.



January 13, 2020

Page 2 of 10

SUMMARY OF TEST RESULTS 测试结果摘要

TEST REQUESTED 测试要求	CONCLUSION 结论	REMARK 备注
Total Mercury Content in Alkaline Manganese Button Cell - United States Public Law 104-142, Title II Mercury-Containing	PASS	
Battery Management Act, Section 203		
Total Mercury Content in Battery and Button Cell Battery - Canadian Environmental Protection Act, S.C. 1999, c. 33, Products Containing Mercury Regulations SOR/2014-254, Section 3	PASS	
Total Heavy Metals Content in Button Cells - European Parliament and Council Directive 2006/66/EC with Latest Amendment, Articles 4 and 21 According to 2013/56/EU	PASS	
Phthalates Content - European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments including (EU) 2015/863	PASS	
European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments 有关欧盟委员会针对电子产品的指令(电子电气禁用某些有害物质指令),2011/65/EU	PASS 通过	

REMARK

If there are questions or concerns on this report, please contact:

(852) 2331 0330

rohs.enquiry@hk.bureauveritas.com

BUREAU VERITAS HONG KONG LTD.

MS. YANN LO

MANAGER, ANALYTICAL



January 13, 2020

Page 3 of 10

Photo of the Submitted Sample 所提交样品的照片



January 13, 2020

Page 4 of 10

TEST RESULT

Total Mercury Content in Alkaline Manganese Button Cell - United States Public Law 104-142, Title II Mercury-Containing Battery Management Act, Section 203

Tested Item(s): 1 Silvery button cell (LR44, 1.5V)

Maximum Allowable Limit:		25 mg/cell			
-	Unit		Result		
Test Item(s)	-	1			
Parameter	-	-	-	-	
Total Mercury (Hg)	mg/cell	ND	-	-	
Conclusion	-	PASS	-	-	

Note / Key:

ND = Not detected

">" = Greater than

mg/cell = milligram(s) per cell Detection Limit (mg/cell): 5

<u>Total Mercury Content in Battery and Button Cell Battery - Canadian Environmental Protection Act, S.C. 1999, c. 33, Products Containing Mercury Regulations SOR/2014-254, Section 3</u>

Tested Item(s) : 1 Silvery button cell (LR44, 1.5V)

Maximum Allowable Limit:		Prohibited ^[b] (0.000	5 %)		
-	Unit		Result		
Test Item(s)	-	1			
Parameter	-				
Total Mercury (Hg)	%	ND	-	-	
Conclusion	-	PASS			

Note / Key:

ND = Not detected

">" = Greater than

% = percent

Detection Limit (%): 0.0001

Remark:

- [b] denoted as this limit is valid to button cell battery starting from January 1, 2016. Button cell battery manufactured or imported before January 1, 2016 has to comply with another total mercury requirement with the maximum allowable limit of 25 milligrams per cell according to Canadian Environmental Protection Act, S.C. 1999, c. 33, Products Containing Mercury Regulations SOR/2014-254, Schedule, Item 31 and labeling requirement as specified in Canadian Environmental Protection Act, S.C. 1999, c. 33, Products Containing Mercury Regulations SOR/2014-254, Sections 8 and 9
- Test Item(s) with total mercury content less than 0.0005 % should be considered as exempted as specified in Canadian Environmental Protection Act, S.C. 1999, c. 33, Products Containing Mercury Regulations SOR/2014-254, Section 2, Items (l) and (m).

January 13, 2020 Page 5 of 10

TEST RESULT

<u>Total Heavy Metals Content in Button Cells - European Parliament and Council Directive</u> 2006/66/EC with Latest Amendment, Articles 4 and 21 According to 2013/56/EU

Tested Item(s): 1 Silvery button cell (LR44, 1.5V)

Requirement(s):				
Parameter(s)		Max	ximum Allowable Li	mit
Total Mercury (H	g)	0.0005 %		
Total Cadmium (C	(d)		0.002 %	
Total Lead (Pb)		Information only ^[a]		
-	Unit		Result	
Test Item(s)	-	1	-	-
Parameter	-	-	-	-
Total Mercury (Hg)	%	< 0.0001	-	-
Total Cadmium (Cd)	%	< 0.001	-	-
Total Lead (Pb)	%	0.0056	-	-
Conclusion	_	PASS	_	_

Note / Key:

"<" = Less than

">" = Greater than

% = percent

Remark:

- Apart from this total heavy metals content requirement(s), button cell(s) has (have) to comply together with the appropriate labelling requirement(s) as specified in European Parliament and Council Directive 2006/66/EC with Latest Amendment, Article 21.
- [a] denotes as button cell(s) with total lead content exceeding 0.004 % has (have) to comply with the appropriate labelling requirement(s) as specified in European Parliament and Council Directive 2006/66/EC with Latest Amendment, Article 21.

January 13, 2020

Page 6 of 10

TEST RESULT

<u>Phthalates Content - European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments including (EU) 2015/863</u>

Test Method: With reference to International Standard IEC 62321-8: 2017.

Tested Item(s): 1 Silvery button cell (LR44, 1.5V)

Maximum Allowable Limit :	Each of the listed phthalates : 0.1 % ^[a]

Tog4 140(a)	Result	Complusion		
Test Item(s)	Detected Analyte(s)	Conc.	Unit	Conclusion
1	ND	ND	%	PASS

Note / Key:

ND = Not detected ">" = Greater than Conc. = Concentration

%=percent $1~\%=10~000~mg/kg \\ mg/kg=milligram(s)~per~kilogram=ppm=part(s)~per~million \\ Detection~Limit~(~\%~)~-~Each~of~the~listed~phthalates:~0.005$

Remark:

- The list of phthalates is summarized in table of Appendix.
- The testing approach is listed in table of Appendix.
- [a] denotes as this maximum allowable limit applies to:
 - Medical devices (Including in vitro medical devices) and monitoring and control instruments (Including industrial monitoring and control instruments) placed on the market on or after July 22, 2021.
 - Other products (Except toys) placed on the market on or after July 22, 2019.

APPENDIX

List of Phthalates [European Parliament and Council Directive 2011/65/EU] :						
No.	Name of Analyte(s)	CAS-No.	No.	Name of Analyte(s)	CAS-No.	
1	Butyl benzyl phthalate (BBP)	85-68-7	3	Di-2-ethylhexyl phthalate (Bis (2-ethylhexyl) phthalate) (DEHP)	117-81-7	
2	Di-n-butyl phthalate (Dibutyl phthalate) (DBP)	84-74-2	4	Di-iso-butyl phthalate (Diisobutyl phthalate) (DIBP)	84-69-5	
	CAS-No. = Chemical Abstracts Ser	vice registry nun	nber			

January 13, 2020 Page 7 of 10

TEST RESULT 测试结果

European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments 有关欧盟委员会针对电子产品的指令(电子电气禁用某些有害物质指令), 2011/65/EU

Test Method : See Appendix. **测试方法** 见附录

Tested Item(s) : 1 Silvery button cell (LR44, 1.5V)

测试项目

See Analytes (Parame and their correspond		Type I 类 I	Metallic mater 金属材料	ial	
Maximum Allowable Limit (Req.) in Result Table		Type II 类 II	Glass or ceram 玻璃或陶瓷材料		
分析物 (参数) 及其对应的最 (要求) – 见结果表		Type III 类 III		allic material ex 料,类 II 材料除	
-	Unit 单位	Req. 要求		Result 结果	
Test Item(s) 测试项目	-	-	1	-	-
Type 类型	-	III	III	-	-
Parameter 参数	-	-	-	-	-
Lead (Pb) 铅	mg/kg	1000	56.2	-	-

-	Unit 単位	Req. 要豕		Result 结果	
Test Item(s) 测试项目	-	-	1	-	-
Type 类型	-	III	III	-	-
Parameter 参数	-	-	-	-	-
Lead (Pb) 铅	mg/kg	1000	56.2	-	-
Cadmium (Cd) 镉	mg/kg	100	ND	-	-
Mercury (Hg) 汞	mg/kg	1000	ND	ı	-
Chromium VI (Cr VI) 六价铬	mg/kg	1000	ND	-	-
PBBs 多溴联苯	mg/kg	1000	ND	ı	-
MonoBB 一溴联苯	mg/kg	-	ND	ı	-
DiBB 二溴联苯	mg/kg	-	ND	-	-
TriBB 三溴联苯	mg/kg	-	ND	-	-
TetraBB 四溴联苯	mg/kg	-	ND	-	-
PentaBB 五溴联苯	mg/kg	-	ND	-	-
HexaBB 六溴联苯	mg/kg	-	ND	-	-
HeptaBB 七溴联苯	mg/kg	-	ND	-	-
OctaBB 八溴联苯	mg/kg	-	ND	-	-
NonaBB 九溴联苯	mg/kg	-	ND	-	-
DecaBB 十溴联苯	mg/kg	-	ND	-	-
PBDEs 多溴二苯醚	mg/kg	1000	ND	1	-
MonoBDE一溴二苯醚	mg/kg	-	ND	-	-
DiBDE二溴二苯醚	mg/kg	-	ND	ı	-
TriBDE三溴二苯醚	mg/kg	-	ND	ı	-
TetraBDE 四溴二苯醚	mg/kg	-	ND	-	-
PentaBDE 五溴二苯醚	mg/kg	-	ND	-	-
HexaBDE 六溴二苯醚	mg/kg	-	ND	-	-
HeptaBDE 七溴二苯醚	mg/kg	-	ND	-	-
OctaBDE 八溴二苯醚	mg/kg	-	ND	-	-
NonaBDE 九溴二苯醚	mg/kg	-	ND	-	-
DecaBDE 十溴二苯醚	mg/kg	-	ND	-	-
Conclusion 结论	-	-	PASS 通过	-	-

January 13, 2020 Page 8 of 10

TEST RESULT 测试结果

European Parliament and Council Directive 2011/65/EU on the Restriction of the Use of Certain Hazardous Substances in Electrical and Electronic Equipment (RoHS) with its Amendments 有关欧盟委员会针对电子产品的指令(电子电气禁用某些有害物质指令), 2011/65/EU

Note / Key 注释:

NR = Not requested 未要求 mg/kg = milligram(s) per kilogram 毫克每千克

Detection Limit 检出限 (mg/kg):

For Type I - Each (Pb, Cd & Hg): 2.0 类 I - 各 (铅, 镉和 汞): 2.0

For Type II - Each (Pb, Cd, Hg & Cr VI): 2.0 类 II - 各 (铅, 镉, 汞和六价铬): 2.0

For Type III - Metal, Polymers & Electronics - Each (Pb, Cd, Hg & Cr VI): 2.0; Each (PBBs & PBDEs): 50;

Others - Each (Pb, Cd & Hg): 2.0; Cr VI: 3.0; Each (PBBs & PBDEs): 50

类 III - 金属, 聚合物及电子 - 各(铅,镉,汞和六价铬): 2.0;各(多溴联苯和多溴二苯醚): 50;

其他 - 各(铅, 镉和汞): 2.0; 六价铬: 3.0; 各(多溴联苯和多溴二苯醚): 50;

Remark 备注:

- The testing approach is listed in table of Appendix. 测试方法 – 见附录。

- According to European Parliament and Council Directive 2011/65/EU, Article 5 "Adaptation of the Annexes to scientific and technical progress", exemption(s) should be granted to the materials and components of Test Item(s) in the lists in Annexes III and IV of this directive.

根据欧盟委员会 2011/65/EU 指令中,条款 5"适应科学技术进步的附件",附件 III 和 IV 中列明的测试项目中的材料和部件可予以豁免。

END 结束

January 13, 2020 Page 9 of 10

APPENDIX 附录

No.	Name of Analytes 分析物名称	011/65/EU]: Test Method(s) 测试方法		
1	Lead (Pb) 铅	With reference to International Standard IEC 62321-5: 2013		
2	Cadmium (Cd) 镉	参照国际标准 IEC 62321-5: 2013.		
	Cadillulii (Cd) 钢	With reference to International Standard IEC 62321-4: 201		
3	Mercury (Hg) 汞	参照国际标准 IEC 62321-4: 2017.		
4	Chromium VI (Cr VI) 六价铬	Metal 金属: With reference to International Standard IEC 62321-7-1: 2015. 参照国际标准 IEC 62321-7-1: 2015. Polymers and Electronics 聚合物及电子: With reference to European Standard EN 62321-7-2: 2017 参照欧洲标准 EN 62321-7-2: 2017. Leather 皮革: International Standard ISO 17075: 2007 国际标准 ISO 17075: 2007 Other than Metal, Leather, Polymers and Electronics: 非金属,皮革,聚合物及电子: With reference to International Standard ISO 17075: 2007 参照国际标准 ISO 17075: 2007		
5	Polybromobiphenyls (PBBs) 多溴联苯 - Bromobiphenyl (MonoBB) - Dibromobiphenyl (DiBB) - Tribromobiphenyl (TriBB) - Tetrabromobiphenyl (TetraBB) - Pentabromobiphenyl (PentaBB) - Hexabromobiphenyl (HexaBB) - Heptabromobiphenyl (HeptaBB) - Octabromobiphenyl (OctaBB) - Nonabromobiphenyl (NonaBB) - Decabromobiphenyl (DecaBB)	With reference to International Standard IEC 62321-6: 201: 参照国际标准 IEC 62321-6: 2015.		
6	Polybromodiphenyl ethers (PBDEs) 多溴二苯醚 - Bromodiphenyl ether (MonoBDE) - Dibromodiphenyl ether (DiBDE) - Tribromodiphenyl ether (TriBDE) - Tetrabromodiphenyl ether (TetraBDE) - Pentabromodiphenyl ether (PentaBDE) - Hexabromodiphenyl ether (HexaBDE) - Heptabromodiphenyl ether (HeptaBDE) - Octabromodiphenyl ether (OctaBDE) - Nonabromodiphenyl ether (NonaBDE) - Decabromodiphenyl ether (DecaBDE)	参照四州外在 IEC 02321-0: 2013.		

The principle of this method was evaluated and supported by two studies organized by IEC TC 111 WG3. These studies were focused on detecting the presence of Cr VI in the corrosion protection coatings on metallic samples. 该方法的原理是在由 IEC TC111 WG3 组织的两次研究中得到了充分评估并获得了认可。这些研究侧重于对金属样品上防腐涂层中六价铬的存在的检测(定性测试)。



January 13, 2020

Page 10 of 10

